

PANEL MELANOMA, EXTENSIVE (CDKN2A, CDK4, MITF P.(GLU318LYS), BAP1, POT1, TERT PROMOTER)¹ DG-4.1.0 (7 GENES)

<i>Gene</i>	<i>Twist X2 covered >10x</i>	<i>Twist X2 covered >20x</i>	<i>WGS covered >10x</i>	<i>WGS covered >20x</i>	<i>Associated Phenotype description and OMIM disease ID</i>
BAP1	100%	100%	100%	99.2%	Kury-Isidor syndrome, 619762;Tumor predisposition syndrome 1, 614327;{Uveal melanoma, susceptibility to, 2}, 606661
CDK4	100%	100%	100%	98.9%	{Melanoma, cutaneous malignant, 3}, 609048
CDKN2A	100%	100%	100%	97.5%	{Melanoma and neural system tumor syndrome}, 155755;{Melanoma, cutaneous malignant, 2}, 155601;{Melanoma-pancreatic cancer syndrome}, 606719

MITF	100%	100%	100%	99.4%	Waardenburg syndrome, type 2A, 193510;{Melanoma, cutaneous malignant, susceptibility to, 8}, 614456;Tietz albinism-deafness syndrome, 103500;COMMAD syndrome, 617306
POT1	100%	100%	100%	99.8%	Tumor predisposition syndrome 3, 615848;?Cerebroretinal microangiopathy with calcifications and cysts 3, 620368;?Pulmonary fibrosis and/or bone marrow failure syndrome, telomere-related, 8, 620367
TERT	100%	100%	100%	98.4%	Dyskeratosis congenita, autosomal dominant 2, 613989;Dyskeratosis congenita, autosomal recessive 4, 613989;Pulmonary fibrosis and/or bone marrow failure syndrome, telomere-related, 1, 614742;{Melanoma, cutaneous malignant, 9}, 615134;{Leukemia, acute myeloid}, 601626
TINF2	100%	100%	100%	99.4%	Dyskeratosis congenita, autosomal dominant 3, 613990;Revesz syndrome, 268130

Gene symbols used follow HGCN guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan 43(Database issue):D1079-85.

TWIST X2 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry.

TWIST X2 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry.

srWGS GRCh38 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.

srWGS GRCh38 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.

non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : March 17th, 2023.

This list is accurate for panel version DG 4.0.0

Ad 1. "No OMIM phenotype" signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors