

# DISORDERS/DIFFERENCES OF SEX DEVELOPMENT (DSD) / PRIMARY ADRENAL INSUFFICIENCY PANEL DG-5.0.0 (206 GENES)

| Gene  | Twist X2 covered 10x | Twist X2 covered 20x | srWGS covered 10x | srWGS covered 15x | srWGS covered 20x | Associated Phenotype description and OMIM disease ID                                                                                                                                                                                                                                                         |
|-------|----------------------|----------------------|-------------------|-------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AAAS  | 100%                 | 100%                 | 100%              | 99.9%             | 99.3%             | Achalasia-addisonianis m-alacrimia syndrome, 231550                                                                                                                                                                                                                                                          |
| AARS2 | 100%                 | 100%                 | 100%              | 99.9%             | 98.9%             | Leukoencephalopathy, progressive, with ovarian failure, 615889;Combined oxidative phosphorylation deficiency 8, 614096                                                                                                                                                                                       |
| ABCD1 | 90.6%                | 86.6%                | 98.4%             | 87.4%             | 67%               | Adrenoleukodystrophy, 300100;Adrenomyeloneuropathy, adult, 300100                                                                                                                                                                                                                                            |
| ACTB  | 100%                 | 100%                 | 100%              | 100%              | 99.8%             | Baraitser-Winter syndrome 1, 243310;Becker nevus, syndromic or isolated, somatic mosaic, 604919;Thrombocytopenia 8, with dysmorphic features and developmental delay, 620475;Dystonia-deafness syndrome 1, 607371;Congenital smooth muscle hamartoma with or without hemihypertrophy, somatic mosaic, 620470 |
| ADCY3 | 100%                 | 100%                 | 100%              | 100%              | 99.4%             | {Obesity, susceptibility to, BMIQ19}, 617885                                                                                                                                                                                                                                                                 |

|          |       |       |       |       |       |                                                                                                                                                                                                                                           |
|----------|-------|-------|-------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AIRE     | 100%  | 100%  | 100%  | 100%  | 99.4% | Autoimmune polyendocrinopathy syndrome , type I, with or without reversible metaphyseal dysplasia, 240300                                                                                                                                 |
| AKR1C2   | 98.7% | 95.2% | 100%  | 100%  | 99.6% | 46XY sex reversal 8, 614279                                                                                                                                                                                                               |
| AMH      | 100%  | 100%  | 100%  | 100%  | 99.1% | Persistent Mullerian duct syndrome, type I, 261550                                                                                                                                                                                        |
| AMHR2    | 100%  | 100%  | 100%  | 100%  | 99.6% | Persistent Mullerian duct syndrome, type II, 261550                                                                                                                                                                                       |
| ANKRD31  | 100%  | 100%  | 100%  | 99.9% | 99.5% |                                                                                                                                                                                                                                           |
| ANOS1    | 100%  | 100%  | 99%   | 90.6% | 68.6% | Hypogonadotropic hypogonadism 1 with or without anosmia (Kallmann syndrome 1), 308700                                                                                                                                                     |
| AR       | 100%  | 100%  | 97.8% | 86.8% | 66.9% | Androgen insensitivity, partial, with or without breast cancer, 312300;Spinal and bulbar muscular atrophy, X-linked 1, 313200;{Prostate cancer, susceptibility to}, 301120;Androgen insensitivity, 300068;Hypospadias 1, X-linked, 300633 |
| ARCN1    | 97.2% | 96.1% | 100%  | 100%  | 99.8% | Short stature-micrognathia syndrome, 617164                                                                                                                                                                                               |
| ARHGAP35 | 100%  | 100%  | 100%  | 100%  | 99.4% |                                                                                                                                                                                                                                           |
| ARMC5    | 100%  | 100%  | 100%  | 99.9% | 98.7% | {ACTH-independent macronodular adrenal hyperplasia 2}, 615954                                                                                                                                                                             |

|          |       |       |       |       |       |                                                                                                                                                                                                                                                    |
|----------|-------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ARX      | 99.8% | 98.1% | 95.5% | 78.5% | 58.1% | Proud syndrome, 300004;Hydranencephaly with abnormal genitalia, 300215;Partington syndrome, 309510;Developmental and epileptic encephalopathy 1, 308350;Lissencephaly, X-linked 2, 300215;Intellectual developmental disorder, X-linked 29, 300419 |
| ATF3     | 100%  | 100%  | 100%  | 100%  | 99.8% |                                                                                                                                                                                                                                                    |
| ATRX     | 100%  | 100%  | 99.1% | 90.9% | 71.8% | Alpha-thalassemia myelodysplasia syndrome, somatic, 300448;Intellectual disability-hypotonic facies syndrome, X-linked, 309580;Alpha-thalassemia/impaired intellectual development syndrome, 301040                                                |
| AXL      | 100%  | 100%  | 100%  | 99.9% | 99.1% |                                                                                                                                                                                                                                                    |
| B9D1     | 100%  | 100%  | 100%  | 100%  | 99.4% | ?Meckel syndrome 9, 614209;Joubert syndrome 27, 617120                                                                                                                                                                                             |
| BMP15    | 100%  | 100%  | 99.2% | 89.7% | 69.7% | Premature ovarian failure 4, 300510;Ovarian dysgenesis 2, 300510                                                                                                                                                                                   |
| BMP4     | 100%  | 100%  | 100%  | 100%  | 99.2% | Orofacial cleft 11, 600625;Microphthalmia , syndromic 6, 607932                                                                                                                                                                                    |
| BMP7     | 100%  | 100%  | 100%  | 100%  | 99.1% |                                                                                                                                                                                                                                                    |
| BNC1     | 100%  | 100%  | 100%  | 100%  | 99.7% | ?Premature ovarian failure 16, 618723                                                                                                                                                                                                              |
| C14orf39 | 100%  | 100%  | 100%  | 100%  | 99.6% | Spermatogenic failure 52, 619202;?Premature ovarian failure 18, 619203                                                                                                                                                                             |

|         |       |       |       |       |       |                                                                                                                                                                                      |
|---------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CBX2    | 100%  | 100%  | 100%  | 100%  | 99.6% | ?46XY sex reversal 5, 613080                                                                                                                                                         |
| CCDC141 | 100%  | 100%  | 100%  | 100%  | 99.7% |                                                                                                                                                                                      |
| CCNQ    | 96.7% | 96.7% | 98.2% | 87.1% | 68.8% | STAR syndrome, 300707                                                                                                                                                                |
| CDH2    | 100%  | 100%  | 100%  | 100%  | 99.7% | Arrhythmogenic right ventricular dysplasia 14, 618920;?Attention deficit-hyperactivity disorder 8, 619957;Agenesis of corpus callosum, cardiac, ocular, and genital syndrome, 618929 |
| CDKN1C  | 100%  | 100%  | 100%  | 99.8% | 98.6% | IMAGE syndrome, 614732;Beckwith-Wiedemann syndrome, 130650                                                                                                                           |
| CEP41   | 100%  | 100%  | 100%  | 100%  | 99.9% | Joubert syndrome 15, 614464                                                                                                                                                          |
| CHD7    | 100%  | 100%  | 100%  | 100%  | 99.7% | Hypogonadotropic hypogonadism 5 with or without anosmia, 612370;CHARGE syndrome, 214800                                                                                              |
| CLPP    | 100%  | 100%  | 100%  | 100%  | 99%   | Perrault syndrome 3, 614129                                                                                                                                                          |
| CNGA2   | 100%  | 100%  | 98.2% | 86.8% | 66.2% |                                                                                                                                                                                      |
| CREBBP  | 100%  | 100%  | 100%  | 100%  | 99.4% | Menke-Hennekam syndrome 1, 618332;Rubinstein-Taybi syndrome 1, 180849                                                                                                                |
| CTU2    | 100%  | 100%  | 100%  | 99.9% | 99%   | Microcephaly, facial dysmorphism, renal agenesis, and ambiguous genitalia syndrome, 618142                                                                                           |
| CUL4B   | 96.7% | 96.7% | 99.1% | 90.7% | 71.5% | Intellectual developmental disorder, X-linked syndromic, Cabezas type, 300354                                                                                                        |

|         |       |       |      |       |       |                                                                                                                                                                                                              |
|---------|-------|-------|------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CUL7    | 100%  | 100%  | 100% | 99.9% | 99.2% | 3-M syndrome 1, 273750                                                                                                                                                                                       |
| CYB5A   | 58.3% | 57.7% | 100% | 100%  | 99.7% | Methemoglobinemia and ambiguous genitalia, 250790                                                                                                                                                            |
| CYP11A1 | 100%  | 99.2% | 100% | 100%  | 99.5% | Adrenal insufficiency, congenital, with 46XY sex reversal, partial or complete, 613743                                                                                                                       |
| CYP11B1 | 100%  | 100%  | 100% | 100%  | 99.8% | Aldosteronism, glucocorticoid-remedia ble, 103900;Adrenal hyperplasia, congenital, due to 11-beta-hydroxylase deficiency, 202010                                                                             |
| CYP11B2 | 100%  | 100%  | 100% | 100%  | 99.5% | Hypoaldosteronism, congenital, due to CMO I deficiency, 203400;Aldosterone to renin ratio raised;{Low renin hypertension, susceptibility to};Hypoaldosteronism, congenital, due to CMO II deficiency, 610600 |
| CYP17A1 | 100%  | 100%  | 100% | 100%  | 99.4% | 17,20-lyase deficiency, isolated, 202110;17-alpha-hydro xylase/17,20-lyase deficiency, 202110                                                                                                                |
| CYP19A1 | 100%  | 100%  | 100% | 100%  | 99.8% | Aromatase deficiency, 613546                                                                                                                                                                                 |
| CYP21A2 | 100%  | 100%  | 100% | 100%  | 99.2% | Hyperandrogenism, nonclassic type, due to 21-hydroxylase deficiency, 201910;Adrenal hyperplasia, congenital, due to 21-hydroxylase deficiency, 201910                                                        |
| DAP3    | 93.3% | 91.2% | 100% | 100%  | 99.6% | Perrault syndrome 7, 621101                                                                                                                                                                                  |
| DCAF17  | 96.5% | 96.5% | 100% | 100%  | 99.7% | Woodhouse-Sakati syndrome, 241080                                                                                                                                                                            |

|         |       |       |      |      |       |                                                                                                                                                                                                                   |
|---------|-------|-------|------|------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DCC     | 100%  | 100%  | 100% | 100% | 99.6% | Mirror movements 1 and/or agenesis of the corpus callosum, 157600;Esophageal carcinoma, somatic, 133239;Colorectal cancer, somatic, 114500;Gaze palsy, familial horizontal, with progressive scoliosis, 2, 617542 |
| DHCR7   | 96.2% | 96.2% | 100% | 100% | 99.4% | Smith-Lemli-Opitz syndrome, 270400                                                                                                                                                                                |
| DHH     | 100%  | 100%  | 100% | 100% | 99.4% | 46XY gonadal dysgenesis with minifascicular neuropathy, 607080;46XY sex reversal 7, 233420                                                                                                                        |
| DHX37   | 100%  | 100%  | 100% | 100% | 99.2% | Neurodevelopmental disorder with brain anomalies and with or without vertebral or cardiac anomalies, 618731;46XY sex reversal 11, 273250                                                                          |
| DLK1    | 100%  | 100%  | 100% | 100% | 98.9% |                                                                                                                                                                                                                   |
| DMRT1   | 100%  | 100%  | 100% | 100% | 99.3% |                                                                                                                                                                                                                   |
| DMRT2   | 100%  | 100%  | 100% | 100% | 99.4% |                                                                                                                                                                                                                   |
| DUSP6   | 100%  | 100%  | 100% | 100% | 99.9% | Hypogonadotropic hypogonadism 19 with or without anosmia, 615269                                                                                                                                                  |
| DYNC2H1 | 100%  | 100%  | 100% | 100% | 99.8% | Short-rib thoracic dysplasia 3 with or without polydactyly, 613091                                                                                                                                                |
| DYNC2I1 | 95.7% | 95.7% | 100% | 100% | 99.7% | Short-rib thoracic dysplasia 8 with or without polydactyly, 615503                                                                                                                                                |

|           |      |      |      |      |       |                                                                                                                                                                                                                                                                                                        |
|-----------|------|------|------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EIF2B5    | 100% | 100% | 100% | 100% | 99.5% | Leukoencephalopathy with vanishing white matter 5, with or without ovarian failure, 620315                                                                                                                                                                                                             |
| EIF4ENIF1 | 100% | 100% | 100% | 100% | 99.5% |                                                                                                                                                                                                                                                                                                        |
| ERAL1     | 100% | 100% | 100% | 100% | 99.9% | Perrault syndrome 6, 617565                                                                                                                                                                                                                                                                            |
| ERCC6     | 100% | 100% | 100% | 100% | 99.5% | UV-sensitive syndrome 1, 600630;Cerebrooculofa cioskeletal syndrome 1, 214150;?De Sanctis-Cacchione syndrome, 278800;Cockayne syndrome, type B, 133540;{Macular degeneration, age-related, susceptibility to, 5}, 613761;Premature ovarian failure 11, 616946;{Lung cancer, susceptibility to}, 211980 |
| ESR1      | 100% | 100% | 100% | 100% | 99.4% | Breast cancer, somatic, 114480;{Migraine, susceptibility to}, 157300;Estrogen resistance, 615363;{Myocardial infarction, susceptibility to}, 608446                                                                                                                                                    |
| ESR2      | 100% | 100% | 100% | 100% | 99.5% | ?Ovarian dysgenesis 8, 618187                                                                                                                                                                                                                                                                          |
| FANCM     | 100% | 100% | 100% | 100% | 99.8% | Premature ovarian failure 15, 618096;Spermatogenic failure 28, 618086                                                                                                                                                                                                                                  |
| FEZF1     | 100% | 100% | 100% | 100% | 99.5% | Hypogonadotropic hypogonadism 22, with or without anosmia, 616030                                                                                                                                                                                                                                      |

|       |      |       |      |       |       |                                                                                                                                                                                                                                                                             |
|-------|------|-------|------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FGF17 | 100% | 100%  | 100% | 99.9% | 99.1% | Hypogonadotropic hypogonadism 20 with or without anosmia, 615270                                                                                                                                                                                                            |
| FGF8  | 100% | 100%  | 100% | 100%  | 99.3% | Hypogonadotropic hypogonadism 6 with or without anosmia, 612702                                                                                                                                                                                                             |
| FGFR1 | 100% | 99.5% | 100% | 100%  | 99.5% | Pfeiffer syndrome, 101600;Hypogonadotropic hypogonadism 2 with or without anosmia, 147950;Jackson-Weiss syndrome, 123150;Hartsfield syndrome, 615465;Trigonocephaly 1, 190440;Osteoglophonic dysplasia, 166250;Encephalocraniocutaneous lipomatosis, somatic mosaic, 613001 |



|        |      |      |       |       |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------|------|------|-------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FGFR2  | 100% | 100% | 100%  | 100%  | 99.7% | Bent bone dysplasia syndrome, 614592;LADD syndrome 1, 149730;Antley-Bixler syndrome without genital anomalies or disordered steroidogenesis, 207410;Scaphocephaly and Axenfeld-Rieger anomaly;Jackson-Weiss syndrome, 123150;Gastric cancer, somatic, 613659;Craniofacial-skeletal-dermatologic dysplasia, 101600;Apert syndrome, 101200;Pfeiffer syndrome, 101600;Craniosynostosis, nonspecific;?Scaphocephaly, maxillary retrusion, and impaired intellectual development, 609579;Beare-Stevenson cutis gyrata syndrome, 123790;Crouzon syndrome, 123500;Saethre-Chotzen syndrome, 101400 |
| FIGLA  | 100% | 100% | 100%  | 100%  | 99.6% | Premature ovarian failure 6, 612310                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| FIGNL1 | 100% | 100% | 100%  | 100%  | 99.8% |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| FLRT3  | 100% | 100% | 100%  | 100%  | 99.8% | Hypogonadotropic hypogonadism 21 with anosmia, 615271                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| FOXL2  | 100% | 100% | 99.9% | 99.5% | 96.2% | Premature ovarian failure 3, 608996;Blepharophimosis, epicanthus inversus, and ptosis, types 1 and 2, 110100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| FRAS1  | 100% | 100% | 100%  | 100%  | 99.6% | Fraser syndrome 1, 219000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|       |      |      |       |       |       |                                                                                                                                                                                                                |
|-------|------|------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FREM2 | 100% | 100% | 100%  | 100%  | 99.7% | Fraser syndrome 2, 617666;Cryptophthalmos, unilateral or bilateral, isolated, 123570                                                                                                                           |
| FSHB  | 100% | 100% | 100%  | 100%  | 99.8% | Hypogonadotropic hypogonadism 24 without anosmia, 229070                                                                                                                                                       |
| FSHR  | 100% | 100% | 100%  | 100%  | 99.7% | Ovarian hyperstimulation syndrome, 608115;Ovarian dysgenesis 1, 233300                                                                                                                                         |
| FZD2  | 100% | 100% | 100%  | 99.9% | 98.4% | Omodysplasia 2, 164745                                                                                                                                                                                         |
| GALT  | 100% | 100% | 100%  | 99.9% | 99.2% | Galactosemia, 230400                                                                                                                                                                                           |
| GATA4 | 100% | 100% | 100%  | 99.9% | 98.2% | Tetralogy of Fallot, 187500;Atrial septal defect 2, 607941;Ventricular septal defect 1, 614429;Atrioventricular septal defect 4, 614430;?Testicular anomalies with or without congenital heart disease, 615542 |
| GDF9  | 100% | 100% | 100%  | 100%  | 99.9% | Premature ovarian failure 14, 618014                                                                                                                                                                           |
| GGPS1 | 100% | 100% | 100%  | 100%  | 100%  | Muscular dystrophy, congenital hearing loss, and ovarian insufficiency syndrome, 619518                                                                                                                        |
| GK    | 96%  | 96%  | 99.2% | 91.2% | 70.7% | Glycerol kinase deficiency, 307030                                                                                                                                                                             |
| GLI2  | 100% | 100% | 100%  | 100%  | 99.3% | Culler-Jones syndrome, 615849;Holoprosencephaly 9, 610829                                                                                                                                                      |
| GNRH1 | 100% | 100% | 100%  | 100%  | 100%  | ?Hypogonadotropic hypogonadism 12 with or without anosmia, 614841                                                                                                                                              |

|         |       |       |       |       |       |                                                                                                                                            |
|---------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------|
| GNRHR   | 100%  | 100%  | 100%  | 100%  | 99.9% | Hypogonadotropic hypogonadism 7 without anosmia, 146110                                                                                    |
| GREB1L  | 100%  | 100%  | 100%  | 100%  | 99.6% | Deafness, autosomal dominant 80, 619274;Renal hypodysplasia/aplasia 3, 617805                                                              |
| GRIP1   | 100%  | 100%  | 100%  | 100%  | 99.6% | Fraser syndrome 3, 617667                                                                                                                  |
| HARS2   | 100%  | 100%  | 100%  | 100%  | 99.6% | Perrault syndrome 2, 614926                                                                                                                |
| HESX1   | 100%  | 100%  | 100%  | 100%  | 99.9% | Pituitary hormone deficiency, combined, 5, 182230;Septo-optic dysplasia, 182230;Growth hormone deficiency with pituitary anomalies, 182230 |
| HFM1    | 100%  | 100%  | 100%  | 100%  | 99.8% | Premature ovarian failure 9, 615724                                                                                                        |
| HHAT    | 100%  | 100%  | 100%  | 100%  | 99.6% | Nivelon-Nivelon-Mabille syndrome, 600092                                                                                                   |
| HOXA13  | 100%  | 99.8% | 99.8% | 97.7% | 86.9% | Hand-foot-genital syndrome, 140000;?Guttmacher syndrome, 176305                                                                            |
| HROB    | 95.2% | 95.2% | 100%  | 100%  | 99.6% | Ovarian dysgenesis 11, 620897                                                                                                              |
| HS6ST1  | 100%  | 100%  | 100%  | 100%  | 99%   | {Hypogonadotropic hypogonadism 15 with or without anosmia}, 614880                                                                         |
| HSD17B3 | 100%  | 100%  | 100%  | 100%  | 99.6% | Pseudohermaphroditism, male, with gynecomastia, 264300                                                                                     |
| HSD17B4 | 100%  | 100%  | 100%  | 100%  | 99.8% | D-bifunctional protein deficiency, 261515;Perrault syndrome 1, 233400                                                                      |

|        |       |       |      |      |       |                                                                                                                                      |
|--------|-------|-------|------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------|
| HSD3B2 | 100%  | 100%  | 100% | 100% | 99.6% | Adrenal hyperplasia, congenital, due to 3-beta-hydroxysteroid dehydrogenase 2 deficiency, 201810                                     |
| HSF2BP | 100%  | 100%  | 100% | 100% | 99.8% | Premature ovarian failure 19, 619245                                                                                                 |
| IFT172 | 100%  | 100%  | 100% | 100% | 99.7% | Retinitis pigmentosa 71, 616394;Bardet-Biedl syndrome 20, 619471;Short-rib thoracic dysplasia 10 with or without polydactyly, 615630 |
| IGSF10 | 100%  | 100%  | 100% | 100% | 99.9% |                                                                                                                                      |
| IL17RD | 100%  | 100%  | 100% | 100% | 99.4% | Hypogonadotropic hypogonadism 18 with or without anosmia, 615267                                                                     |
| INSL3  | 78.8% | 78.8% | 100% | 100% | 99.3% | Cryptorchidism, 219050                                                                                                               |
| IRF6   | 100%  | 100%  | 100% | 100% | 99.4% | {Orofacial cleft 6}, 608864;Popliteal pterygium syndrome 1, 119500;van der Woude syndrome 1, 119300                                  |
| KASH5  | 100%  | 100%  | 100% | 100% | 99.5% | Spermatogenic failure 88, 620547;Premature ovarian failure 22, 620548                                                                |
| KAT6B  | 100%  | 100%  | 100% | 100% | 99.7% | SBBYSS syndrome, 603736;Genitopatellar syndrome, 606170                                                                              |
| KISS1  | 100%  | 100%  | 100% | 100% | 99.9% | ?Hypogonadotropic hypogonadism 13 with or without anosmia, 614842                                                                    |
| KISS1R | 100%  | 100%  | 100% | 100% | 99.3% | Hypogonadotropic hypogonadism 8 with or without anosmia, 614837;?Precocious puberty, central, 1, 176400                              |
| KLB    | 100%  | 100%  | 100% | 100% | 99.9% |                                                                                                                                      |

|        |       |       |       |       |       |                                                                                                                                                                                                                                                                            |
|--------|-------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LARS2  | 96.2% | 96.2% | 100%  | 100%  | 99.8% | Perrault syndrome 4, 615300;Hydrops, lactic acidosis, and sideroblastic anemia, 617021                                                                                                                                                                                     |
| LEP    | 100%  | 100%  | 100%  | 100%  | 99.2% | Obesity, morbid, due to leptin deficiency, 614962                                                                                                                                                                                                                          |
| LEPR   | 94.6% | 94.6% | 100%  | 100%  | 99.7% | Obesity, morbid, due to leptin receptor deficiency, 614963                                                                                                                                                                                                                 |
| LHB    | 100%  | 100%  | 100%  | 100%  | 98.4% | Hypogonadotropic hypogonadism 23 with or without anosmia, 228300                                                                                                                                                                                                           |
| LHCGR  | 100%  | 100%  | 100%  | 100%  | 99.9% | Leydig cell adenoma, somatic, with precocious puberty, 176410;Leydig cell hypoplasia with pseudohermaphroditism, 238320;Leydig cell hypoplasia with hypergonadotropic hypogonadism, 238320;Luteinizing hormone resistance, female, 238320;Precocious puberty, male, 176410 |
| LHX1   | 100%  | 100%  | 100%  | 99.7% | 98%   |                                                                                                                                                                                                                                                                            |
| LHX3   | 100%  | 100%  | 100%  | 99.9% | 98.8% | Pituitary hormone deficiency, combined, 3, 221750                                                                                                                                                                                                                          |
| LIPA   | 95.4% | 95.2% | 100%  | 100%  | 99.9% | Wolman disease, 620151;Cholesteryl ester storage disease, 278000                                                                                                                                                                                                           |
| MAMLD1 | 100%  | 100%  | 98.8% | 87.6% | 65.9% | Hypospadias 2, X-linked, 300758                                                                                                                                                                                                                                            |
| MAP3K1 | 100%  | 100%  | 100%  | 100%  | 99.6% | 46XY sex reversal 6, 613762                                                                                                                                                                                                                                                |

|       |       |       |      |       |       |                                                                                                                                                                        |
|-------|-------|-------|------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MC2R  | 100%  | 100%  | 100% | 100%  | 99.9% | Glucocorticoid deficiency, due to ACTH unresponsiveness, 202200                                                                                                        |
| MCM8  | 95.1% | 94.4% | 100% | 100%  | 99.6% | ?Premature ovarian failure 10, 612885                                                                                                                                  |
| MCM9  | 100%  | 100%  | 100% | 99.9% | 99.5% | Ovarian dysgenesis 4, 616185                                                                                                                                           |
| MEI4  | 100%  | 100%  | 100% | 100%  | 99.8% |                                                                                                                                                                        |
| MKKS  | 100%  | 100%  | 100% | 100%  | 99.9% | McKusick-Kaufman syndrome, 236700;Bardet-Biedl syndrome 6, 605231                                                                                                      |
| MKRN3 | 100%  | 100%  | 100% | 99.9% | 99.5% | Precocious puberty, central, 2, 615346                                                                                                                                 |
| MRAP  | 100%  | 100%  | 100% | 99.9% | 99.5% | Glucocorticoid deficiency 2, 607398                                                                                                                                    |
| MSH4  | 100%  | 100%  | 100% | 100%  | 99.8% | Premature ovarian failure 20, 619938;Spermatogenic failure 2, 108420                                                                                                   |
| MYRF  | 100%  | 99.8% | 100% | 99.9% | 99.1% | Nanophthalmos 1, 600165;Encephalitis/en cephalopathy, mild, with reversible myelin vacuolization, 618113;Cardiac-urogen ital syndrome, 618280                          |
| NDNF  | 100%  | 100%  | 100% | 100%  | 99.8% | Hypogonadotropic hypogonadism 25 with anosmia, 618841                                                                                                                  |
| NEK1  | 100%  | 100%  | 100% | 100%  | 99.8% | Short-rib thoracic dysplasia 6 with or without polydactyly, 263520;?Orofaciodigital syndrome II, 252100;{Amyotrophic lateral sclerosis, susceptibility to, 24}, 617892 |

|       |       |       |       |       |       |                                                                                                                                                                  |
|-------|-------|-------|-------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NNT   | 96.3% | 96.3% | 100%  | 100%  | 99.8% | Glucocorticoid deficiency 4, with or without mineralocorticoid deficiency, 614736                                                                                |
| NOBOX | 100%  | 100%  | 100%  | 100%  | 99.2% | Premature ovarian failure 5, 611548                                                                                                                              |
| NOS1  | 100%  | 100%  | 100%  | 100%  | 99.5% |                                                                                                                                                                  |
| NR0B1 | 100%  | 100%  | 98.6% | 88%   | 67.6% | Adrenal hypoplasia, congenital, 300200;46XY sex reversal 2, dosage-sensitive, 300018                                                                             |
| NR2F2 | 100%  | 100%  | 100%  | 99.9% | 98.8% | 46XX sex reversal 5, 618901;Congenital heart defects, multiple types, 4, 615779                                                                                  |
| NR3C1 | 100%  | 100%  | 100%  | 100%  | 99.9% | Glucocorticoid resistance, 615962                                                                                                                                |
| NR3C2 | 100%  | 100%  | 100%  | 99.8% | 98.5% | Pseudohypoaldosteronism type I, autosomal dominant, 177735;Hypertension, early-onset, autosomal dominant, with exacerbation in pregnancy, 605115                 |
| NR5A1 | 99.1% | 95.4% | 100%  | 100%  | 99.2% | 46XX sex reversal 4, 617480;Premature ovarian failure 7, 612964;46XY sex reversal 3, 612965;Adrenocortical insufficiency, 612964;Spermatogenic failure 8, 613957 |
| NSMF  | 100%  | 100%  | 100%  | 99.9% | 99.3% | Hypogonadotropic hypogonadism 9 with or without anosmia, 614838                                                                                                  |
| NTN1  | 100%  | 100%  | 100%  | 100%  | 99.5% | Mirror movements 4, 618264                                                                                                                                       |
| OBSL1 | 100%  | 100%  | 100%  | 99.9% | 99.1% | 3-M syndrome 2, 612921                                                                                                                                           |

|        |       |       |       |       |       |                                                                                                                                                         |
|--------|-------|-------|-------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| PBX1   | 100%  | 100%  | 100%  | 100%  | 99.7% | Congenital anomalies of kidney and urinary tract syndrome with or without hearing loss, abnormal ears, or developmental delay, 617641                   |
| PCSK1  | 100%  | 100%  | 100%  | 100%  | 99.7% | {Obesity, susceptibility to, BMIQ12}, 612362;Endocrinopathy due to proprotein convertase 1/3 deficiency, 600955                                         |
| PHF6   | 100%  | 100%  | 99.4% | 91.3% | 72.1% | Borjeson-Forssman-Lehmann syndrome, 301900                                                                                                              |
| PLXNA1 | 100%  | 100%  | 100%  | 100%  | 99.4% | Dworschak-Punetha neurodevelopmental syndrome, 619955                                                                                                   |
| PMM2   | 94.6% | 94.6% | 100%  | 100%  | 99.8% | Congenital disorder of glycosylation, type Ia, 212065                                                                                                   |
| PNPLA6 | 100%  | 100%  | 100%  | 99.9% | 99.1% | Spastic paraplegia 39, autosomal recessive, 612020;Oliver-McFarlane syndrome, 275400;?Laurence-Moon syndrome, 245800;Boucher-Neuhäuser syndrome, 215470 |
| POLE   | 100%  | 100%  | 100%  | 100%  | 99.5% | {Colorectal cancer, susceptibility to, 12}, 615083;FILS syndrome, 615139;IMAGE-I syndrome, 618336                                                       |



|         |       |       |      |      |       |                                                                                                                                                                                                                                                                                                                                             |
|---------|-------|-------|------|------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POLG    | 100%  | 100%  | 100% | 100% | 99.4% | Mitochondrial recessive ataxia syndrome (includes SANDO and SCAE), 607459;Mitochondrial DNA depletion syndrome 4B (MNGIE type), 613662;Mitochondrial DNA depletion syndrome 4A (Alpers type), 203700;Progressive external ophthalmoplegia, autosomal dominant 1, 157640;Progressive external ophthalmoplegia, autosomal recessive 1, 258450 |
| POLR3A  | 100%  | 100%  | 100% | 100% | 99.4% | Wiedemann-Rautenstrauch syndrome, 264090;Leukodystrophy, hypomyelinating, 7, with or without oligodontia and/or hypogonadotropic hypogonadism, 607694                                                                                                                                                                                       |
| POLR3B  | 95.4% | 95.4% | 100% | 100% | 99.7% | Leukodystrophy, hypomyelinating, 8, with or without oligodontia and/or hypogonadotropic hypogonadism, 614381;Charcot-Marie-Tooth disease, demyelinating, type 1I, 619742                                                                                                                                                                    |
| POLR3GL | 100%  | 100%  | 100% | 100% | 99.6% | Short stature, oligodontia, dysmorphic facies, and motor delay, 619234                                                                                                                                                                                                                                                                      |
| POMC    | 100%  | 100%  | 100% | 100% | 98.7% | {Obesity, early-onset, susceptibility to}, 601665;Obesity, adrenal insufficiency, and red hair due to POMC deficiency, 609734                                                                                                                                                                                                               |

|          |       |       |      |      |       |                                                                                                                                                               |
|----------|-------|-------|------|------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POR      | 99%   | 95.6% | 100% | 100% | 99.8% | Antley-Bixler syndrome with genital anomalies and disordered steroidogenesis, 201750;Disordered steroidogenesis due to cytochrome P450 oxidoreductase, 613571 |
| PPP1R12A | 100%  | 100%  | 100% | 100% | 99.9% | Genitourinary and/or/brain malformation syndrome, 618820                                                                                                      |
| PPP2R3C  | 100%  | 100%  | 100% | 100% | 100%  | Spermatogenic failure 36, 618420;Myoectodermal gonadal dysgenesis syndrome, 618419                                                                            |
| PROK2    | 100%  | 100%  | 100% | 100% | 99.9% | Hypogonadotropic hypogonadism 4 with or without anosmia, 610628                                                                                               |
| PROKR2   | 100%  | 100%  | 100% | 100% | 99.4% | Hypogonadotropic hypogonadism 3 with or without anosmia, 244200                                                                                               |
| PROP1    | 100%  | 100%  | 100% | 100% | 99.3% | Pituitary hormone deficiency, combined, 2, 262600                                                                                                             |
| PSMC3IP  | 100%  | 100%  | 100% | 100% | 99.9% | Ovarian dysgenesis 3, 614324                                                                                                                                  |
| RIPK4    | 100%  | 100%  | 100% | 100% | 99.4% | CHAND syndrome, 214350;Popliteal pterygium syndrome, Bartsocas-Papas type 1, 263650                                                                           |
| RNF111   | 97.5% | 97.5% | 100% | 100% | 99.6% |                                                                                                                                                               |
| ROR2     | 100%  | 100%  | 100% | 100% | 99.6% | Brachydactyly, type B1, 113000;Robinow syndrome, autosomal recessive, 268310                                                                                  |

|        |       |       |       |       |       |                                                                                                                                                        |
|--------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPL10  | 100%  | 100%  | 98.6% | 89.2% | 69.8% | {Autism, susceptibility to, X-linked 5}, 300847;Intellectual developmental disorder, X-linked syndromic 35, 300998                                     |
| RSPO1  | 100%  | 100%  | 100%  | 100%  | 99.5% | Palmoplantar hyperkeratosis and true hermaphroditism, 610644;Palmoplantar hyperkeratosis with squamous cell carcinoma of skin and sex reversal, 610644 |
| RXFP2  | 100%  | 100%  | 100%  | 100%  | 99.9% |                                                                                                                                                        |
| SAMD9  | 100%  | 100%  | 100%  | 100%  | 99.9% | Tumoral calcinosis, familial, normophosphatemic, 610455;Monosomy 7 myelodysplasia and leukemia syndrome 2, 619041;MIRAGE syndrome, 617053              |
| SEMA3A | 100%  | 100%  | 100%  | 100%  | 99.8% | {Hypogonadotropic hypogonadism 16 with or without anosmia}, 614897                                                                                     |
| SEMA3E | 100%  | 100%  | 100%  | 100%  | 99.8% |                                                                                                                                                        |
| SGPL1  | 95.5% | 95.5% | 100%  | 100%  | 99.7% | RENI syndrome, 617575                                                                                                                                  |
| SOHLH1 | 100%  | 100%  | 100%  | 100%  | 99.5% | Ovarian dysgenesis 5, 617690;Spermatogenic failure 32, 618115                                                                                          |
| SOX10  | 97.8% | 97.8% | 100%  | 99.8% | 99%   | Waardenburg syndrome, type 4C, 613266;PCWH syndrome, 609136;Waardenburg syndrome, type 2E, with or without neurologic involvement, 611584              |

|         |      |       |       |       |       |                                                                                                                                                                                         |
|---------|------|-------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SOX11   | 100% | 100%  | 100%  | 99.5% | 94.3% | Intellectual developmental disorder with microcephaly and with or without ocular malformations or hypogonadotropic hypogonadism, 615866                                                 |
| SOX2    | 100% | 100%  | 100%  | 99.8% | 97.6% | Optic nerve hypoplasia and abnormalities of the central nervous system, 206900;Microphthalmia , syndromic 3, 206900                                                                     |
| SOX3    | 100% | 100%  | 96.5% | 80.8% | 58.8% | Intellectual developmental disorder, X-linked, with isolated growth hormone deficiency, 300123;Panhypopituitarism, X-linked, 312000                                                     |
| SOX9    | 100% | 99.9% | 100%  | 100%  | 98.3% | Campomelic dysplasia with autosomal sex reversal, 114290;46XY sex reversal 10, 616425;Acampomelic campomelic dysplasia, 114290;Campomelic dysplasia, 114290;46XX sex reversal 2, 278850 |
| SPATA22 | 100% | 100%  | 100%  | 100%  | 99.9% | Premature ovarian failure 25, 621002;Spermatogenic failure 96, 621001                                                                                                                   |
| SPIDR   | 100% | 100%  | 100%  | 100%  | 99.4% | Ovarian dysgenesis 9, 619665                                                                                                                                                            |
| SPRY4   | 100% | 100%  | 100%  | 100%  | 99.7% | Hypogonadotropic hypogonadism 17 with or without anosmia, 615266                                                                                                                        |
| SRCAP   | 100% | 100%  | 100%  | 100%  | 99.1% | Developmental delay, hypotonia, musculoskeletal defects, and behavioral abnormalities, 619595;Floating-Harbor syndrome, 136140                                                          |

|        |       |       |       |       |       |                                                                                             |
|--------|-------|-------|-------|-------|-------|---------------------------------------------------------------------------------------------|
| SRD5A2 | 87.5% | 87.5% | 100%  | 100%  | 99.8% | Pseudovaginal perineoscrotal hypospadias, 264600                                            |
| SRY    | 50%   | 50%   | 49.6% | 42.6% | 22.5% | 46XY sex reversal 1, 400044;46XX sex reversal 1, 400045                                     |
| STAG3  | 100%  | 100%  | 100%  | 100%  | 99.2% | Spermatogenic failure 61, 619672;Premature ovarian failure 8, 615723                        |
| STAR   | 100%  | 100%  | 100%  | 100%  | 99%   | Lipoid adrenal hyperplasia, 201710                                                          |
| SWSAP1 | 100%  | 100%  | 100%  | 100%  | 99.5% |                                                                                             |
| SYCE1  | 100%  | 100%  | 100%  | 100%  | 99.3% | ?Spermatogenic failure 15, 616950;?Premature ovarian failure 12, 616947                     |
| SYCP2L | 100%  | 100%  | 100%  | 100%  | 99.7% | Premature ovarian failure 24, 620840                                                        |
| TAC3   | 100%  | 100%  | 100%  | 100%  | 99.8% | Hypogonadotropic hypogonadism 10 with or without anosmia, 614839                            |
| TACR3  | 100%  | 100%  | 100%  | 100%  | 99.7% | Hypogonadotropic hypogonadism 11 with or without anosmia, 614840                            |
| TBX19  | 100%  | 100%  | 100%  | 100%  | 99.6% | Adrenocorticotrophic hormone deficiency, 201400                                             |
| TBX3   | 100%  | 100%  | 100%  | 99.8% | 97.8% | Ulnar-mammary syndrome, 181450                                                              |
| TCF12  | 96.1% | 96.1% | 100%  | 100%  | 99.9% | Craniosynostosis 3, 615314;Hypogonadotropic hypogonadism 26 with or without anosmia, 619718 |
| TCTN3  | 100%  | 100%  | 100%  | 100%  | 99.9% | Joubert syndrome 18, 614815;Orofaciodigital syndrome IV, 258860                             |
| TENM1  | 100%  | 100%  | 99.2% | 90.4% | 70.6% |                                                                                             |

|        |       |       |      |       |       |                                                                                                                                                                                                                                                                                                 |
|--------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TOE1   | 100%  | 100%  | 100% | 99.9% | 98.6% | Pontocerebellar hypoplasia, type 7, 614969                                                                                                                                                                                                                                                      |
| TP63   | 100%  | 100%  | 100% | 100%  | 99.7% | Premature ovarian failure 21, 620311;Ectrodactyly, ectodermal dysplasia, and cleft lip/palate syndrome 3, 604292;Hay-Wells syndrome, 106260;Split-hand/foot malformation 4, 605289;Orofacial cleft 8, 618149;Rapp-Hodgkin syndrome, 129400;ADULT syndrome, 103285;Limb-mammary syndrome, 603543 |
| TSPYL1 | 100%  | 100%  | 100% | 100%  | 99.6% | Sudden infant death with dysgenesis of the testes syndrome, 608800                                                                                                                                                                                                                              |
| TWNK   | 100%  | 100%  | 100% | 100%  | 99.7% | Mitochondrial DNA depletion syndrome 7 (hepatocerebral type), 271245;Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal dominant 3, 609286;Perrault syndrome 5, 616138                                                                                            |
| TXNRD2 | 100%  | 100%  | 100% | 100%  | 99.4% | ?Glucocorticoid deficiency 5, 617825                                                                                                                                                                                                                                                            |
| WDPCP  | 92.1% | 92.1% | 100% | 100%  | 99.8% | Bardet-Biedl syndrome 15, 615992;Congenital heart defects, hamartomas of tongue, and polysyndactyly, 217085                                                                                                                                                                                     |

|        |       |       |      |       |       |                                                                                                                                                                             |
|--------|-------|-------|------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WDR11  | 100%  | 100%  | 100% | 100%  | 99.8% | Intellectual developmental disorder, autosomal recessive 78, 620237;Hypogonadotropic hypogonadism 14 with or without anosmia, 614858                                        |
| WNT4   | 100%  | 100%  | 100% | 100%  | 99%   | ?SERKAL syndrome, 611812;Mullerian aplasia and hyperandrogenism, 158330                                                                                                     |
| WT1    | 100%  | 100%  | 100% | 100%  | 99.4% | Mesothelioma, somatic, 156240;Meacham syndrome, 608978;Frasier syndrome, 136680;Nephrotic syndrome, type 4, 256370;Denys-Drash syndrome, 194080;Wilms tumor, type 1, 194070 |
| ZFPM2  | 100%  | 100%  | 100% | 100%  | 99.8% | Diaphragmatic hernia 3, 610187;46XY sex reversal 9, 616067;Tetralogy of Fallot, 187500                                                                                      |
| ZNF541 | 100%  | 100%  | 100% | 100%  | 99.5% |                                                                                                                                                                             |
| ZSWIM7 | 94.6% | 88.6% | 100% | 99.9% | 99.4% | Spermatogenic failure 71, 619831;?Ovarian dysgenesis 10, 619834                                                                                                             |

Gene symbols used follow HGCN guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan 43(Database issue):D1079-85.

TWIST X2 covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.  
TWIST X2 covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.  
srWGS covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.  
srWGS covered 15x describes the percentage of a gene's coding sequence that is covered at least 15x when analyzed by WGS mapped against GRCh38.  
srWGS covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.  
non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.  
OMIM release used for OMIM disease identifiers and descriptions : November 25th, 2024.  
This list is accurate for panel version DG 4.4.0  
Ad 1. Blank field signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors