

WES FETAL AKINESIA DG 3.7

<i>Gene</i>	<i>Twist X2 covered >10x</i>	<i>Twist X2 covered >20x</i>	<i>WGS covered >10x</i>	<i>WGS covered >20x</i>	<i>Associated Phenotype description and OMIM disease ID</i>
ACTA1	100.0%	100.0%	100.0%	99.0%	Congenital myopathy 2B, severe infantile, autosomal recessive, 620265 ?Myopathy, scapulohumeroperoneal, 616852 Congenital myopathy 2C, severe infantile, autosomal dominant, 620278 Congenital myopathy 2A, typical, autosomal dominant, 161800
ADCY6	100.0%	100.0%	100.0%	99.8%	Lethal congenital contracture syndrome 8, 616287
ADGRG6	100.0%	99.8%	100.0%	99.2%	Lethal congenital contracture syndrome 9, 616503
ALG3	100.0%	100.0%	100.0%	99.7%	Congenital disorder of glycosylation, type Id, 601110
ASCC1	86.7%	86.6%	100.0%	98.8%	Spinal muscular atrophy with congenital bone fractures 2, 616867 Barrett esophagus/esophageal adenocarcinoma, 614266
ATP1A2	100.0%	100.0%	100.0%	99.7%	Developmental and epileptic encephalopathy 98, 619605 Fetal akinesia, respiratory insufficiency, microcephaly, polymicrogyria, and dysmorphic facies, 619602 Alternating hemiplegia of childhood 1, 104290 Migraine, familial basilar, 602481 Migraine, familial hemiplegic, 2, 602481

BICD2	100.0%	100.0%	100.0%	99.9%	Spinal muscular atrophy, lower extremity-predominant, 2B, autosomal dominant, 618291 Spinal muscular atrophy, lower extremity-predominant, 2A, autosomal dominant, 615290
BIN1	100.0%	100.0%	100.0%	99.6%	Centronuclear myopathy 2, 255200
CACNA1S	100.0%	100.0%	100.0%	99.7%	Congenital myopathy 18 due to dihydropyridine receptor defect, 620246 Hypokalemic periodic paralysis, type 1, 170400
CHAT	100.0%	100.0%	100.0%	99.3%	Myasthenic syndrome, congenital, 6, presynaptic, 254210
CHRNA1	100.0%	100.0%	100.0%	98.9%	Myasthenic syndrome, congenital, 1B, fast-channel, 608930 Myasthenic syndrome, congenital, 1A, slow-channel, 601462 Multiple pterygium syndrome, lethal type, 253290
CHRNB1	100.0%	100.0%	100.0%	99.0%	?Myasthenic syndrome, congenital, 2C, associated with acetylcholine receptor deficiency, 616314 Myasthenic syndrome, congenital, 2A, slow-channel, 616313
CHRND	100.0%	100.0%	100.0%	99.4%	?Myasthenic syndrome, congenital, 3C, associated with acetylcholine receptor deficiency, 616323 Multiple pterygium syndrome, lethal type, 253290 Myasthenic syndrome, congenital, 3B, fast-channel, 616322 ?Myasthenic syndrome, congenital, 3A, slow-channel, 616321

CHRNE	100.0%	100.0%	100.0%	99.6%	Myasthenic syndrome, congenital, 4A, slow-channel, 605809 Myasthenic syndrome, congenital, 4C, associated with acetylcholine receptor deficiency, 608931 Myasthenic syndrome, congenital, 4B, fast-channel, 616324
CHRNA3	100.0%	100.0%	100.0%	99.9%	Multiple pterygium syndrome, lethal type, 253290 Escobar syndrome, 265000
CHST14	100.0%	100.0%	100.0%	98.6%	Ehlers-Danlos syndrome, musculocontractural type 1, 601776
CNTNAP1	100.0%	100.0%	100.0%	99.4%	Lethal congenital contracture syndrome 7, 616286 Hypomyelinating neuropathy, congenital, 3, 618186
COL6A1	100.0%	100.0%	100.0%	99.8%	Bethlem myopathy 1, 158810 Ullrich congenital muscular dystrophy 1, 254090
COL6A2	100.0%	100.0%	100.0%	99.9%	Bethlem myopathy 1, 158810 ?Myosclerosis, congenital, 255600 Ullrich congenital muscular dystrophy 1, 254090
COL6A3	100.0%	100.0%	100.0%	99.5%	Ullrich congenital muscular dystrophy 1, 254090 Dystonia 27, 616411 Bethlem myopathy 1, 158810
COX15	100.0%	100.0%	100.0%	99.2%	Mitochondrial complex IV deficiency, nuclear type 6, 615119

CRPPA	100.0%	100.0%	100.0%	99.0%	Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 7, 616052 Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 7, 614643
DHCR24	100.0%	100.0%	100.0%	99.8%	Desmosterolosis, 602398
DHCR7	100.0%	100.0%	100.0%	99.9%	Smith-Lemli-Opitz syndrome, 270400
DNM2	100.0%	100.0%	100.0%	99.5%	Centronuclear myopathy 1, 160150 Charcot-Marie-Tooth disease, axonal type 2M, 606482 Charcot-Marie-Tooth disease, dominant intermediate B, 606482 Lethal congenital contracture syndrome 5, 615368
DOK7	100.0%	100.0%	100.0%	99.5%	Fetal akinesia deformation sequence 3, 618389 Myasthenic syndrome, congenital, 10, 254300
ECEL1	100.0%	100.0%	100.0%	99.8%	Arthrogryposis, distal, type 5D, 615065
EGR2	100.0%	100.0%	100.0%	99.6%	Dejerine-Sottas disease, 145900 Charcot-Marie-Tooth disease, type 1D, 607678 Hypomyelinating neuropathy, congenital, 1, 605253
ERBB3	100.0%	100.0%	100.0%	99.6%	?Lethal congenital contractural syndrome 2, 607598 Visceral neuropathy, familial, 1, autosomal recessive, 243180
ERCC5	100.0%	100.0%	100.0%	99.3%	Xeroderma pigmentosum, group G, 278780 Cerebrooculofacioskeletal syndrome 3, 616570 Xeroderma pigmentosum, group G/Cockayne syndrome, 278780

ERCC6	100.0%	100.0%	100.0%	99.4%	UV-sensitive syndrome 1, 600630 Cerebrooculofacioskeletal syndrome 1, 214150 ?De Sanctis-Cacchione syndrome, 278800 Cockayne syndrome, type B, 133540 Premature ovarian failure 11, 616946
FBN2	100.0%	100.0%	100.0%	99.7%	Macular degeneration, early-onset, 616118 Contractural arachnodactyly, congenital, 121050
FKRP	100.0%	100.0%	100.0%	99.9%	Muscular dystrophy-dystroglycanopathy (congenital with or without impaired intellectual development), type B, 5, 606612 Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 5, 607155 Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 5, 613153
FLNC	100.0%	100.0%	100.0%	99.9%	Cardiomyopathy, familial hypertrophic, 26, 617047 Arrhythmogenic right ventricular dysplasia, familial, 617047 Cardiomyopathy, familial restrictive 5, 617047 Myopathy, distal, 4, 614065 Myopathy, myofibrillar, 5, 609524
FLVCR2	100.0%	100.0%	100.0%	99.6%	Proliferative vasculopathy and hydranencephaly-hydrocephaly syndrome, 225790

GBA	100.0%	100.0%	100.0%	99.6%	Gaucher disease, type II, 230900 Gaucher disease, type IIIC, 231005 Gaucher disease, type III, 231000 Gaucher disease, type I, 230800 Gaucher disease, perinatal lethal, 608013
GBE1	100.0%	99.9%	100.0%	99.4%	Glycogen storage disease IV, 232500 Polyglucosan body disease, adult form, 263570
GLDN	100.0%	100.0%	100.0%	99.5%	Lethal congenital contracture syndrome 11, 617194
GLE1	100.0%	100.0%	100.0%	99.4%	Lethal congenital contracture syndrome 1, 253310 Congenital arthrogryposis with anterior horn cell disease, 611890
GMPPB	100.0%	100.0%	100.0%	99.8%	Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 14, 615352 Muscular dystrophy-dystroglycanopathy (congenital with impaired intellectual development), type B, 14, 615351 Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 14, 615350
IGHMBP2	100.0%	100.0%	100.0%	99.8%	Neuronopathy, distal hereditary motor, type VI, 604320 Charcot-Marie-Tooth disease, axonal, type 2S, 616155
KIAA1109	100.0%	99.9%	100.0%	99.4%	Alkuraya-Kucinkas syndrome, 617822
KIF5C	99.3%	99.3%	100.0%	99.5%	Cortical dysplasia, complex, with other brain malformations 2, 615282

KLHL40	100.0%	100.0%	100.0%	99.7%	Nemaline myopathy 8, autosomal recessive, 615348
KLHL41	100.0%	100.0%	100.0%	99.2%	Nemaline myopathy 9, 615731
LGI4	100.0%	100.0%	100.0%	99.8%	Arthrogryposis multiplex congenita 1, neurogenic, with myelin defect, 617468
LMNA	100.0%	100.0%	100.0%	99.7%	Mandibuloacral dysplasia, 248370 Heart-hand syndrome, Slovenian type, 610140 Cardiomyopathy, dilated, 1A, 115200 Emery-Dreifuss muscular dystrophy 3, autosomal recessive, 616516 Restrictive dermopathy 2, 619793 Charcot-Marie-Tooth disease, type 2B1, 605588 Emery-Dreifuss muscular dystrophy 2, autosomal dominant, 181350 Hutchinson-Gilford progeria, 176670 Lipodystrophy, familial partial, type 2, 151660 Muscular dystrophy, congenital, 613205 Malouf syndrome, 212112
LMOD3	100.0%	100.0%	100.0%	98.7%	Nemaline myopathy 10, 616165
MAGEL2	100.0%	100.0%	100.0%	99.8%	Schaaf-Yang syndrome, 615547
MEGF10	100.0%	100.0%	100.0%	99.5%	Congenital myopathy 10A, severe variant, 614399 Congenital myopathy 10B, mild variant, 620249

MPZ	100.0%	100.0%	100.0%	99.6%	Charcot-Marie-Tooth disease, type 2I, 607677 Dejerine-Sottas disease, 145900 Charcot-Marie-Tooth disease, type 1B, 118200 Roussy-Levy syndrome, 180800 Charcot-Marie-Tooth disease, dominant intermediate D, 607791 Hypomyelinating neuropathy, congenital, 2, 618184 Charcot-Marie-Tooth disease, type 2J, 607736
MTM1	99.7%	99.2%	98.6%	72.4%	Myopathy, centronuclear, X-linked, 310400
MUSK	100.0%	100.0%	100.0%	99.6%	Fetal akinesia deformation sequence 1, 208150 Myasthenic syndrome, congenital, 9, associated with acetylcholine receptor deficiency, 616325
MYBPC1	100.0%	100.0%	100.0%	99.5%	Congenital myopathy 16, 618524 Lethal congenital contracture syndrome 4, 614915 Arthrogryposis, distal, type 1B, 614335
MYCN	100.0%	100.0%	100.0%	98.5%	Feingold syndrome 1, 164280
MYH3	100.0%	100.0%	100.0%	98.9%	Contractures, pterygia, and spondylocarpostarsal fusion syndrome 1A, 178110 Contractures, pterygia, and spondylocarpotarsal fusion syndrome 1B, 618469 Arthrogryposis, distal, type 2B3 (Sheldon-Hall), 618436 Arthrogryposis, distal, type 2A (Freeman-Sheldon), 193700
MYH8	100.0%	100.0%	100.0%	99.1%	Carney complex variant, 608837 Trismus-pseudocamptodactyly syndrome, 158300

MYLPF	100.0%	100.0%	100.0%	99.9%	Arthrogryposis, distal, type 1C, 619110
MYOD1	100.0%	100.0%	100.0%	99.7%	Congenital myopathy 17, 618975
NEB	99.7%	99.2%	99.7%	98.1%	Nemaline myopathy 2, autosomal recessive, 256030 Arthrogryposis multiplex congenita 6, 619334
NEK9	100.0%	100.0%	100.0%	99.5%	?Arthrogryposis, Perthes disease, and upward gaze palsy, 614262 Nevus comedonicus, somatic, 617025 Lethal congenital contracture syndrome 10, 617022
NUP88	100.0%	100.0%	100.0%	99.5%	Fetal akinesia deformation sequence 4, 618393
PHGDH	100.0%	100.0%	100.0%	99.8%	Neu-Laxova syndrome 1, 256520 Phosphoglycerate dehydrogenase deficiency, 601815
PIEZO2	100.0%	100.0%	100.0%	99.5%	Arthrogryposis, distal, type 5, 108145 Arthrogryposis, distal, with impaired proprioception and touch, 617146 Arthrogryposis, distal, type 3, 114300 ?Marden-Walker syndrome, 248700
PIP5K1C	100.0%	100.0%	100.0%	99.4%	Lethal congenital contractural syndrome 3, 611369
PLOD1	100.0%	100.0%	100.0%	99.0%	Ehlers-Danlos syndrome, kyphoscoliotic type, 1, 225400
PSAT1	100.0%	100.0%	100.0%	99.3%	Neu-Laxova syndrome 2, 616038 ?Phosphoserine aminotransferase deficiency, 610992

PTRH2	100.0%	100.0%	100.0%	99.9%	Infantile-onset multisystem neurologic, endocrine, and pancreatic disease, 616263
RAPSN	100.0%	100.0%	100.0%	99.9%	Fetal akinesia deformation sequence 2, 618388 Myasthenic syndrome, congenital, 11, associated with acetylcholine receptor deficiency, 616326
RIPK4	100.0%	100.0%	100.0%	99.9%	CHAND syndrome, 214350 Popliteal pterygium syndrome, Bartsocas-Papas type 1, 263650
RYR1	100.0%	99.9%	100.0%	99.7%	Congenital myopathy 1B, autosomal recessive, 255320 Congenital myopathy 1A, autosomal dominant, with susceptibility to malignant hyperthermia, 117000 King-Denborough syndrome, 619542
SCN4A	100.0%	100.0%	100.0%	99.2%	Paramyotonia congenita, 168300 Hyperkalemic periodic paralysis, 170500 Congenital myopathy 22B, severe fetal, 620369 Hypokalemic periodic paralysis, type 2, 613345 Myotonia congenita, atypical, acetazolamide-responsive, 608390 Myasthenic syndrome, congenital, 16, 614198 Congenital myopathy 22A, classic, 620351
SCYL2	100.0%	100.0%	100.0%	99.0%	Arthrogryposis multiplex congenita 4, neurogenic, with agenesis of the corpus callosum, 618766
SELENON	93.1%	91.1%	100.0%	99.2%	Congenital myopathy 3 with rigid spine, 602771
SLC5A7	100.0%	100.0%	100.0%	99.8%	Neuronopathy, distal hereditary motor, type VIIA, 158580 Myasthenic syndrome, congenital, 20, presynaptic, 617143

SLC6A9	100.0%	100.0%	100.0%	99.9%	Glycine encephalopathy with normal serum glycine, 617301
SMN1	93.9%	93.9%	99.9%	96.4%	Spinal muscular atrophy-2, 253550 Spinal muscular atrophy-4, 271150 Spinal muscular atrophy-3, 253400 Spinal muscular atrophy-1, 253300
SMPD4	100.0%	100.0%	100.0%	99.7%	Neurodevelopmental disorder with microcephaly, arthrogryposis, and structural brain anomalies, 618622
SRPK3	100.0%	99.7%	99.7%	86.5%	
STAC3	100.0%	100.0%	100.0%	99.2%	Congenital myopathy 13, 255995
SYNE1	99.8%	99.5%	100.0%	99.4%	Arthrogryposis multiplex congenita 3, myogenic type, 618484 Emery-Dreifuss muscular dystrophy 4, autosomal dominant, 612998 Spinocerebellar ataxia, autosomal recessive 8, 610743
TBCD	100.0%	100.0%	100.0%	99.8%	Encephalopathy, progressive, early-onset, with brain atrophy and thin corpus callosum, 617193
TNNI2	100.0%	100.0%	100.0%	100.0%	Arthrogryposis, distal, type 2B1, 601680
TNNT3	100.0%	100.0%	100.0%	99.9%	Arthrogryposis, distal, type 2B2, 618435
TOR1A	91.2%	90.6%	100.0%	99.3%	Arthrogryposis multiplex congenita 5, 618947 Dystonia-1, torsion, 128100
TPM2	100.0%	100.0%	100.0%	99.4%	Arthrogryposis, distal, type 2B4, 108120 Arthrogryposis, distal, type 1A, 108120 Congenital myopathy 23, 609285

TPM3	100.0%	100.0%	100.0%	99.5%	Congenital myopathy 4A, autosomal dominant, 255310 Congenital myopathy 4B, autosomal recessive, 609284
TRIP4	100.0%	100.0%	100.0%	99.2%	?Muscular dystrophy, congenital, Davignon-Chauveau type, 617066 Spinal muscular atrophy with congenital bone fractures 1, 616866
TRPV4	100.0%	100.0%	100.0%	99.7%	Spondylometaphyseal dysplasia, Kozlowski type, 184252 Digital arthropathy-brachydactyly, familial, 606835 SED, Maroteaux type, 184095 Metatropic dysplasia, 156530 Scapuloperoneal spinal muscular atrophy, 181405 Hereditary motor and sensory neuropathy, type IIc, 606071 ?Avascular necrosis of femoral head, primary, 2, 617383 Neuronopathy, distal hereditary motor, type VIII, 600175 Parastremmatic dwarfism, 168400 Brachyolmia type 3, 113500
TTN	99.6%	99.1%	100.0%	99.3%	Muscular dystrophy, limb-girdle, autosomal recessive 10, 608807 Cardiomyopathy, familial hypertrophic, 9, 613765 Congenital myopathy 5 with cardiomyopathy, 611705 Tibial muscular dystrophy, tardive, 600334 Cardiomyopathy, dilated, 1G, 604145 Myopathy, myofibrillar, 9, with early respiratory failure, 603689
TUBA1A	100.0%	100.0%	100.0%	99.4%	Lissencephaly 3, 611603

TUBB2B	100.0%	100.0%	100.0%	100.0%	Cortical dysplasia, complex, with other brain malformations 7, 610031
UBA1	100.0%	99.7%	99.0%	77.6%	Spinal muscular atrophy, X-linked 2, infantile, 301830 VEXAS syndrome, somatic, 301054
VIPAS39	100.0%	100.0%	100.0%	99.5%	Arthrogryposis, renal dysfunction, and cholestasis 2, 613404
VPS33B	100.0%	100.0%	100.0%	99.5%	Keratoderma-ichthyosis-deafness syndrome, autosomal recessive, 620009 Cholestasis, progressive familial intrahepatic, 12, 620010 Arthrogryposis, renal dysfunction, and cholestasis 1, 208085
WDR62	100.0%	100.0%	100.0%	99.8%	Microcephaly 2, primary, autosomal recessive, with or without cortical malformations, 604317
ZC4H2	100.0%	99.9%	97.6%	65.7%	Wieacker-Wolff syndrome, 314580 Wieacker-Wolff syndrome, female-restricted, 301041
ZMPSTE24	100.0%	100.0%	100.0%	99.6%	Mandibuloacral dysplasia with type B lipodystrophy, 608612 Restrictive dermopathy 1, 275210

Gene symbols used follow HGNC guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. *Nucleic Acids Res.* 2015 Jan 43(Database issue):D1079-85.

TWIST X2 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry.

TWIST X2 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry.

srWGS GRCh38 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.

srWGS GRCh38 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.

non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : March 17th, 2023.

This list is accurate for panel version DG 3.7.0.

Ad 1. "No OMIM phenotype" signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors