

HYPOGONADOTROPIC HYPOGONADISM GENE PANEL DG 3.00

(40 genes)

Releasedate: 02-12-2020

Gene	Agilent V5 covered > 10x	Agilent V5 covered > 20x	TWIST covered > 10x	TWIST covered 20x	Associated Phenotype description and OMIM disease ID
ADCY3	100	99,1	100	100	{Obesity, susceptibility to, BMIQ19}, 617885
ANOS1	89,8	88,9	99,9	99,4	Hypogonadotropic hypogonadism 1 with or without anosmia (Kallmann syndrome 1), 308700
CCDC141	100	99,5	100	100	No OMIM disease ID
CHD7	100	99,5	100	100	Hypogonadotropic hypogonadism 5 with or without anosmia, 612370 CHARGE syndrome, 214800
DCC	100	100	100	100	Esophageal carcinoma, somatic, 133239 Gaze palsy, familial horizontal, with progressive scoliosis, 2, 617542 Mirror movements 1 and/or agenesis of the corpus callosum, 157600 Colorectal cancer, somatic, 114500
DUSP6	100	100	100	100	Hypogonadotropic hypogonadism 19 with or without anosmia, 615269
FEZF1	100	99,9	100	100	Hypogonadotropic hypogonadism 22, with or without anosmia, 616030
FGF17	100	100	100	100	Hypogonadotropic hypogonadism 20 with or without anosmia, 615270
FGF8	98,2	88,9	100	99,6	Hypogonadotropic hypogonadism 6 with or without anosmia, 612702
FGFR1	100	99,9	100	100	Pfeiffer syndrome, 101600 Jackson-Weiss syndrome, 123150 Trigonocephaly 1, 190440 Hypogonadotropic hypogonadism 2 with or without anosmia, 147950 Hartsfield syndrome, 615465 Osteoglophonic dysplasia, 166250 Encephalocraniocutaneous lipomatosis, somatic mosaic, 613001
FLRT3	100	100	100	100	Hypogonadotropic hypogonadism 21 with anosmia, 615271
FSHB	100	100	100	100	Hypogonadotropic hypogonadism 24 without anosmia, 229070

GNRH1	100	93,7	100	100	?Hypogonadotropic hypogonadism 12 with or without anosmia, 614841
GNRHR	100	100	100	100	Hypogonadotropic hypogonadism 7 without anosmia, 146110
HESX1	99,7	97,3	100	100	Pituitary hormone deficiency, combined, 5, 182230 Septooptic dysplasia, 182230 Growth hormone deficiency with pituitary anomalies, 182230
HS6ST1	92,9	84,5	100	100	{Hypogonadotropic hypogonadism 15 with or without anosmia}, 614880
IGSF10	100	100	100	100	No OMIM disease ID
IL17RD	99,9	99,1	100	100	Hypogonadotropic hypogonadism 18 with or without anosmia, 615267
KISS1	100	98,3	100	100	?Hypogonadotropic hypogonadism 13 with or without anosmia, 614842
KISS1R	100	99,5	100	100	Hypogonadotropic hypogonadism 8 with or without anosmia, 614837 ?Precocious puberty, central, 1, 176400
KLB	100	99,9	100	100	No OMIM disease ID
LEP	99,9	97,3	100	100	Obesity, morbid, due to leptin deficiency, 614962
LEPR	94,3	92,6	94,6	94,6	Obesity, morbid, due to leptin receptor deficiency, 614963
LHB	90,4	38,9	100	100	Hypogonadotropic hypogonadism 23 with or without anosmia, 228300
LHX3	96,6	96,5	100	100	Pituitary hormone deficiency, combined, 3, 221750
NROB1	100	99,5	100	100	Adrenal hypoplasia, congenital, 300200 46XY sex reversal 2, dosage-sensitive, 300018
NSMF	96,1	95,6	100	100	Hypogonadotropic hypogonadism 9 with or without anosmia, 614838
PCSK1	100	99,5	100	100	{Obesity, susceptibility to, BMIQ12}, 612362 Obesity with impaired prohormone processing, 600955
PLXNA1	100	99,6	100	100	No OMIM disease ID
PROK2	99,9	98,5	100	100	Hypogonadotropic hypogonadism 4 with or without anosmia, 610628
PROKR2	100	100	100	100	Hypogonadotropic hypogonadism 3 with or without anosmia, 244200
PROP1	92,6	82,6	100	100	Pituitary hormone deficiency, combined, 2, 262600
SEMA3A	100	99,9	100	100	{Hypogonadotropic hypogonadism 16 with or without anosmia}, 614897
SOX10	99,9	97,9	100	100	Waardenburg syndrome, type 2E, with or without neurologic involvement, 611584 PCWH syndrome, 609136 Waardenburg syndrome, type 4C, 613266

SOX2	100	100	100	100	Microphthalmia, syndromic 3, 206900 Optic nerve hypoplasia and abnormalities of the central nervous system, 206900
SPRY4	100	100	100	100	Hypogonadotropic hypogonadism 17 with or without anosmia, 615266
TAC3	100	99,6	100	100	Hypogonadotropic hypogonadism 10 with or without anosmia, 614839
TACR3	100	100	100	100	Hypogonadotropic hypogonadism 11 with or without anosmia, 614840
TCF12	100	99,9	100	100	Craniosynostosis 3, 615314
WDR11	98	96,5	100	100	Hypogonadotropic hypogonadism 14 with or without anosmia, 614858

Gene symbols used follow HGNC guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. *Nucleic Acids Res.* 2015 Jan 43(Database issue):D1079-85.

Agilent V5 is the default chemistry, and used for all exome analyses apart from the (in-house) TURBO/RAPID WES route.

TWIST is the chemistry used for (in-house) TURBO/RAPID WES analysis.

Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x.

Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x.

Genes with coverage denoting NC are non-DNA coding genes.

non-DNA coding genes are covered, but as coverage statistics are based on DNA coding regions, statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : November 20th , 2020.

This list is accurate for panel version DG 3.0.0

Ad 1. "No OMIM Disease ID" signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors
