

WES VISION DISORDERS DG 3.8.1

Gene	Twist X2 covered >10x	Twist X2 covered >20x	WGS covered >10x	WGS covered >20x	Associated Phenotype description and OMIM disease ID
ABCA4	100.0%	100.0%	100.0%	99.7%	Retinal dystrophy, early-onset severe, 248200;Retinitis pigmentosa 19, 601718;{Macular degeneration, age-related, 2}, 153800;Cone-rod dystrophy 3, 604116;Fundus flavimaculatus, 248200;Stargardt disease 1, 248200
ABCB6	100.0%	100.0%	100.0%	99.7%	Microphthalmia, isolated, with coloboma 7, 614497;Dyschromatosis universalis hereditaria 3, 615402;[Blood group, Langereis system], 111600;Pseudohyperkalemia, familial, 2, due to red cell leak, 609153
ABCC6	100.0%	100.0%	100.0%	99.7%	Pseudoxanthoma elasticum, 264800;Arterial calcification, generalized, of infancy, 2, 614473;Pseudoxanthoma elasticum, forme fruste, 177850
ABCD1	100.0%	99.6%	99.5%	83.3%	Adrenoleukodystrophy, 300100;Adrenomyeloneuropathy, adult, 300100
ABHD12	100.0%	100.0%	100.0%	99.2%	Polyneuropathy, hearing loss, ataxia, retinitis pigmentosa, and cataract, 612674
ACBD5	100.0%	100.0%	100.0%	99.5%	Retinal dystrophy with leukodystrophy, 618863

ACO2	100.0%	100.0%	100.0%	99.7%	Optic atrophy 9, 616289;Infantile cerebellar-retinal degeneration, 614559
ADAM9	100.0%	100.0%	100.0%	99.5%	Cone-rod dystrophy 9, 612775
ADAMTS18	100.0%	100.0%	100.0%	99.4%	Microcornea, myopic chorioretinal atrophy, and telecanthus, 615458
ADAMTSL4	100.0%	100.0%	100.0%	99.6%	Ectopia lentis et pupillae, 225200;Ectopia lentis, isolated, autosomal recessive, 225100
ADGRV1	100.0%	100.0%	100.0%	99.3%	Usher syndrome, type 2C, 605472;Usher syndrome, type 2C, GPR98/PDZD7 digenic, 605472;?Febrile seizures, familial, 4, 604352
ADIPOR1	100.0%	100.0%	100.0%	99.7%	
AFG3L2	100.0%	100.0%	100.0%	99.1%	Spastic ataxia 5, autosomal recessive, 614487;Optic atrophy 12, 618977;Spinocerebellar ataxia 28, 610246
AGBL1	99.8%	99.6%	100.0%	99.6%	Corneal dystrophy, Fuchs endothelial, 8, 615523
AGBL5	100.0%	100.0%	100.0%	99.7%	Retinitis pigmentosa 75, 617023
AGK	91.7%	91.7%	100.0%	99.6%	Cataract 38, autosomal recessive, 614691;Sengers syndrome, 212350
AHI1	100.0%	100.0%	100.0%	99.1%	Joubert syndrome 3, 608629
AHR	100.0%	100.0%	100.0%	99.5%	?Retinitis pigmentosa 85, 618345
AIPL1	100.0%	100.0%	100.0%	100.0%	Leber congenital amaurosis 4, 604393;Retinitis pigmentosa, juvenile, 604393;Cone-rod dystrophy, 604393

ALDH18A1	100.0%	100.0%	100.0%	99.6%	Spastic paraplegia 9A, autosomal dominant, 601162;Cutis laxa, autosomal recessive, type IIIA, 219150;Spastic paraplegia 9B, autosomal recessive, 616586;Cutis laxa, autosomal dominant 3, 616603
ALDH1A3	100.0%	100.0%	100.0%	99.4%	Microphthalmia, isolated 8, 615113
ALDH3A2	93.5%	93.5%	100.0%	99.5%	Sjogren-Larsson syndrome, 270200
ALMS1	100.0%	100.0%	100.0%	99.2%	Alstrom syndrome, 203800
AMACR	100.0%	100.0%	100.0%	99.1%	Alpha-methylacyl-CoA racemase deficiency, 614307;Bile acid synthesis defect, congenital, 4, 214950
ANK3	100.0%	99.9%	100.0%	99.2%	Intellectual developmental disorder, autosomal recessive 37, 615493
AP3B1	100.0%	100.0%	100.0%	99.7%	Hermansky-Pudlak syndrome 2, 608233
AP3D1	100.0%	100.0%	100.0%	99.7%	?Hermansky-Pudlak syndrome 10, 617050
ARHGEF18	100.0%	100.0%	100.0%	99.5%	Retinitis pigmentosa 78, 617433
ARL13B	100.0%	100.0%	100.0%	98.5%	Joubert syndrome 8, 612291
ARL2	100.0%	100.0%	100.0%	99.8%	?Microcornea, rod-cone dystrophy, cataract, and posterior staphyloma 1, 619082
ARL2BP	100.0%	100.0%	100.0%	98.6%	Retinitis pigmentosa with or without situs inversus, 615434
ARL3	100.0%	100.0%	100.0%	99.5%	Retinitis pigmentosa 83, 618173;Joubert syndrome 35, 618161

ARL6	100.0%	100.0%	100.0%	98.1%	Retinitis pigmentosa 55, 613575;{Bardet-Biedl syndrome 1, modifier of}, 209900;Bardet-Biedl syndrome 3, 600151
ARR3	100.0%	100.0%	99.0%	73.5%	Myopia 26, X-linked, female-limited, 301010
ARSG	100.0%	100.0%	100.0%	99.1%	Usher syndrome, type IV, 618144
ASB10	100.0%	100.0%	100.0%	99.8%	Glaucoma 1, open angle, F, 603383
ASPH	99.9%	99.5%	100.0%	99.2%	Traboulsi syndrome, 601552
ASRGL1	100.0%	100.0%	100.0%	99.9%	
ATF6	100.0%	100.0%	100.0%	99.6%	Achromatopsia 7, 616517
ATOH7	100.0%	100.0%	100.0%	99.8%	Persistent hyperplastic primary vitreous, autosomal recessive, 221900
B3GLCT	100.0%	100.0%	100.0%	99.1%	Peters-plus syndrome, 261540
BBIP1	100.0%	100.0%	100.0%	99.4%	?Bardet-Biedl syndrome 18, 615995
BBS1	100.0%	100.0%	100.0%	99.8%	Bardet-Biedl syndrome 1, 209900
BBS10	100.0%	100.0%	100.0%	99.7%	Bardet-Biedl syndrome 10, 615987
BBS12	100.0%	100.0%	100.0%	99.6%	Bardet-Biedl syndrome 12, 615989
BBS2	100.0%	100.0%	100.0%	99.4%	Retinitis pigmentosa 74, 616562;Bardet-Biedl syndrome 2, 615981
BBS4	100.0%	100.0%	100.0%	99.5%	Bardet-Biedl syndrome 4, 615982
BBS5	100.0%	100.0%	100.0%	99.2%	Bardet-Biedl syndrome 5, 615983
BBS7	100.0%	100.0%	100.0%	99.3%	Bardet-Biedl syndrome 7, 615984
BBS9	95.8%	95.8%	100.0%	99.1%	Bardet-Biedl syndrome 9, 615986

BCOR	100.0%	99.8%	98.6%	77.1%	Microphthalmia, syndromic 2, 300166
BEST1	100.0%	100.0%	100.0%	99.6%	Macular dystrophy, vitelliform, 2, 153700;?Microcornea, rod-cone dystrophy, cataract, and posterior staphyloma 2, 193220;Retinitis pigmentosa-50, 613194;Retinitis pigmentosa, concentric, 613194;Vitreoretinopathopathy, 193220;Bestrophinopathy, autosomal recessive, 611809
BFSP1	100.0%	100.0%	100.0%	99.2%	Cataract 33, multiple types, 611391
BFSP2	100.0%	100.0%	100.0%	99.5%	Cataract 12, multiple types, 611597
BLOC1S3	100.0%	100.0%	100.0%	99.6%	Hermansky-Pudlak syndrome 8, 614077
BLOC1S5	100.0%	100.0%	100.0%	99.3%	Hermansky-Pudlak syndrome 11, 619172
BLOC1S6	100.0%	100.0%	100.0%	99.1%	?Hermansky-Pudlak syndrome 9, 614171
BMP4	100.0%	100.0%	100.0%	99.7%	Orofacial cleft 11, 600625;Microphthalmia, syndromic 6, 607932
BMPR1B	100.0%	100.0%	100.0%	99.5%	Acromesomelic dysplasia 3, 609441;Brachydactyly, type A2, 112600;Brachydactyly, type A1, D, 616849
C12orf65	100.0%	100.0%	100.0%	98.6%	Spastic paraplegia 55, autosomal recessive, 615035;Combined oxidative phosphorylation deficiency 7, 613559
C19orf12	100.0%	99.9%	100.0%	98.8%	Neurodegeneration with brain iron accumulation 4, 614298;?Spastic paraplegia 43, autosomal recessive, 615043

C1QTNF5	100.0%	100.0%	100.0%	99.8%	Retinal degeneration, late-onset, autosomal dominant, 605670
C8orf37	100.0%	100.0%	100.0%	99.8%	Retinitis pigmentosa 64, 614500;Cone-rod dystrophy 16, 614500;Bardet-Biedl syndrome 21, 617406
CABP4	100.0%	100.0%	100.0%	99.9%	Cone-rod synaptic disorder, congenital nonprogressive, 610427
CACNA1F	100.0%	100.0%	98.8%	74.5%	Cone-rod dystrophy, X-linked, 3, 300476;Night blindness, congenital stationary (incomplete), 2A, X-linked, 300071;Aland Island eye disease, 300600
CACNA2D4	100.0%	100.0%	100.0%	99.6%	Retinal cone dystrophy 4, 610478
CAPN5	100.0%	100.0%	100.0%	99.7%	Vitreoretinopathy, neovascular inflammatory, 193235
CBS	100.0%	100.0%	100.0%	100.0%	Thrombosis, hyperhomocysteinemic, 236200;Homocystinuria, B6-responsive and nonresponsive types, 236200
CC2D2A	98.2%	98.2%	100.0%	99.4%	COACH syndrome 2, 619111;Retinitis pigmentosa 93, 619845;Meckel syndrome 6, 612284;Joubert syndrome 9, 612285
CCT2	100.0%	100.0%	100.0%	99.6%	
CDH2	100.0%	100.0%	100.0%	99.5%	Arrhythmogenic right ventricular dysplasia 14, 618920;?Attention deficit-hyperactivity disorder 8, 619957;Agenesis of corpus callosum, cardiac, ocular, and genital syndrome, 618929

CDH23	100.0%	100.0%	100.0%	99.8%	Usher syndrome, type 1D, 601067;{Pituitary adenoma 5, multiple types}, 617540;Usher syndrome, type 1D/F digenic, 601067;Deafness, autosomal recessive 12, 601386
CDH3	100.0%	100.0%	100.0%	99.7%	Hypotrichosis, congenital, with juvenile macular dystrophy, 601553;Ectodermal dysplasia, ectrodactyly, and macular dystrophy, 225280
CDH4	100.0%	100.0%	100.0%	99.7%	
CDHR1	100.0%	100.0%	100.0%	99.7%	Macular dystrophy, retinal, 613660;Cone-rod dystrophy 15, 613660;Retinitis pigmentosa 65, 613660
CDK10	100.0%	100.0%	100.0%	99.9%	Al Kaissi syndrome, 617694
CDON	100.0%	100.0%	100.0%	99.5%	Holoprosencephaly 11, 614226
CEP120	100.0%	100.0%	100.0%	99.6%	Short-rib thoracic dysplasia 13 with or without polydactyly, 616300;Joubert syndrome 31, 617761
CEP164	100.0%	100.0%	100.0%	98.7%	Nephronophthisis 15, 614845
CEP250	100.0%	100.0%	100.0%	99.6%	Cone-rod dystrophy and hearing loss 2, 618358
CEP290	100.0%	100.0%	100.0%	98.5%	Leber congenital amaurosis 10, 611755;Joubert syndrome 5, 610188;Senior-Loken syndrome 6, 610189;?Bardet-Biedl syndrome 14, 615991;Meckel syndrome 4, 611134
CEP41	100.0%	100.0%	100.0%	99.0%	Joubert syndrome 15, 614464
CEP78	100.0%	100.0%	100.0%	99.5%	Cone-rod dystrophy and hearing loss, 617236
CEP83	100.0%	100.0%	100.0%	98.0%	Nephronophthisis 18, 615862

CERKL	98.8%	98.4%	100.0%	99.3%	Retinitis pigmentosa 26, 608380
CFAP410	100.0%	100.0%	100.0%	99.9%	Retinal dystrophy with macular staphyloma, 617547;Spondylometaphyseal dysplasia, axial, 602271
CFH	100.0%	100.0%	100.0%	99.6%	{Macular degeneration, age-related, 4}, 610698;Basal laminar drusen, 126700;Complement factor H deficiency, 609814;{Hemolytic uremic syndrome, atypical, susceptibility to, 1}, 235400
CHD7	100.0%	100.0%	100.0%	99.5%	Hypogonadotropic hypogonadism 5 with or without anosmia, 612370;CHARGE syndrome, 214800
CHM	99.0%	97.7%	98.8%	73.7%	Choroideremia, 303100
CHMP4B	100.0%	100.0%	100.0%	99.7%	Cataract 31, multiple types, 605387
CHN1	96.5%	96.5%	100.0%	99.6%	Duane retraction syndrome 2, 604356
CHRD1	100.0%	99.9%	98.9%	76.3%	Megalocornea 1, X-linked, 309300
CHST6	100.0%	100.0%	100.0%	100.0%	Macular corneal dystrophy, 217800
CIB2	100.0%	99.9%	99.9%	99.0%	Deafness, autosomal recessive 48, 609439;Usher syndrome, type IJ, 614869
CISD2	100.0%	100.0%	100.0%	99.4%	Wolfram syndrome 2, 604928
CLCC1	100.0%	100.0%	100.0%	99.4%	Retinitis pigmentosa 32, 609913
CLDN19	100.0%	100.0%	100.0%	99.8%	Hypomagnesemia 5, renal, with ocular involvement, 248190
CLEC3B	100.0%	100.0%	100.0%	100.0%	Macular dystrophy, retinal, 4, 619977
CLN3	93.2%	93.1%	100.0%	99.3%	Ceroid lipofuscinosis, neuronal, 3, 204200

CLN5	83.1%	83.0%	100.0%	98.6%	Ceroid lipofuscinosis, neuronal, 5, 256731
CLN6	100.0%	100.0%	100.0%	99.6%	Ceroid lipofuscinosis, neuronal, 6B (Kufs type), 204300;Ceroid lipofuscinosis, neuronal, 6A, 601780
CLN8	100.0%	100.0%	100.0%	99.5%	Ceroid lipofuscinosis, neuronal, 8, Northern epilepsy variant, 610003;Ceroid lipofuscinosis, neuronal, 8, 600143
CLRN1	100.0%	100.0%	100.0%	99.2%	Usher syndrome, type 3A, 276902;Retinitis pigmentosa 61, 614180
CLUAP1	100.0%	100.0%	100.0%	99.2%	
CNGA1	91.2%	91.2%	100.0%	98.1%	Retinitis pigmentosa 49, 613756
CNGA3	100.0%	100.0%	100.0%	99.9%	Achromatopsia 2, 216900
CNGB1	100.0%	100.0%	100.0%	99.5%	Retinitis pigmentosa 45, 613767
CNGB3	100.0%	100.0%	100.0%	99.5%	Achromatopsia 3, 262300
CNNM4	100.0%	100.0%	100.0%	99.8%	Jalili syndrome, 217080
COA8	100.0%	99.9%	100.0%	98.9%	Mitochondrial complex IV deficiency, nuclear type 17, 619061
COL11A1	100.0%	100.0%	100.0%	99.2%	Fibrochondrogenesis 1, 228520;Stickler syndrome, type II, 604841;Marshall syndrome, 154780;Deafness, autosomal dominant 37, 618533;{Lumbar disc herniation, susceptibility to}, 603932
COL17A1	100.0%	100.0%	100.0%	99.7%	Epithelial recurrent erosion dystrophy, 122400;Epidermolysis bullosa, junctional 4, intermediate, 619787
COL18A1	100.0%	100.0%	100.0%	99.8%	Knobloch syndrome, type 1, 267750;Glaucoma, primary closed-angle, 618880

COL25A1	99.4%	99.4%	100.0%	99.2%	Fibrosis of extraocular muscles, congenital, 5, 616219
COL2A1	100.0%	100.0%	100.0%	99.5%	?Vitreoretinopathy with phalangeal epiphyseal dysplasia, 619248;Czech dysplasia, 609162;Achondrogenesis, type II or hypochondrogenesis, 200610;Spondyloperipheral dysplasia, 271700;SMED Strudwick type, 184250;?Epiphyseal dysplasia, multiple, with myopia and deafness, 132450;SED congenita, 183900;Kniest dysplasia, 156550;Stickler syndrome, type I, nonsyndromic ocular, 609508;Osteoarthritis with mild chondrodysplasia, 604864;Stickler syndrome, type I, 108300;Platyspondylic skeletal dysplasia, Torrance type, 151210;Spondyloepiphyseal dysplasia, Stanescu type, 616583;Avascular necrosis of the femoral head, 608805;Legg-Calve-Perthes disease, 150600
COL4A1	100.0%	100.0%	100.0%	99.2%	?Retinal arteries, tortuosity of, 180000;{Hemorrhage, intracerebral, susceptibility to}, 614519;Angiopathy, hereditary, with nephropathy, aneurysms, and muscle cramps, 611773;Microangiopathy and leukoencephalopathy, pontine, autosomal dominant, 618564;Brain small vessel disease with or without ocular anomalies, 175780
COL8A2	100.0%	100.0%	100.0%	99.4%	Corneal dystrophy, posterior polymorphous 2, 609140;Corneal dystrophy, Fuchs endothelial, 1, 136800

COL9A1	100.0%	100.0%	100.0%	99.1%	Stickler syndrome, type IV, 614134;?Epiphyseal dysplasia, multiple, 6, 614135
COL9A2	100.0%	100.0%	100.0%	99.5%	Epiphyseal dysplasia, multiple, 2, 600204;?Stickler syndrome, type V, 614284
COL9A3	100.0%	100.0%	100.0%	99.7%	{Intervertebral disc disease, susceptibility to}, 603932;Epiphyseal dysplasia, multiple, 3, with or without myopathy, 600969;Stickler syndrome, type VI, 620022
COX7B	100.0%	99.9%	98.2%	73.6%	Linear skin defects with multiple congenital anomalies 2, 300887
CPAMD8	100.0%	100.0%	100.0%	99.6%	Anterior segment dysgenesis 8, 617319
CPLANE1	100.0%	100.0%	100.0%	99.3%	Orofaciodigital syndrome VI, 277170;Joubert syndrome 17, 614615
CPSF1	100.0%	100.0%	100.0%	99.5%	Myopia 27, 618827
CRB1	100.0%	100.0%	100.0%	99.5%	Leber congenital amaurosis 8, 613835;Retinitis pigmentosa-12, 600105;Pigmented paravenous chorioretinal atrophy, 172870
CRX	100.0%	100.0%	100.0%	99.9%	Leber congenital amaurosis 7, 613829;Cone-rod retinal dystrophy-2, 120970
CRYAA	100.0%	100.0%	100.0%	99.7%	Cataract 9, multiple types, 604219
CRYAB	100.0%	100.0%	100.0%	99.5%	Myopathy, myofibrillar, fatal infantile hypertonic, alpha-B crystallin-related, 613869;Myopathy, myofibrillar, 2, 608810;Cataract 16, multiple types, 613763;Cardiomyopathy, dilated, 1II, 615184
CRYBA1	100.0%	100.0%	100.0%	99.9%	Cataract 10, multiple types, 600881

CRYBA2	100.0%	100.0%	100.0%	99.7%	?Cataract 42, 115900
CRYBA4	100.0%	100.0%	100.0%	99.8%	Cataract 23, 610425
CRYBB1	100.0%	100.0%	100.0%	99.5%	Cataract 17, multiple types, 611544
CRYBB2	100.0%	100.0%	100.0%	99.6%	Cataract 3, multiple types, 601547
CRYBB3	100.0%	100.0%	100.0%	99.6%	Cataract 22, 609741
CRYGB	100.0%	100.0%	100.0%	98.5%	Cataract 39, multiple types, autosomal dominant, 615188
CRYGC	100.0%	100.0%	100.0%	99.9%	Cataract 2, multiple types, 604307
CRYGD	100.0%	100.0%	100.0%	99.3%	Cataract 4, multiple types, 115700
CRYGS	100.0%	100.0%	100.0%	99.8%	Cataract 20, multiple types, 116100
CSPP1	100.0%	100.0%	100.0%	99.2%	Joubert syndrome 21, 615636
CTDP1	100.0%	100.0%	100.0%	99.9%	Congenital cataracts, facial dysmorphism, and neuropathy, 604168
CTNNA1	100.0%	100.0%	100.0%	99.4%	Macular dystrophy, patterned, 2, 608970
CTNNB1	100.0%	100.0%	100.0%	99.6%	Exudative vitreoretinopathy 7, 617572;Pilomatricoma, somatic, 132600;Colorectal cancer, somatic, 114500;Neurodevelopmental disorder with spastic diplegia and visual defects, 615075;Medulloblastoma, somatic, 155255;Ovarian cancer, somatic, 167000;Hepatocellular carcinoma, somatic, 114550
CTSD	100.0%	100.0%	100.0%	99.9%	Ceroid lipofuscinosis, neuronal, 10, 610127
CTSH	100.0%	100.0%	100.0%	99.5%	
CWC27	100.0%	100.0%	100.0%	98.4%	Retinitis pigmentosa with or without skeletal anomalies, 250410

CYP1B1	100.0%	100.0%	100.0%	99.8%	Glaucoma 3A, primary open angle, congenital, juvenile, or adult onset, 231300;Anterior segment dysgenesis 6, multiple subtypes, 617315
CYP4V2	100.0%	100.0%	100.0%	99.1%	Bietti crystalline corneoretinal dystrophy, 210370
DCN	95.1%	95.1%	100.0%	99.2%	Corneal dystrophy, congenital stromal, 610048
DCT	100.0%	100.0%	100.0%	99.4%	Oculocutaneous albinism, type VIII, 619165
DDHD1	100.0%	100.0%	100.0%	99.3%	Spastic paraplegia 28, autosomal recessive, 609340
DDX58	100.0%	100.0%	100.0%	99.6%	Singleton-Merten syndrome 2, 616298
DHDDS	94.4%	94.4%	100.0%	99.5%	Developmental delay and seizures with or without movement abnormalities, 617836;?Congenital disorder of glycosylation, type 1bb, 613861;Retinitis pigmentosa 59, 613861
DHX38	100.0%	100.0%	100.0%	99.7%	Retinitis pigmentosa 84, 618220
DKC1	100.0%	100.0%	98.0%	73.8%	?Cataracts, hearing impairment, nephrotic syndrome, and enterocolitis 1, 301108;Dyskeratosis congenita, X-linked, 305000
DNAJC30	100.0%	100.0%	100.0%	100.0%	Leber-like hereditary optic neuropathy, autosomal recessive 1, 619382
DNM1L	100.0%	100.0%	100.0%	99.5%	Optic atrophy 5, 610708;Encephalopathy, lethal, due to defective mitochondrial peroxisomal fission 1, 614388
DNMBP	100.0%	100.0%	100.0%	99.6%	Cataract 48, 618415
DRAM2	100.0%	100.0%	100.0%	99.8%	Cone-rod dystrophy 21, 616502

DTNBP1	100.0%	100.0%	100.0%	99.5%	Hermansky-Pudlak syndrome 7, 614076
DYNC2H1	99.8%	99.4%	100.0%	99.1%	Short-rib thoracic dysplasia 3 with or without polydactyly, 613091
EFEMP1	100.0%	100.0%	100.0%	99.3%	Doyme honeycomb degeneration of retina, 126600
ELOVL1	100.0%	100.0%	100.0%	99.8%	Ichthyotic keratoderma, spasticity, hypomyelination, and dysmorphic facies, 618527
ELOVL4	100.0%	100.0%	100.0%	99.0%	Spinocerebellar ataxia 34, 133190;Stargardt disease 3, 600110;Ichthyosis, spastic quadriplegia, and impaired intellectual development, 614457
EMC1	100.0%	100.0%	100.0%	99.2%	Cerebellar atrophy, visual impairment, and psychomotor retardation, 616875
EPG5	100.0%	100.0%	100.0%	99.3%	Vici syndrome, 242840
EPHA2	100.0%	100.0%	100.0%	99.8%	Cataract 6, multiple types, 116600
ERCC2	100.0%	100.0%	100.0%	99.7%	Xeroderma pigmentosum, group D, 278730;Trichothiodystrophy 1, photosensitive, 601675;?Cerebrooculofacio skeletal syndrome 2, 610756
ERCC3	100.0%	100.0%	100.0%	99.5%	Trichothiodystrophy 2, photosensitive, 616390;Xeroderma pigmentosum, group B, 610651

ERCC6	100.0%	100.0%	100.0%	99.4%	UV-sensitive syndrome 1, 600630;Cerebrooculofacioskeletal syndrome 1, 214150;?De Sanctis-Cacchione syndrome, 278800;Cockayne syndrome, type B, 133540;{Macular degeneration, age-related, susceptibility to, 5}, 613761;Premature ovarian failure 11, 616946;{Lung cancer, susceptibility to}, 211980
ERCC8	100.0%	100.0%	100.0%	99.4%	UV-sensitive syndrome 2, 614621;Cockayne syndrome, type A, 216400
EXOSC2	100.0%	100.0%	100.0%	99.2%	Short stature, hearing loss, retinitis pigmentosa, and distinctive facies, 617763
EYA1	100.0%	100.0%	100.0%	99.6%	Branchiotoic syndrome 1, 602588;Branchiotoic renal syndrome 1, with or without cataracts, 113650;Anterior segment anomalies with or without cataract, 602588;?Otofaciocervical syndrome, 166780
EYS	100.0%	99.9%	100.0%	99.4%	Retinitis pigmentosa 25, 602772
FA2H	100.0%	100.0%	100.0%	99.8%	Spastic paraplegia 35, autosomal recessive, 612319
FAM161A	100.0%	100.0%	100.0%	98.9%	Retinitis pigmentosa 28, 606068
FBN1	100.0%	100.0%	100.0%	99.6%	Geleophysic dysplasia 2, 614185;Weill-Marchesani syndrome 2, dominant, 608328;Ectopia lentis, familial, 129600;MASS syndrome, 604308;Marfan lipodystrophy syndrome, 616914;Acromicric dysplasia, 102370;Marfan syndrome, 154700;Stiff skin syndrome, 184900

FBN2	100.0%	100.0%	100.0%	99.7%	Macular degeneration, early-onset, 616118;Contractural arachnodactyly, congenital, 121050
FBXW11	100.0%	100.0%	100.0%	99.1%	Neurodevelopmental, jaw, eye, and digital syndrome, 618914
FDXR	100.0%	100.0%	100.0%	99.8%	Auditory neuropathy and optic atrophy, 617717
FLVCR1	100.0%	100.0%	100.0%	99.7%	Ataxia, posterior column, with retinitis pigmentosa, 609033
FOXC1	100.0%	100.0%	100.0%	97.2%	Axenfeld-Rieger syndrome, type 3, 602482;Anterior segment dysgenesis 3, multiple subtypes, 601631
FOXE3	100.0%	99.4%	100.0%	98.7%	Anterior segment dysgenesis 2, multiple subtypes, 610256;{Aortic aneurysm, familial thoracic 11, susceptibility to}, 617349;Cataract 34, multiple types, 612968
FREM1	100.0%	100.0%	100.0%	99.6%	Manitoba oculotrichoanal syndrome, 248450;Bifid nose with or without anorectal and renal anomalies, 608980;Trigonocephaly 2, 614485
FRMD7	99.9%	99.2%	98.6%	73.0%	Nystagmus, infantile periodic alternating, X-linked, 310700;Nystagmus 1, congenital, X-linked, 310700
FTL	100.0%	100.0%	100.0%	99.2%	Hyperferritinemia-cataract syndrome, 600886;L-ferritin deficiency, dominant and recessive, 615604;Neurodegeneration with brain iron accumulation 3, 606159
FYCO1	100.0%	100.0%	100.0%	99.8%	Cataract 18, autosomal recessive, 610019

FZD4	100.0%	100.0%	100.0%	99.7%	Retinopathy of prematurity, 133780;Exudative vitreoretinopathy 1, 133780
GALK1	100.0%	100.0%	100.0%	99.6%	Galactokinase deficiency with cataracts, 230200
GALM	100.0%	100.0%	100.0%	99.4%	Galactosemia IV, 618881
GALT	100.0%	100.0%	100.0%	99.6%	Galactosemia, 230400
GCNT2	100.0%	100.0%	100.0%	98.7%	[Blood group, Ii], 110800;Adult i phenotype without cataract, 110800;Cataract 13 with adult i phenotype, 116700
GDF3	100.0%	100.0%	100.0%	99.5%	Klippel-Feil syndrome 3, autosomal dominant, 613702;Microphthalmia, isolated, with coloboma 6, 613703;Microphthalmia, isolated 7, 613704
GDF6	100.0%	100.0%	100.0%	99.7%	Microphthalmia with coloboma 6, digenic, 613703;Microphthalmia, isolated 4, 613094;Leber congenital amaurosis 17, 615360;Multiple synostoses syndrome 4, 617898;Klippel-Feil syndrome 1, autosomal dominant, 118100
GDPD1	100.0%	100.0%	100.0%	98.6%	
GFER	100.0%	100.0%	100.0%	99.8%	Myopathy, mitochondrial progressive, with congenital cataract and developmental delay, 613076
GJA1	100.0%	100.0%	100.0%	99.3%	Erythrokeratoderma variabilis et progressiva 3, 617525;Craniometaphyseal dysplasia, autosomal recessive, 218400;Oculodentodigital dysplasia, 164200;Palmoplantar keratoderma with congenital alopecia, 104100;Syndactyly, type III, 186100;Oculodentodigital dysplasia, autosomal recessive, 257850

GJA3	100.0%	100.0%	100.0%	99.9%	Cataract 14, multiple types, 601885
GJA8	100.0%	100.0%	100.0%	99.8%	Cataract 1, multiple types, 116200
GNAT1	100.0%	100.0%	100.0%	100.0%	Night blindness, congenital stationary, autosomal dominant 3, 610444;Night blindness, congenital stationary, type 1G, 616389
GNAT2	100.0%	100.0%	100.0%	99.4%	Achromatopsia 4, 613856
GNB3	100.0%	100.0%	100.0%	99.5%	Night blindness, congenital stationary, type 1H, 617024;{Hypertension, essential, susceptibility to}, 145500
GNPTG	100.0%	100.0%	100.0%	99.5%	Mucopolipidosis III gamma, 252605
GPR143	100.0%	99.9%	98.4%	72.5%	Ocular albinism, type I, Nettleship-Falls type, 300500;Nystagmus 6, congenital, X-linked, 300814
GPR179	100.0%	100.0%	100.0%	99.5%	Night blindness, congenital stationary (complete), 1E, autosomal recessive, 614565
GRHL2	100.0%	100.0%	100.0%	99.7%	Deafness, autosomal dominant 28, 608641;Ectodermal dysplasia/short stature syndrome, 616029;Corneal dystrophy, posterior polymorphous, 4, 618031
GRK1	100.0%	100.0%	100.0%	99.9%	Oguchi disease-2, 613411
GRM6	100.0%	100.0%	99.9%	99.5%	Night blindness, congenital stationary (complete), 1B, autosomal recessive, 257270
GSN	100.0%	100.0%	100.0%	99.6%	Amyloidosis, Finnish type, 105120
GUCA1A	100.0%	100.0%	100.0%	99.9%	Cone-rod dystrophy 14, 602093;Cone dystrophy-3, 602093

GUCA1B	100.0%	100.0%	100.0%	99.9%	Retinitis pigmentosa 48, 613827
GUCY2D	100.0%	100.0%	100.0%	99.4%	Cone-rod dystrophy 6, 601777;?Choroidal dystrophy, central areolar 1, 215500;Leber congenital amaurosis 1, 204000;Night blindness, congenital stationary, type 1I, 618555
HARS1	100.0%	100.0%	100.0%	99.2%	Charcot-Marie-Tooth disease, axonal, type 2W, 616625;Usher syndrome type 3B, 614504
HCCS	100.0%	100.0%	98.1%	72.8%	Linear skin defects with multiple congenital anomalies 1, 309801
HGSNAT	92.4%	92.4%	100.0%	99.6%	Mucopolysaccharidosis type IIIC (Sanfilippo C), 252930;Retinitis pigmentosa 73, 616544
HK1	100.0%	100.0%	100.0%	99.6%	Retinitis pigmentosa 79, 617460;Neuropathy, hereditary motor and sensory, Russe type, 605285;Neurodevelopmental disorder with visual defects and brain anomalies, 618547;Hemolytic anemia due to hexokinase deficiency, 235700
HKDC1	100.0%	100.0%	100.0%	99.7%	Retinitis pigmentosa 92, 619614
HMGB3	100.0%	99.9%	97.8%	69.7%	?Microphthalmia, syndromic 13, 300915
HMX1	100.0%	100.0%	100.0%	98.5%	Oculoauricular syndrome, 612109
HPS1	100.0%	100.0%	100.0%	99.9%	Hermansky-Pudlak syndrome 1, 203300
HPS3	100.0%	100.0%	100.0%	99.2%	Hermansky-Pudlak syndrome 3, 614072
HPS4	100.0%	100.0%	100.0%	99.7%	Hermansky-Pudlak syndrome 4, 614073
HPS5	100.0%	100.0%	100.0%	99.6%	Hermansky-Pudlak syndrome 5, 614074

HPS6	100.0%	100.0%	100.0%	99.9%	Hermansky-Pudlak syndrome 6, 614075
HRAS	100.0%	100.0%	100.0%	99.7%	Bladder cancer, somatic, 109800;Thyroid carcinoma, follicular, somatic, 188470;Congenital myopathy with excess of muscle spindles, 218040;Nevus sebaceous or woolly hair nevus, somatic, 162900;Schimmelpenning-Feuerstein-Mims syndrome, somatic mosaic, 163200;Spitz nevus or nevus spilus, somatic, 137550;Costello syndrome, 218040
HSF4	100.0%	100.0%	100.0%	99.7%	Cataract 5, multiple types, 116800
HSPG2	100.0%	100.0%	100.0%	99.8%	Dyssegmental dysplasia, Silverman-Handmaker type, 224410;Schwartz-Jampel syndrome, type 1, 255800
IDH3A	100.0%	100.0%	100.0%	99.3%	Retinitis pigmentosa 90, 619007
IDH3B	100.0%	100.0%	100.0%	99.8%	Retinitis pigmentosa 46, 612572
IFT140	100.0%	100.0%	100.0%	99.6%	Short-rib thoracic dysplasia 9 with or without polydactyly, 266920;Retinitis pigmentosa 80, 617781
IFT172	100.0%	100.0%	100.0%	99.4%	Retinitis pigmentosa 71, 616394;Bardet-Biedl syndrome 20, 619471;Short-rib thoracic dysplasia 10 with or without polydactyly, 615630
IFT27	100.0%	100.0%	100.0%	99.4%	Bardet-Biedl syndrome 19, 615996

IFT43	100.0%	100.0%	100.0%	99.6%	?Cranioectodermal dysplasia 3, 614099;?Retinitis pigmentosa 81, 617871;Short-rib thoracic dysplasia 18 with polydactyly, 617866
IFT52	100.0%	100.0%	100.0%	99.3%	Short-rib thoracic dysplasia 16 with or without polydactyly, 617102
IFT74	100.0%	100.0%	100.0%	99.1%	Bardet-Biedl syndrome 22, 617119;Spermatogenic failure 58, 619585;Joubert syndrome 40, 619582
IFT81	94.9%	94.9%	100.0%	98.7%	Short-rib thoracic dysplasia 19 with or without polydactyly, 617895
IGBP1	100.0%	99.9%	97.5%	70.6%	?Corpus callosum, agenesis of, with impaired intellectual development, ocular coloboma and micrognathia, 300472
IGSF3	100.0%	100.0%	100.0%	99.5%	?Lacrimal duct defect, 149700
IKBKG	99.9%	98.4%	99.1%	80.1%	Incontinentia pigmenti, 308300;Ectodermal dysplasia and immunodeficiency 1, 300291;Immunodeficiency 33, 300636;Autoinflammatory disease, systemic, X-linked, 301081
IMPDH1	100.0%	100.0%	100.0%	99.7%	Retinitis pigmentosa 10, 180105;Leber congenital amaurosis 11, 613837
IMPG1	100.0%	99.8%	100.0%	99.1%	Macular dystrophy, vitelliform, 4, 616151;Retinitis pigmentosa 91, 153870
IMPG2	100.0%	100.0%	100.0%	99.1%	Retinitis pigmentosa 56, 613581;Macular dystrophy, vitelliform, 5, 616152

INPP5E	100.0%	100.0%	100.0%	99.8%	Joubert syndrome 1, 213300;Mental retardation, truncal obesity, retinal dystrophy, and micropenis, 610156
INVS	100.0%	100.0%	100.0%	99.5%	Nephronophthisis 2, infantile, 602088
IQCB1	100.0%	100.0%	100.0%	99.5%	Senior-Loken syndrome 5, 609254
IRX1	100.0%	99.5%	100.0%	98.4%	
ITM2B	100.0%	100.0%	100.0%	99.3%	?Retinal dystrophy with inner retinal dysfunction and ganglion cell abnormalities, 616079;Dementia, familial British, 176500;Dementia, familial Danish, 117300
ITPR1	100.0%	100.0%	100.0%	99.2%	Gillespie syndrome, 206700;Spinocerebellar ataxia 29, congenital nonprogressive, 117360;Spinocerebellar ataxia 15, 606658
JAG1	100.0%	100.0%	100.0%	99.6%	?Deafness, congenital heart defects, and posterior embryotoxon, 617992;Charcot-Marie-Tooth disease, axonal, type 2HH, 619574;Alagille syndrome 1, 118450;Tetralogy of Fallot, 187500
JAM3	100.0%	100.0%	100.0%	99.8%	Hemorrhagic destruction of the brain, subependymal calcification, and cataracts, 613730
KCNJ13	100.0%	100.0%	100.0%	99.6%	Snowflake vitreoretinal degeneration, 193230;Leber congenital amaurosis 16, 614186
KCNV2	100.0%	100.0%	100.0%	100.0%	Retinal cone dystrophy 3B, 610356
KERA	100.0%	100.0%	100.0%	98.2%	Cornea plana 2, autosomal recessive, 217300

KIAA0586	95.6%	95.5%	100.0%	99.0%	Short-rib thoracic dysplasia 14 with polydactyly, 616546;Joubert syndrome 23, 616490
KIAA0753	100.0%	100.0%	100.0%	99.4%	?Orofaciodigital syndrome XV, 617127;?Joubert syndrome 38, 619476;Short-rib thoracic dysplasia 21 without polydactyly, 619479
KIAA1549	99.9%	99.7%	100.0%	99.4%	Retinitis pigmentosa 86, 618613
KIF11	100.0%	100.0%	100.0%	99.3%	Microcephaly with or without chorioretinopathy, lymphedema, or impaired intellectual development, 152950
KIF21A	100.0%	100.0%	100.0%	99.2%	Fibrosis of extraocular muscles, congenital, 3B, 135700;Fibrosis of extraocular muscles, congenital, 1, 135700
KIF3B	100.0%	100.0%	100.0%	98.5%	Retinitis pigmentosa 89, 618955
KIF7	100.0%	99.9%	100.0%	99.4%	Joubert syndrome 12, 200990;Acrocallosal syndrome, 200990;?Hydroletharus syndrome 2, 614120;?Al-Gazali-Bakalinova syndrome, 607131
KIZ	100.0%	100.0%	100.0%	99.2%	Retinitis pigmentosa 69, 615780
KLHL7	100.0%	100.0%	100.0%	99.5%	Retinitis pigmentosa 42, 612943;PERCHING syndrome, 617055
KRT12	100.0%	100.0%	100.0%	99.6%	Meesmann corneal dystrophy 1, 122100
KRT3	100.0%	100.0%	100.0%	99.3%	Meesmann corneal dystrophy 2, 618767
LAMA1	100.0%	100.0%	100.0%	99.6%	Poretti-Boltshauser syndrome, 615960

LAMB2	100.0%	100.0%	100.0%	99.9%	Nephrotic syndrome, type 5, with or without ocular abnormalities, 614199;Pierson syndrome, 609049
LAMP2	100.0%	100.0%	98.7%	75.7%	Danon disease, 300257
LCA5	100.0%	100.0%	100.0%	98.6%	Leber congenital amaurosis 5, 604537
LEMD2	100.0%	100.0%	100.0%	99.0%	Marbach-Rustad progeroid syndrome, 619322;Cataract 46, juvenile-onset, 212500
LIM2	100.0%	100.0%	100.0%	99.6%	Cataract 19, multiple types, 615277
LMX1B	100.0%	100.0%	100.0%	99.5%	Focal segmental glomerulosclerosis 10, 256020;Nail-patella syndrome, 161200
LOXL3	100.0%	100.0%	100.0%	99.7%	Myopia 28, autosomal recessive, 619781
LRAT	100.0%	100.0%	100.0%	99.8%	Leber congenital amaurosis 14, 613341;Retinal dystrophy, early-onset severe, 613341;Retinitis pigmentosa, juvenile, 613341
LRIT3	100.0%	100.0%	100.0%	99.6%	Night blindness, congenital stationary (complete), 1F, autosomal recessive, 615058
LRMDA	97.8%	97.8%	100.0%	99.7%	Albinism, oculocutaneous, type VII, 615179
LRP2	100.0%	100.0%	100.0%	99.6%	Donnai-Barrow syndrome, 222448
LRP5	100.0%	100.0%	100.0%	99.6%	Osteopetrosis, autosomal dominant 1, 607634;[Bone mineral density variability 1], 601884;Polycystic liver disease 4 with or without kidney cysts, 617875;Endosteal hyperostosis, 144750;Osteoporosis-pseudoglioma syndrome, 259770;Exudative vitreoretinopathy 4, 601813

LRPAP1	100.0%	100.0%	100.0%	99.8%	Myopia 23, autosomal recessive, 615431
LSS	100.0%	100.0%	100.0%	99.9%	Hypotrichosis 14, 618275;Cataract 44, 616509;Alopecia-intellectual disability syndrome 4, 618840
LTBP2	100.0%	100.0%	100.0%	99.8%	Glaucoma 3, primary congenital, D, 613086;Microspherophakia and/or megalocornea, with ectopia lentis and with or without secondary glaucoma, 251750;?Weill-Marchesani syndrome 3, recessive, 614819
LYST	100.0%	99.8%	100.0%	99.4%	Chediak-Higashi syndrome, 214500
LZTFL1	100.0%	100.0%	100.0%	98.9%	Bardet-Biedl syndrome 17, 615994
MAB21L2	100.0%	100.0%	100.0%	100.0%	Microphthalmia/coloboma and skeletal dysplasia syndrome, 615877
MAF	93.9%	89.9%	99.8%	95.0%	Cataract 21, multiple types, 610202;Ayme-Gripp syndrome, 601088
MAFB	100.0%	100.0%	100.0%	100.0%	Duane retraction syndrome 3, 617041;Multicentric carpotarsal osteolysis syndrome, 166300
MAK	100.0%	100.0%	100.0%	99.0%	Retinitis pigmentosa 62, 614181
MAPKAPK3	100.0%	100.0%	100.0%	99.9%	?Macular dystrophy, patterned, 3, 617111
MCAT	100.0%	100.0%	100.0%	99.6%	Optic atrophy 15, 620583
MERTK	98.5%	98.5%	100.0%	99.6%	Retinitis pigmentosa 38, 613862

MFN2	100.0%	100.0%	100.0%	99.5%	Lipomatosis, multiple symmetric, with or without peripheral neuropathy, 151800;Charcot-Marie-Tooth disease, axonal, type 2A2A, 609260;Charcot-Marie-Tooth disease, axonal, type 2A2B, 617087;Hereditary motor and sensory neuropathy VIA, 601152
MFRP	100.0%	100.0%	100.0%	99.7%	Microphthalmia, isolated 5, 611040;Nanophthalmos 2, 609549
MFSD8	100.0%	100.0%	100.0%	99.6%	Macular dystrophy with central cone involvement, 616170;Ceroid lipofuscinosis, neuronal, 7, 610951
MIP	100.0%	100.0%	100.0%	99.6%	Cataract 15, multiple types, 615274
MIR184					EDICT syndrome, 614303
MIR204					Retinal dystrophy and iris coloboma with or without cataract, 616722
MITF	99.9%	99.7%	100.0%	99.5%	Waardenburg syndrome, type 2A, 193510;{Melanoma, cutaneous malignant, susceptibility to, 8}, 614456;Tietz albinism-deafness syndrome, 103500;COMMAD syndrome, 617306
MKKS	100.0%	100.0%	100.0%	99.6%	McKusick-Kaufman syndrome, 236700;Bardet-Biedl syndrome 6, 605231
MKS1	100.0%	100.0%	100.0%	99.8%	Bardet-Biedl syndrome 13, 615990;Meckel syndrome 1, 249000;Joubert syndrome 28, 617121
MVK	90.4%	90.4%	100.0%	100.0%	Hyper-IgD syndrome, 260920;Porokeratosis 3, multiple types, 175900;Mevalonic aciduria, 610377

MYO5A	100.0%	100.0%	100.0%	99.3%	Griscelli syndrome, type 1, 214450
MYO7A	100.0%	100.0%	100.0%	99.5%	Deafness, autosomal recessive 2, 600060;Usher syndrome, type 1B, 276900;Deafness, autosomal dominant 11, 601317
MYOC	100.0%	100.0%	100.0%	99.6%	Glaucoma 1A, primary open angle, 137750
NAA10	100.0%	100.0%	98.9%	74.0%	Microphthalmia, syndromic 1, 309800;Ogden syndrome, 300855
NBAS	100.0%	99.9%	100.0%	99.4%	Short stature, optic nerve atrophy, and Pelger-Huet anomaly, 614800;Infantile liver failure syndrome 2, 616483
NDP	100.0%	100.0%	99.3%	80.1%	Exudative vitreoretinopathy 2, X-linked, 305390;Norrie disease, 310600
NDUFB11	99.7%	97.9%	93.6%	63.2%	Linear skin defects with multiple congenital anomalies 3, 300952;?Mitochondrial complex I deficiency, nuclear type 30, 301021
NDUFS2	100.0%	100.0%	100.0%	99.2%	?Leber-like hereditary optic neuropathy, autosomal recessive 2, 620569;Mitochondrial complex I deficiency, nuclear type 6, 618228
NEK1	100.0%	100.0%	100.0%	99.1%	Short-rib thoracic dysplasia 6 with or without polydactyly, 263520;?Orofaciodigital syndrome II, 252100;{Amyotrophic lateral sclerosis, susceptibility to, 24}, 617892
NEK2	95.9%	95.9%	100.0%	99.6%	?Retinitis pigmentosa 67, 615565

NEUROD1	100.0%	100.0%	100.0%	99.6%	{Type 2 diabetes mellitus, susceptibility to}, 125853;Maturity-onset diabetes of the young 6, 606394
NHS	100.0%	100.0%	98.7%	74.1%	Cataract 40, X-linked, 302200;Nance-Horan syndrome, 302350
NMNAT1	99.9%	97.7%	100.0%	97.6%	Spondyloepiphyseal dysplasia, sensorineural hearing loss, intellectual developmental disorder, and Leber congenital amaurosis, 619260;Leber congenital amaurosis 9, 608553
NOP10	100.0%	100.0%	100.0%	99.8%	?Pulmonary fibrosis and/or bone marrow failure syndrome, telomere-related, 9, 620400;?Cataracts, hearing impairment, nephrotic syndrome, and enterocolitis 2, 620425;?Dyskeratosis congenita, autosomal recessive 1, 224230
NPHP1	100.0%	100.0%	100.0%	99.4%	Joubert syndrome 4, 609583;Nephronophthisis 1, juvenile, 256100;Senior-Loken syndrome-1, 266900
NPHP3	100.0%	100.0%	100.0%	99.4%	Nephronophthisis 3, 604387;Renal-hepatic-pancreatic dysplasia 1, 208540;Meckel syndrome 7, 267010
NPHP4	100.0%	100.0%	100.0%	99.7%	Senior-Loken syndrome 4, 606996;Nephronophthisis 4, 606966
NR2E3	100.0%	100.0%	100.0%	99.6%	Retinitis pigmentosa 37, 611131;Enhanced S-cone syndrome, 268100
NR2F1	100.0%	99.9%	100.0%	98.5%	Bosch-Boonstra-Schaaf optic atrophy syndrome, 615722

NRL	100.0%	100.0%	100.0%	99.5%	Retinitis pigmentosa 27, 613750;Retinal degeneration, autosomal recessive, clumped pigment type,
NYX	100.0%	100.0%	99.8%	89.3%	Night blindness, congenital stationary (complete), 1A, X-linked, 310500
OAT	100.0%	100.0%	100.0%	99.6%	Gyrate atrophy of choroid and retina with or without ornithinemia, 258870
OCA2	100.0%	100.0%	100.0%	99.7%	[Skin/hair/eye pigmentation 1, blue/nonblue eyes], 227220;[Skin/hair/eye pigmentation 1, blond/brown hair], 227220;Albinism, brown oculocutaneous, 203200;Albinism, oculocutaneous, type II, 203200
OCRL	100.0%	100.0%	98.2%	72.6%	Dent disease 2, 300555;Lowe syndrome, 309000
OFD1	100.0%	100.0%	97.9%	69.5%	Simpson-Golabi-Behmel syndrome, type 2, 300209;?Retinitis pigmentosa 23, 300424;Orofaciodigital syndrome I, 311200;Joubert syndrome 10, 300804
OPA1	100.0%	100.0%	100.0%	99.4%	Optic atrophy plus syndrome, 125250;{Glaucoma, normal tension, susceptibility to}, 606657;Optic atrophy 1, 165500;Behr syndrome, 210000;?Mitochondrial DNA depletion syndrome 14 (encephalocardiomyopathic type), 616896
OPA3	100.0%	100.0%	100.0%	99.8%	3-methylglutaconic aciduria, type III, 258501;Optic atrophy 3 with cataract, 165300
OPN1LW	94.8%	94.2%	95.5%	69.7%	Blue cone monochromacy, 303700;Colorblindness, protan, 303900

OPN1MW	97.8%	94.9%	87.2%	50.0%	Colorblindness, deutan, 303800;Blue cone monochromacy, 303700
OPTN	100.0%	100.0%	100.0%	99.5%	Glaucoma 1, open angle, E, 137760;Amyotrophic lateral sclerosis 12 with or without frontotemporal dementia, 613435;{Glaucoma, normal tension, susceptibility to}, 606657
OTX2	100.0%	100.0%	100.0%	99.6%	Retinal dystrophy, early-onset, with or without pituitary dysfunction, 610125;Pituitary hormone deficiency, combined, 6, 613986;Microphthalmia, syndromic 5, 610125
OVOL2	100.0%	99.9%	100.0%	99.5%	Corneal dystrophy, posterior polymorphous, 1, 122000
P3H2	100.0%	100.0%	100.0%	99.7%	Myopia, high, with cataract and vitreoretinal degeneration, 614292
P4HA2	100.0%	100.0%	100.0%	99.5%	Myopia 25, autosomal dominant, 617238
PAK2	100.0%	100.0%	100.0%	98.4%	?Knobloch syndrome 2, 618458
PANK2	100.0%	100.0%	100.0%	99.6%	HARP syndrome, 607236;Neurodegeneration with brain iron accumulation 1, 234200
PANK4	100.0%	100.0%	100.0%	99.7%	?Cataract 49, 619593
PAX2	100.0%	100.0%	100.0%	99.5%	Glomerulosclerosis, focal segmental, 7, 616002;Papillorenal syndrome, 120330

PAX6	100.0%	100.0%	100.0%	98.4%	Optic nerve hypoplasia, 165550;Cataract with late-onset corneal dystrophy, 106210;?Coloboma, ocular, 120200;?Coloboma of optic nerve, 120430;Aniridia, 106210;Anterior segment dysgenesis 5, multiple subtypes, 604229;?Morning glory disc anomaly, 120430;Foveal hypoplasia 1, 136520;Keratitis, 148190
PCARE	100.0%	100.0%	100.0%	98.8%	Retinitis pigmentosa 54, 613428
PCDH15	100.0%	100.0%	100.0%	99.5%	Usher syndrome, type 1D/F digenic, 601067;Deafness, autosomal recessive 23, 609533;Usher syndrome, type 1F, 602083
PCYT1A	100.0%	100.0%	100.0%	99.0%	Spondylometaphyseal dysplasia with cone-rod dystrophy, 608940;Lipodystrophy, congenital generalized, type 5, 620680
PDE6A	100.0%	100.0%	100.0%	99.2%	Retinitis pigmentosa 43, 613810
PDE6B	100.0%	100.0%	100.0%	99.8%	Retinitis pigmentosa-40, 613801;Night blindness, congenital stationary, autosomal dominant 2, 163500
PDE6C	100.0%	100.0%	100.0%	98.5%	Cone dystrophy 4, 613093
PDE6D	100.0%	100.0%	100.0%	99.1%	Joubert syndrome 22, 615665
PDE6G	100.0%	100.0%	100.0%	98.5%	Retinitis pigmentosa 57, 613582
PDE6H	100.0%	99.9%	100.0%	98.9%	Retinal cone dystrophy 3, 610024;Achromatopsia 6, 610024
PDGFRA	100.0%	100.0%	100.0%	99.3%	Gastrointestinal stromal tumor/GIST-plus syndrome, somatic or familial, 175510;Hypereosinophilic syndrome, idiopathic, resistant to imatinib, 607685

PDZD7	100.0%	99.2%	100.0%	99.6%	Deafness, autosomal recessive 57, 618003;{Retinal disease in Usher syndrome type IIA, modifier of}, 276901;Usher syndrome, type IIC, GPR98/PDZD7 digenic, 605472
PET100	100.0%	100.0%	100.0%	99.8%	Mitochondrial complex IV deficiency, nuclear type 12, 619055
PEX1	100.0%	100.0%	100.0%	99.3%	Heimler syndrome 1, 234580;Peroxisome biogenesis disorder 1B (NALD/IRD), 601539;Peroxisome biogenesis disorder 1A (Zellweger), 214100
PEX2	100.0%	100.0%	100.0%	99.6%	Peroxisome biogenesis disorder 5A (Zellweger), 614866;Peroxisome biogenesis disorder 5B, 614867
PEX26	100.0%	100.0%	100.0%	99.2%	Peroxisome biogenesis disorder 7B, 614873;Peroxisome biogenesis disorder 7A (Zellweger), 614872
PEX6	100.0%	100.0%	100.0%	99.5%	Peroxisome biogenesis disorder 4B, 614863;Peroxisome biogenesis disorder 4A (Zellweger), 614862;Heimler syndrome 2, 616617
PEX7	91.2%	91.2%	100.0%	99.6%	Rhizomelic chondrodysplasia punctata, type 1, 215100;Peroxisome biogenesis disorder 9B, 614879
PGK1	100.0%	99.7%	98.9%	73.6%	Phosphoglycerate kinase 1 deficiency, 300653
PHOX2A	100.0%	100.0%	100.0%	99.7%	Fibrosis of extraocular muscles, congenital, 2, 602078
PHYH	100.0%	100.0%	100.0%	99.1%	Refsum disease, 266500

PIKFYVE	100.0%	100.0%	100.0%	99.4%	Corneal fleck dystrophy, 121850
PITX2	100.0%	100.0%	100.0%	99.5%	Ring dermoid of cornea, 180550;Axenfeld-Rieger syndrome, type 1, 180500;Anterior segment dysgenesis 4, 137600
PITX3	100.0%	100.0%	100.0%	99.4%	Cataract 11, multiple types, 610623;Anterior segment dysgenesis 1, multiple subtypes, 107250;Cataract 11, syndromic, autosomal recessive, 610623
PLA2G5	100.0%	100.0%	100.0%	99.0%	[Fleck retina, familial benign], 228980
PLK4	100.0%	100.0%	100.0%	99.1%	Microcephaly and chorioretinopathy, autosomal recessive, 2, 616171
PNPLA6	100.0%	100.0%	100.0%	99.9%	Spastic paraplegia 39, autosomal recessive, 612020;Oliver-McFarlane syndrome, 275400;?Laurence-Moon syndrome, 245800;Boucher-Neuhauser syndrome, 215470
POC1B	100.0%	100.0%	100.0%	99.6%	Cone-rod dystrophy 20, 615973
POC5	100.0%	100.0%	100.0%	99.3%	
POLG2	100.0%	100.0%	100.0%	99.0%	Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal dominant 4, 610131;?Mitochondrial DNA depletion syndrome 16 (hepatic type), 618528;?Mitochondrial DNA depletion syndrome 16B (neurophthalmic type), 619425

POMGNT1	100.0%	100.0%	100.0%	99.9%	Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 3, 613157;Muscular dystrophy-dystroglycanopathy (congenital with impaired intellectual development), type B, 3, 613151;Retinitis pigmentosa 76, 617123;Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 3, 253280
PPT1	90.3%	90.3%	100.0%	99.4%	Ceroid lipofuscinosis, neuronal, 1, 256730
PRCD	100.0%	100.0%	100.0%	96.3%	Retinitis pigmentosa 36, 610599
PRDM13	100.0%	100.0%	100.0%	99.6%	Pontocerebellar hypoplasia, type 17, 619909;Cerebellar dysfunction, impaired intellectual development, and hypogonadotropic hypogonadism, 619761
PRDM5	100.0%	100.0%	100.0%	99.4%	Brittle cornea syndrome 2, 614170
PRDX3	100.0%	100.0%	100.0%	99.7%	Spinocerebellar ataxia, autosomal recessive 32, 619862;Corneal dystrophy, punctiform and polychromatic pre-Descemet, 619871
PRIMPOL	100.0%	100.0%	100.0%	98.7%	Myopia 22, autosomal dominant, 615420
PROM1	100.0%	100.0%	100.0%	99.1%	Macular dystrophy, retinal, 2, 608051;Retinitis pigmentosa 41, 612095;Stargardt disease 4, 603786;Cone-rod dystrophy 12, 612657
PRPF3	100.0%	100.0%	100.0%	99.5%	Retinitis pigmentosa 18, 601414
PRPF31	100.0%	100.0%	100.0%	99.3%	Retinitis pigmentosa 11, 600138

PRPF4	100.0%	100.0%	100.0%	99.5%	Retinitis pigmentosa 70, 615922
PRPF6	100.0%	100.0%	100.0%	99.7%	Retinitis pigmentosa 60, 613983
PRPF8	100.0%	100.0%	100.0%	99.5%	Retinitis pigmentosa 13, 600059
PRPH2	100.0%	100.0%	100.0%	99.7%	Macular dystrophy, patterned, 1, 169150;Choroidal dystrophy, central areolar 2, 613105;Retinitis punctata albescens, 136880;Leber congenital amaurosis 18, 608133;Macular dystrophy, vitelliform, 3, 608161;Retinitis pigmentosa 7 and digenic form, 608133
PRR11	100.0%	100.0%	100.0%	98.8%	
PRR12	100.0%	100.0%	100.0%	99.6%	Neuroocular syndrome, 619539
PRSS56	100.0%	100.0%	100.0%	99.8%	Microphthalmia, isolated 6, 613517
PTCHD1	100.0%	99.9%	98.2%	74.8%	{Autism, susceptibility to, X-linked 4}, 300830
PXDN	100.0%	100.0%	100.0%	99.8%	Anterior segment dysgenesis 7, with sclerocornea, 269400
RAB28	100.0%	100.0%	100.0%	99.6%	Cone-rod dystrophy 18, 615374
RAB3GAP2	100.0%	100.0%	100.0%	99.0%	Martsof syndrome 1, 212720;Warburg micro syndrome 2, 614225
RARB	100.0%	100.0%	100.0%	99.8%	Microphthalmia, syndromic 12, 615524
RAX	100.0%	100.0%	100.0%	99.5%	Microphthalmia, syndromic 16, 611038
RAX2	100.0%	100.0%	100.0%	99.9%	Retinitis pigmentosa 95, 620102;Cone-rod dystrophy 11, 610381;?Macular degeneration, age-related, 6, 613757

RBP3	100.0%	100.0%	100.0%	99.9%	?Retinitis pigmentosa 66, 615233
RBP4	100.0%	100.0%	100.0%	99.6%	Microphthalmia, isolated, with coloboma 10, 616428;Retinal dystrophy, iris coloboma, and comedogenic acne syndrome, 615147
RCBTB1	100.0%	100.0%	100.0%	99.6%	Retinal dystrophy with or without extraocular anomalies, 617175
RD3	100.0%	100.0%	100.0%	100.0%	Leber congenital amaurosis 12, 610612
RDH11	100.0%	100.0%	100.0%	99.7%	?Retinal dystrophy, juvenile cataracts, and short stature syndrome, 616108
RDH12	100.0%	100.0%	100.0%	99.5%	Leber congenital amaurosis 13, 612712
RDH5	100.0%	100.0%	100.0%	99.8%	Fundus albipunctatus, 136880
REEP6	100.0%	100.0%	100.0%	99.6%	Retinitis pigmentosa 77, 617304
RGS9	100.0%	100.0%	100.0%	99.6%	Prolonged electroretinal response suppression 1, 608415
RGS9BP	100.0%	100.0%	100.0%	100.0%	Prolonged electroretinal response suppression 2, 620344
RHO	100.0%	100.0%	100.0%	99.8%	Night blindness, congenital stationary, autosomal dominant 1, 610445;Retinitis pigmentosa 4, autosomal dominant or recessive, 613731;Retinitis punctata albescens, 136880
RIMS1	100.0%	100.0%	100.0%	99.4%	
RIMS2	100.0%	99.9%	100.0%	99.2%	Cone-rod synaptic disorder syndrome, congenital nonprogressive, 618970

RLBP1	100.0%	100.0%	100.0%	99.7%	Bothnia retinal dystrophy, 607475;Newfoundland rod-cone dystrophy, 607476;Retinitis punctata albescens, 136880;Fundus albipunctatus, 136880
RNU4ATAC					Roifman syndrome, 616651;Lowry-Wood syndrome, 226960;Microcephalic osteodysplastic primordial dwarfism, type I, 210710
ROM1	100.0%	100.0%	100.0%	99.6%	Retinitis pigmentosa 7, digenic form, 608133
RP1	100.0%	100.0%	100.0%	97.9%	Retinitis pigmentosa 1, 180100
RP1L1	100.0%	100.0%	100.0%	99.4%	Occult macular dystrophy, 613587;Retinitis pigmentosa 88, 618826
RP2	100.0%	100.0%	98.4%	68.9%	Retinitis pigmentosa 2, 312600
RP9	100.0%	100.0%	100.0%	98.6%	?Retinitis pigmentosa 9, 180104
RPE65	100.0%	100.0%	100.0%	99.0%	Retinitis pigmentosa 20, 613794;Retinitis pigmentosa 87 with choroidal involvement, 618697;Leber congenital amaurosis 2, 204100
RPGR	98.8%	95.0%	85.9%	56.7%	Retinitis pigmentosa, X-linked, and sinorespiratory infections, with or without deafness, 300455;Cone-rod dystrophy, X-linked, 1, 304020;Retinitis pigmentosa 3, 300029;Macular degeneration, X-linked atrophic, 300834
RPGRIP1	100.0%	100.0%	100.0%	99.2%	Cone-rod dystrophy 13, 608194;Leber congenital amaurosis 6, 613826
RPGRIP1L	100.0%	100.0%	100.0%	98.8%	Joubert syndrome 7, 611560;Meckel syndrome 5, 611561;?COACH syndrome 3, 619113

RS1	100.0%	100.0%	99.3%	80.8%	Retinoschisis, 312700
RTN4IP1	100.0%	100.0%	100.0%	99.4%	Optic atrophy 10 with or without ataxia, impaired intellectual development and seizures, 616732
SAG	100.0%	100.0%	100.0%	99.4%	Retinitis pigmentosa 47, autosomal recessive, 613758;Retinitis pigmentosa 96, autosomal dominant, 620228;Oguchi disease-1, 258100
SALL2	100.0%	100.0%	100.0%	99.9%	?Coloboma, ocular, autosomal recessive, 216820
SAMD11	100.0%	100.0%	99.9%	97.9%	
SC5D	100.0%	100.0%	100.0%	98.7%	Lathosterolosis, 607330
SCAPER	100.0%	100.0%	100.0%	99.2%	Intellectual developmental disorder and retinitis pigmentosa, 618195
SCLT1	95.2%	95.2%	100.0%	98.9%	
SCO2	100.0%	100.0%	100.0%	99.8%	Myopia 6, 608908;Mitochondrial complex IV deficiency, nuclear type 2, 604377
SDCCAG8	100.0%	100.0%	100.0%	99.0%	Senior-Loken syndrome 7, 613615;Bardet-Biedl syndrome 16, 615993
SEMA4A	100.0%	100.0%	100.0%	98.7%	Retinitis pigmentosa 35, 610282;Cone-rod dystrophy 10, 610283
SGSH	100.0%	100.0%	100.0%	99.9%	Mucopolysaccharidosis type IIIA (Sanfilippo A), 252900
SH3BP2	99.9%	99.4%	100.0%	99.5%	Cherubism, 118400
SHH	100.0%	100.0%	100.0%	98.7%	Microphthalmia with coloboma 5, 611638;Schizencephaly, 269160;Single median maxillary central incisor, 147250;Holoprosencephaly 3, 142945
SIL1	100.0%	100.0%	100.0%	99.7%	Marinesco-Sjogren syndrome, 248800

SIPA1L3	100.0%	100.0%	100.0%	99.9%	?Cataract 45, 616851
SIX6	100.0%	100.0%	100.0%	100.0%	Optic disc anomalies with retinal and/or macular dystrophy, 212550
SLC16A12	100.0%	100.0%	100.0%	99.6%	Cataract 47, juvenile, with microcornea, 612018
SLC24A1	100.0%	100.0%	100.0%	99.0%	Night blindness, congenital stationary (complete), 1D, autosomal recessive, 613830
SLC24A5	100.0%	99.6%	100.0%	99.5%	[Skin/hair/eye pigmentation 4, fair/dark skin], 113750;Albinism, oculocutaneous, type VI, 113750
SLC25A46	100.0%	100.0%	100.0%	99.1%	Neuropathy, hereditary motor and sensory, type VIB, 616505;Pontocerebellar hypoplasia, type 1E, 619303
SLC33A1	100.0%	100.0%	100.0%	99.4%	Spastic paraplegia 42, autosomal dominant, 612539;Huppke-Brendel syndrome, 614482
SLC37A3	100.0%	100.0%	100.0%	99.4%	
SLC38A8	100.0%	100.0%	100.0%	99.6%	Foveal hypoplasia 2, with or without optic nerve misrouting and/or anterior segment dysgenesis, 609218
SLC39A12	100.0%	100.0%	100.0%	99.2%	
SLC39A5	100.0%	100.0%	100.0%	99.9%	Myopia 24, autosomal dominant, 615946
SLC45A2	100.0%	100.0%	100.0%	99.9%	[Skin/hair/eye pigmentation 5, dark/light eyes], 227240;[Skin/hair/eye pigmentation 5, black/nonblack hair], 227240;Albinism, oculocutaneous, type IV, 606574;[Skin/hair/eye pigmentation 5, dark/fair skin], 227240

SLC4A11	100.0%	100.0%	100.0%	99.6%	Corneal endothelial dystrophy, autosomal recessive, 217700;Corneal dystrophy, Fuchs endothelial, 4, 613268;Corneal endothelial dystrophy and perceptive deafness, 217400
SLC4A7	100.0%	100.0%	100.0%	99.4%	
SLC52A2	100.0%	100.0%	100.0%	100.0%	Brown-Vialetto-Van Laere syndrome 2, 614707
SLC66A1	100.0%	100.0%	100.0%	99.8%	
SLC7A14	100.0%	100.0%	100.0%	99.6%	Retinitis pigmentosa 68, 615725
SLITRK6	100.0%	100.0%	100.0%	99.3%	Deafness and myopia, 221200
SMG8	100.0%	100.0%	100.0%	99.3%	Alzahrani-Kuwahara syndrome, 619268
SMOC1	100.0%	100.0%	100.0%	99.6%	Microphthalmia with limb anomalies, 206920
SNRNP200	100.0%	100.0%	100.0%	99.6%	Retinitis pigmentosa 33, 610359
SOX2	100.0%	100.0%	100.0%	99.4%	Optic nerve hypoplasia and abnormalities of the central nervous system, 206900;Microphthalmia, syndromic 3, 206900
SOX5	100.0%	99.8%	100.0%	99.1%	Lamb-Shaffer syndrome, 616803
SPATA7	100.0%	100.0%	100.0%	98.7%	Leber congenital amaurosis 3, 604232;Retinitis pigmentosa 94, variable age at onset, autosomal recessive, 604232
SPG7	100.0%	100.0%	100.0%	99.6%	Spastic paraplegia 7, autosomal recessive, 607259
SPP2	100.0%	100.0%	100.0%	99.5%	
SSBP1	100.0%	100.0%	100.0%	99.4%	Optic atrophy 13 with retinal and foveal abnormalities, 165510

STRA6	100.0%	100.0%	100.0%	99.7%	Microphthalmia, syndromic 9, 601186;Microphthalmia, isolated, with coloboma 8, 601186
STX3	100.0%	100.0%	100.0%	99.1%	Retinal dystrophy and microvillus inclusion disease, 619446;Diarrhea 12, with microvillus atrophy, 619445
SUMF1	100.0%	100.0%	100.0%	99.8%	Multiple sulfatase deficiency, 272200
TACSTD2	100.0%	100.0%	100.0%	99.8%	Corneal dystrophy, gelatinous drop-like, 204870
TBC1D2B	99.9%	99.6%	100.0%	99.6%	Neurodevelopmental disorder with seizures and gingival overgrowth, 619323
TCTN1	95.4%	94.0%	99.9%	99.0%	Joubert syndrome 13, 614173
TCTN2	100.0%	100.0%	100.0%	99.6%	Joubert syndrome 24, 616654;?Meckel syndrome 8, 613885
TCTN3	100.0%	100.0%	100.0%	99.4%	Joubert syndrome 18, 614815;Orofaciodigital syndrome IV, 258860
TDRD7	100.0%	100.0%	100.0%	99.6%	Cataract 36, 613887
TEAD1	100.0%	100.0%	100.0%	99.4%	Sveinsson chorioretinal atrophy, 108985
TEK	100.0%	99.9%	100.0%	99.2%	Venous malformations, multiple cutaneous and mucosal, 600195;Glaucoma 3, primary congenital, E, 617272
TENM3	100.0%	100.0%	100.0%	99.8%	Microphthalmia, syndromic 15, 615145;?Microphthalmia, isolated, with coloboma 9, 615145
TFAP2A	100.0%	100.0%	99.9%	96.2%	Branchiooculofacial syndrome, 113620
TFPT	100.0%	100.0%	100.0%	99.4%	

TGFBI	100.0%	100.0%	100.0%	99.7%	Corneal dystrophy, Avellino type, 607541;Corneal dystrophy, Reis-Bucklers type, 608470;Corneal dystrophy, Thiel-Behnke type, 602082;Corneal dystrophy, Groenouw type I, 121900;Corneal dystrophy, epithelial basement membrane, 121820;Corneal dystrophy, lattice type I, 122200;Corneal dystrophy, lattice type IIIA, 608471
THRB	100.0%	100.0%	100.0%	99.4%	Thyroid hormone resistance, autosomal recessive, 274300;Thyroid hormone resistance, 188570;Thyroid hormone resistance, selective pituitary, 145650
TIMM8A	100.0%	99.5%	97.2%	69.2%	Mohr-Tranebjaerg syndrome, 304700
TIMP3	100.0%	100.0%	100.0%	99.9%	Sorsby fundus dystrophy, 136900
TLCD3B	100.0%	100.0%	100.0%	99.2%	Cone-rod dystrophy 22, 619531
TMCO3	100.0%	100.0%	100.0%	99.6%	
TMEM126A	100.0%	100.0%	100.0%	99.3%	Optic atrophy 7, 612989
TMEM138	100.0%	100.0%	100.0%	99.9%	Joubert syndrome 16, 614465
TMEM216	100.0%	100.0%	100.0%	99.5%	Joubert syndrome 2, 608091;Meckel syndrome 2, 603194
TMEM218	100.0%	100.0%	100.0%	99.4%	Joubert syndrome 39, 619562
TMEM231	100.0%	100.0%	100.0%	99.7%	Joubert syndrome 20, 614970;Meckel syndrome 11, 615397
TMEM237	100.0%	100.0%	100.0%	99.1%	Joubert syndrome 14, 614424

TMEM67	99.5%	97.5%	100.0%	98.0%	Nephronophthisis 11, 613550;{Bardet-Biedl syndrome 14, modifier of}, 615991;Joubert syndrome 6, 610688;Meckel syndrome 3, 607361;?RHYNS syndrome, 602152;COACH syndrome 1, 216360
TMEM98	100.0%	100.0%	100.0%	99.7%	Nanophthalmos 4, 615972
TOGARAM1	100.0%	100.0%	100.0%	99.1%	Joubert syndrome 37, 619185
TOPORS	100.0%	100.0%	100.0%	99.3%	Retinitis pigmentosa 31, 609923
TPP1	100.0%	100.0%	100.0%	99.8%	Ceroid lipofuscinosis, neuronal, 2, 204500;Spinocerebellar ataxia, autosomal recessive 7, 609270
TRAF3IP1	100.0%	100.0%	100.0%	98.9%	Senior-Loken syndrome 9, 616629
TREX1	100.0%	100.0%	100.0%	100.0%	Vasculopathy, retinal, with cerebral leukoencephalopathy and systemic manifestations, 192315;Aicardi-Goutieres syndrome 1, dominant and recessive, 225750;{Systemic lupus erythematosus, susceptibility to}, 152700;Chilblain lupus, 610448
TRIM32	100.0%	100.0%	100.0%	100.0%	?Bardet-Biedl syndrome 11, 615988;Muscular dystrophy, limb-girdle, autosomal recessive 8, 254110
TRNT1	100.0%	100.0%	100.0%	99.3%	Sideroblastic anemia with B-cell immunodeficiency, periodic fevers, and developmental delay, 616084;Retinitis pigmentosa and erythrocytic microcytosis, 616959
TRPM1	100.0%	100.0%	99.8%	97.8%	Night blindness, congenital stationary (complete), 1C, autosomal recessive, 613216

TRPM3	100.0%	100.0%	100.0%	99.5%	?Cataract 50 with or without glaucoma, 620253;Neurodevelopmental disorder with hypotonia, dysmorphic facies, and skeletal anomalies, with or without seizures, 620224
TSPAN12	100.0%	100.0%	100.0%	99.7%	Exudative vitreoretinopathy 5, 613310
TTC8	100.0%	99.9%	100.0%	99.5%	Bardet-Biedl syndrome 8, 615985;?Retinitis pigmentosa 51, 613464
TTLL5	100.0%	100.0%	100.0%	99.3%	Cone-rod dystrophy 19, 615860
TUB	100.0%	100.0%	100.0%	99.8%	?Retinal dystrophy and obesity, 616188
TUBA3D	100.0%	100.0%	100.0%	99.0%	Keratoconus 9, 617928
TUBB3	100.0%	100.0%	100.0%	99.8%	Fibrosis of extraocular muscles, congenital, 3A, 600638;Cortical dysplasia, complex, with other brain malformations 1, 614039
TUBB4B	100.0%	100.0%	100.0%	99.7%	Leber congenital amaurosis with early-onset deafness, 617879
TUBGCP4	100.0%	100.0%	100.0%	99.3%	Microcephaly and chorioretinopathy, autosomal recessive, 3, 616335
TUBGCP6	100.0%	100.0%	100.0%	99.9%	Microcephaly and chorioretinopathy, autosomal recessive, 1, 251270
TULP1	100.0%	100.0%	100.0%	99.5%	Leber congenital amaurosis 15, 613843;Retinitis pigmentosa 14, 600132

TWNK	100.0%	100.0%	100.0%	99.7%	Mitochondrial DNA depletion syndrome 7 (hepatocerebral type), 271245;Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal dominant 3, 609286;Perrault syndrome 5, 616138
TYR	100.0%	99.9%	100.0%	99.7%	[Skin/hair/eye pigmentation 3, light/dark/freckling skin], 601800;[Skin/hair/eye pigmentation 3, blue/green eyes], 601800;{Melanoma, cutaneous malignant, susceptibility to, 8}, 601800;Albinism, oculocutaneous, type IB, 606952;Albinism, oculocutaneous, type IA, 203100
TYRP1	100.0%	100.0%	100.0%	99.7%	[Skin/hair/eye pigmentation, variation in, 11 (Melanesian blond hair)], 612271;Albinism, oculocutaneous, type III, 203290
UBIAD1	100.0%	100.0%	100.0%	99.6%	Corneal dystrophy, Schnyder type, 121800
UCHL1	100.0%	100.0%	100.0%	99.0%	{?Parkinson disease 5, susceptibility to}, 613643;Spastic paraplegia 79A, autosomal dominant, 620221;Spastic paraplegia 79B, autosomal recessive, 615491
UNC119	100.0%	100.0%	100.0%	99.0%	Cone-rod dystrophy 24, 620342;?Immunodeficiency 13, 615518
UNC45B	100.0%	100.0%	100.0%	99.5%	?Cataract 43, 616279;Myofibrillar myopathy 11, 619178
USH1C	100.0%	100.0%	100.0%	98.1%	Usher syndrome, type 1C, 276904;Deafness, autosomal recessive 18A, 602092

USH1G	100.0%	100.0%	100.0%	99.9%	Usher syndrome, type 1G, 606943
USH2A	99.9%	99.6%	100.0%	99.7%	Usher syndrome, type 2A, 276901;Retinitis pigmentosa 39, 613809
USP45	100.0%	100.0%	100.0%	99.2%	?Leber congenital amaurosis 19, 618513
VAX1	99.9%	99.1%	100.0%	96.3%	?Microphthalmia, syndromic 11, 614402
VCAN	100.0%	100.0%	100.0%	99.3%	Wagner syndrome 1, 143200
VHL	100.0%	100.0%	100.0%	99.8%	Erythrocytosis, familial, 2, 263400;von Hippel-Lindau syndrome, 193300;Renal cell carcinoma, somatic, 144700;Pheochromocytoma, 171300;Hemangioblastoma, cerebellar, somatic,
VIM	100.0%	100.0%	100.0%	99.3%	Cataract 30, pulverulent, 116300
VPS13B	99.6%	99.2%	100.0%	99.4%	Cohen syndrome, 216550
VSX1	100.0%	100.0%	100.0%	99.9%	?Craniofacial anomalies and anterior segment dysgenesis syndrome, 614195;Keratoconus 1, 148300
VSX2	100.0%	100.0%	100.0%	99.8%	Microphthalmia, isolated 2, 610093;Microphthalmia with coloboma 3, 610092
VWA8	100.0%	100.0%	100.0%	99.3%	?Retinitis pigmentosa 97, 620422
WDPCP	97.5%	97.3%	100.0%	99.6%	?Bardet-Biedl syndrome 15, 615992;Congenital heart defects, hamartomas of tongue, and polysyndactyly, 217085

WDR19	100.0%	100.0%	100.0%	99.0%	Nephronophthisis 13, 614377;Cranioectodermal dysplasia 4, 614378;Senior-Loken syndrome 8, 616307;Short-rib thoracic dysplasia 5 with or without polydactyly, 614376;?Spermatogenic failure 72, 619867
WDR34	100.0%	100.0%	100.0%	100.0%	Short-rib thoracic dysplasia 11 with or without polydactyly, 615633
WDR36	100.0%	100.0%	100.0%	99.1%	Glaucoma 1, open angle, G, 609887
WDR73	100.0%	100.0%	100.0%	99.8%	Galloway-Mowat syndrome 1, 251300
WFS1	100.0%	100.0%	100.0%	99.9%	Deafness, autosomal dominant 6/14/38, 600965;?Cataract 41, 116400;Wolfram-like syndrome, autosomal dominant, 614296;{Diabetes mellitus, noninsulin-dependent, association with}, 125853;Wolfram syndrome 1, 222300
WHRN	100.0%	100.0%	100.0%	99.8%	Deafness, autosomal recessive 31, 607084;Usher syndrome, type 2D, 611383
WRN	100.0%	100.0%	100.0%	98.9%	Werner syndrome, 277700
YAP1	100.0%	100.0%	100.0%	99.4%	Coloboma, ocular, with or without hearing impairment, cleft lip/palate, and/or impaired intellectual development, 120433
YARS1	100.0%	100.0%	100.0%	99.1%	Infantile-onset multisystem neurologic, endocrine, and pancreatic disease 2, 619418;Charcot-Marie-Tooth disease, dominant intermediate C, 608323
YME1L1	100.0%	100.0%	100.0%	99.0%	?Optic atrophy 11, 617302
YPEL2	100.0%	100.0%	100.0%	100.0%	

ZEB1	99.9%	99.1%	100.0%	99.2%	Corneal dystrophy, posterior polymorphous, 3, 609141; Corneal dystrophy, Fuchs endothelial, 6, 613270
ZNF408	100.0%	100.0%	100.0%	99.7%	Retinitis pigmentosa 72, 616469; ?Exudative vitreoretinopathy 6, 616468
ZNF423	100.0%	100.0%	100.0%	99.9%	Nephronophthisis 14, 614844; Joubert syndrome 19, 614844
ZNF469	100.0%	100.0%	100.0%	99.7%	Brittle cornea syndrome 1, 229200
ZNF513	100.0%	100.0%	100.0%	99.3%	?Retinitis pigmentosa 58, 613617
ZNF644	100.0%	100.0%	100.0%	99.5%	Myopia 21, autosomal dominant, 614167

Gene symbols used follow HGNC guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. *Nucleic Acids Res.* 2015 Jan 43(Database issue):D1079-85.

TWIST X2 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry.

TWIST X2 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry.

srWGS GRCh38 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.

srWGS GRCh38 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.

non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : March 17th, 2023.

This list is accurate for panel version DG 3.8.1