

# VISION DISORDERS PANEL DG-4.1.0 (588 GENES)

| <i>Gene</i> | <i>Twist X2 covered &gt;10x</i> | <i>Twist X2 covered &gt;20x</i> | <i>WGS covered &gt;10x</i> | <i>WGS covered &gt;20x</i> | <i>Associated Phenotype description and OMIM disease ID</i>                                                                                                                                                         |
|-------------|---------------------------------|---------------------------------|----------------------------|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ABCA4       | 100%                            | 100%                            | 100%                       | 99.4%                      | Retinal dystrophy, early-onset severe, 248200;Retinitis pigmentosa 19, 601718;{Macular degeneration, age-related, 2}, 153800;Cone-rod dystrophy 3, 604116;Fundus flavimaculatus, 248200;Stargardt disease 1, 248200 |
| ABCB6       | 100%                            | 100%                            | 100%                       | 99.2%                      | Dyschromatosis universalis hereditaria 3, 615402;[Blood group, Langereis system], 111600;Pseudohyperkalemia, familial, 2, due to red cell leak, 609153;Microphthalmia/coloboma 7, 614497                            |
| ABCC6       | 98.4%                           | 98.4%                           | 100%                       | 99.2%                      | Pseudoxanthoma elasticum, 264800;Arterial calcification, generalized, of infancy, 2, 614473;Pseudoxanthoma elasticum, forme fruste, 177850                                                                          |

|          |       |       |       |       |                                                                                          |
|----------|-------|-------|-------|-------|------------------------------------------------------------------------------------------|
| ABCD1    | 100%  | 98.5% | 98.7% | 69.5% | Adrenoleukodystrophy, 300100;Adrenomyeloneuro pathy, adult, 300100                       |
| ABHD12   | 100%  | 100%  | 100%  | 99.6% | Polyneuropathy, hearing loss, ataxia, retinitis pigmentosa, and cataract, 612674         |
| ACBD5    | 85.6% | 85.6% | 100%  | 99.4% | Retinal dystrophy with leukodystrophy, 618863                                            |
| ACO2     | 93.1% | 90.3% | 100%  | 99.3% | Optic atrophy 9, 616289;Infantile cerebellar-retinal degeneration, 614559                |
| ADAM9    | 95%   | 95%   | 100%  | 99.4% | Cone-rod dystrophy 9, 612775                                                             |
| ADAMTS10 | 100%  | 100%  | 100%  | 98.7% | Weill-Marchesani syndrome 1, recessive, 277600                                           |
| ADAMTS17 | 100%  | 99.9% | 100%  | 97.2% | Weill-Marchesani 4 syndrome, recessive, 613195                                           |
| ADAMTS18 | 100%  | 100%  | 100%  | 99.7% | Microcornea, myopic chorioretinal atrophy, and telecanthus, 615458                       |
| ADAMTSL4 | 100%  | 100%  | 100%  | 99%   | Ectopia lentis et pupillae, 225200;Ectopia lentis, isolated, autosomal recessive, 225100 |

|         |       |       |      |       |                                                                                                                             |
|---------|-------|-------|------|-------|-----------------------------------------------------------------------------------------------------------------------------|
| ADGRV1  | 100%  | 100%  | 100% | 99.7% | Usher syndrome, type 2C, 605472;Usher syndrome, type 2C, GPR98/PDZD7 digenic, 605472;?Febrile seizures, familial, 4, 604352 |
| ADIPOR1 | 100%  | 100%  | 100% | 99.7% |                                                                                                                             |
| AFG3L2  | 100%  | 100%  | 100% | 99.4% | Spastic ataxia 5, autosomal recessive, 614487;Optic atrophy 12, 618977;Spinocerebellar ataxia 28, 610246                    |
| AGBL1   | 100%  | 100%  | 100% | 99.6% | Corneal dystrophy, Fuchs endothelial, 8, 615523                                                                             |
| AGBL5   | 100%  | 100%  | 100% | 99.3% | Retinitis pigmentosa 75, 617023                                                                                             |
| AGK     | 91.7% | 91.7% | 100% | 99.7% | Cataract 38, autosomal recessive, 614691;Sengers syndrome, 212350                                                           |
| AHI1    | 98.7% | 98.7% | 100% | 99.2% | Joubert syndrome 3, 608629                                                                                                  |
| AHR     | 100%  | 100%  | 100% | 99.9% | Foveal hypoplasia 3, 620958;?Retinitis pigmentosa 85, 618345                                                                |
| AIPL1   | 100%  | 100%  | 100% | 98.8% | Leber congenital amaurosis 4, 604393;Retinitis pigmentosa, juvenile, 604393;Cone-rod dystrophy, 604393                      |

|          |       |       |      |       |                                                                                                                                                                                                  |
|----------|-------|-------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ALDH18A1 | 100%  | 100%  | 100% | 99.6% | Spastic paraplegia 9A, autosomal dominant, 601162;Cutis laxa, autosomal recessive, type IIIA, 219150;Spastic paraplegia 9B, autosomal recessive, 616586;Cutis laxa, autosomal dominant 3, 616603 |
| ALDH1A3  | 100%  | 100%  | 100% | 99.5% | Microphthalmia, isolated 8, 615113                                                                                                                                                               |
| ALDH3A2  | 93.5% | 93.5% | 100% | 99.6% | Sjogren-Larsson syndrome, 270200                                                                                                                                                                 |
| ALMS1    | 100%  | 100%  | 100% | 99.7% | Alstrom syndrome, 203800                                                                                                                                                                         |
| ALPK1    | 100%  | 100%  | 100% | 99.6% | ROSAH syndrome, 614979                                                                                                                                                                           |
| AMACR    | 100%  | 100%  | 100% | 99.5% | Alpha-methylacyl-CoA racemase deficiency, 614307;Bile acid synthesis defect, congenital, 4, 214950                                                                                               |
| ANK3     | 99.7% | 99.7% | 100% | 99.6% | Intellectual developmental disorder, autosomal recessive 37, 615493                                                                                                                              |
| AP3B1    | 100%  | 100%  | 100% | 99.7% | Hermansky-Pudlak syndrome 2, 608233                                                                                                                                                              |
| AP3D1    | 100%  | 100%  | 100% | 99%   | ?Hermansky-Pudlak syndrome 10, 617050                                                                                                                                                            |
| ARHGEF18 | 100%  | 100%  | 100% | 98.6% | Retinitis pigmentosa 78, 617433                                                                                                                                                                  |
| ARL13B   | 93.4% | 92.8% | 100% | 99.7% | Joubert syndrome 8, 612291                                                                                                                                                                       |

|        |       |       |       |       |                                                                                                                |
|--------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------|
| ARL2   | 100%  | 100%  | 100%  | 98.7% | ?Microcornea, rod-cone dystrophy, cataract, and posterior staphyloma 1, 619082                                 |
| ARL2BP | 100%  | 100%  | 100%  | 99.3% | Retinitis pigmentosa 82 with or without situs inversus, 615434                                                 |
| ARL3   | 100%  | 100%  | 100%  | 99.8% | Retinitis pigmentosa 83, 618173;Joubert syndrome 35, 618161                                                    |
| ARL6   | 100%  | 100%  | 100%  | 99.8% | Retinitis pigmentosa 55, 613575;{Bardet-Biedl syndrome 1, modifier of}, 209900;Bardet-Biedl syndrome 3, 600151 |
| ARR3   | 100%  | 99.9% | 98.5% | 70.4% | Myopia 26, X-linked, female-limited, 301010                                                                    |
| ARSG   | 100%  | 100%  | 100%  | 99.3% | Usher syndrome, type IV, 618144                                                                                |
| ASB10  | 100%  | 100%  | 100%  | 99.2% | Glaucoma 1, open angle, F, 603383                                                                              |
| ASPH   | 100%  | 100%  | 100%  | 99.7% | Traboulsi syndrome, 601552                                                                                     |
| ASRGL1 | 100%  | 100%  | 100%  | 99.6% |                                                                                                                |
| ATF6   | 90.9% | 90.9% | 100%  | 99.8% | Achromatopsia 7, 616517                                                                                        |
| ATOH7  | 100%  | 99.9% | 100%  | 97%   | Persistent hyperplastic primary vitreous, autosomal recessive, 221900                                          |
| AUH    | 100%  | 100%  | 100%  | 99.9% | 3-methylglutaconic aciduria, type I, 250950                                                                    |

|        |       |       |       |       |                                                                 |
|--------|-------|-------|-------|-------|-----------------------------------------------------------------|
| B3GLCT | 100%  | 99.9% | 100%  | 99.6% | Peters-plus syndrome, 261540                                    |
| BBIP1  | 100%  | 100%  | 100%  | 99.8% | Bardet-Biedl syndrome 18, 615995                                |
| BBS1   | 100%  | 100%  | 100%  | 98.9% | Bardet-Biedl syndrome 1, 209900                                 |
| BBS10  | 100%  | 100%  | 100%  | 99.8% | Bardet-Biedl syndrome 10, 615987                                |
| BBS12  | 100%  | 100%  | 100%  | 99.9% | Bardet-Biedl syndrome 12, 615989                                |
| BBS2   | 98%   | 98%   | 100%  | 99.5% | Retinitis pigmentosa 74, 616562;Bardet-Biedl syndrome 2, 615981 |
| BBS4   | 100%  | 100%  | 100%  | 99.6% | Bardet-Biedl syndrome 4, 615982                                 |
| BBS5   | 100%  | 100%  | 100%  | 99.4% | Bardet-Biedl syndrome 5, 615983                                 |
| BBS7   | 100%  | 100%  | 100%  | 99.8% | Bardet-Biedl syndrome 7, 615984                                 |
| BBS9   | 95.8% | 95.8% | 100%  | 99.7% | Bardet-Biedl syndrome 9, 615986                                 |
| BCOR   | 100%  | 99.6% | 98.6% | 69.2% | Microphthalmia, syndromic 2, 300166                             |

|         |      |       |      |       |                                                                                                                                                                                                                                                                                  |
|---------|------|-------|------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BEST1   | 100% | 99.9% | 100% | 98.5% | Macular dystrophy, vitelliform, 2, 153700;?Microcornea, rod-cone dystrophy, cataract, and posterior staphyloma 2, 193220;Retinitis pigmentosa-50, 613194;Retinitis pigmentosa, concentric, 613194;Vitreoretinchoroidopathy, 193220;Bestrophinopathy, autosomal recessive, 611809 |
| BFSP1   | 100% | 100%  | 100% | 99%   | Cataract 33, multiple types, 611391                                                                                                                                                                                                                                              |
| BFSP2   | 100% | 100%  | 100% | 98.7% | Cataract 12, multiple types, 611597                                                                                                                                                                                                                                              |
| BLOC1S3 | 100% | 100%  | 100% | 99.7% | Hermansky-Pudlak syndrome 8, 614077                                                                                                                                                                                                                                              |
| BLOC1S5 | 100% | 100%  | 100% | 98.9% | Hermansky-Pudlak syndrome 11, 619172                                                                                                                                                                                                                                             |
| BLOC1S6 | 100% | 100%  | 100% | 99.6% | Hermansky-Pudlak syndrome 9, 614171                                                                                                                                                                                                                                              |
| BMP4    | 100% | 100%  | 100% | 98.8% | Orofacial cleft 11, 600625;Microphthalmia, syndromic 6, 607932                                                                                                                                                                                                                   |
| BMPR1B  | 100% | 100%  | 100% | 99.9% | Acromesomelic dysplasia 3, 609441;Brachydactyly, type A2, 112600;Brachydactyly, type A1, D, 616849                                                                                                                                                                               |

|          |      |       |       |       |                                                                                                                                                    |
|----------|------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| C19orf12 | 100% | 100%  | 100%  | 98.5% | Neurodegeneration with brain iron accumulation 4, 614298;?Spastic paraplegia 43, autosomal recessive, 615043                                       |
| C1QTNF5  | 100% | 100%  | 100%  | 98.2% | Retinal degeneration, late-onset, autosomal dominant, 605670                                                                                       |
| CABP4    | 100% | 100%  | 100%  | 98.2% | Cone-rod synaptic disorder, congenital nonprogressive, 610427                                                                                      |
| CACNA1F  | 100% | 99.6% | 98.5% | 67.5% | Cone-rod dystrophy, X-linked, 3, 300476;Night blindness, congenital stationary (incomplete), 2A, X-linked, 300071;Aland Island eye disease, 300600 |
| CACNA2D4 | 100% | 100%  | 100%  | 99.4% | Retinal cone dystrophy 4, 610478                                                                                                                   |
| CAPN5    | 100% | 100%  | 100%  | 99.1% | Vitreoretinopathy, neovascular inflammatory, 193235                                                                                                |
| CBS      | 100% | 100%  | 100%  | 99.2% | Thrombosis, hyperhomocysteinemic, 236200;Homocystinuria, B6-responsive and nonresponsive types, 236200                                             |



|        |       |       |      |       |                                                                                                                                                                                      |
|--------|-------|-------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CC2D2A | 98.2% | 98.2% | 100% | 99.6% | COACH syndrome 2, 619111;Retinitis pigmentosa 93, 619845;Meckel syndrome 6, 612284;Joubert syndrome 9, 612285                                                                        |
| CCT2   | 100%  | 100%  | 100% | 99.8% |                                                                                                                                                                                      |
| CDH2   | 100%  | 100%  | 100% | 99.4% | Arrhythmogenic right ventricular dysplasia 14, 618920;?Attention deficit-hyperactivity disorder 8, 619957;Agenesis of corpus callosum, cardiac, ocular, and genital syndrome, 618929 |
| CDH23  | 100%  | 100%  | 100% | 99.2% | Usher syndrome, type 1D, 601067;{Pituitary adenoma 5, multiple types}, 617540;Usher syndrome, type 1D/F digenic, 601067;Deafness, autosomal recessive 12, 601386                     |
| CDH3   | 100%  | 100%  | 100% | 99.2% | Hypotrichosis, congenital, with juvenile macular dystrophy, 601553;Ectodermal dysplasia, ectrodactyly, and macular dystrophy, 225280                                                 |
| CDH4   | 100%  | 100%  | 100% | 98.8% |                                                                                                                                                                                      |

|        |      |       |      |       |                                                                                                                                                              |
|--------|------|-------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CDHR1  | 100% | 100%  | 100% | 99.5% | Macular dystrophy, retinal, 613660;Cone-rod dystrophy 15, 613660;Retinitis pigmentosa 65, 613660                                                             |
| CDK10  | 100% | 100%  | 100% | 98.9% | Al Kaissi syndrome, 617694                                                                                                                                   |
| CDON   | 100% | 100%  | 100% | 99.8% | Holoprosencephaly 11, 614226                                                                                                                                 |
| CEP120 | 100% | 100%  | 100% | 99.6% | Short-rib thoracic dysplasia 13 with or without polydactyly, 616300;Joubert syndrome 31, 617761                                                              |
| CEP162 | 100% | 100%  | 100% | 99.7% |                                                                                                                                                              |
| CEP164 | 100% | 100%  | 100% | 99.1% | Nephronophthisis 15, 614845                                                                                                                                  |
| CEP250 | 100% | 99.9% | 100% | 99%   | Cone-rod dystrophy and hearing loss 2, 618358                                                                                                                |
| CEP290 | 100% | 100%  | 100% | 99.6% | Leber congenital amaurosis 10, 611755;Joubert syndrome 5, 610188;Senior-Loken syndrome 6, 610189;?Bardet-Biedl syndrome 14, 615991;Meckel syndrome 4, 611134 |
| CEP41  | 100% | 100%  | 100% | 99.5% | Joubert syndrome 15, 614464                                                                                                                                  |
| CEP78  | 100% | 100%  | 100% | 99.8% | Cone-rod dystrophy and hearing loss, 617236                                                                                                                  |
| CEP83  | 100% | 100%  | 100% | 99.7% | Nephronophthisis 18, 615862                                                                                                                                  |

|         |       |       |       |       |                                                                                                                                                                                        |
|---------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CERKL   | 100%  | 100%  | 100%  | 99.8% | Retinitis pigmentosa 26, 608380                                                                                                                                                        |
| CFAP410 | 100%  | 100%  | 100%  | 98.5% | Retinal dystrophy with macular staphyloma, 617547;Spondylometaphyseal dysplasia, axial, 602271                                                                                         |
| CFAP418 | 100%  | 100%  | 100%  | 99.7% | Retinitis pigmentosa 64, 614500;Cone-rod dystrophy 16, 614500;Bardet-Biedl syndrome 21, 617406                                                                                         |
| CFH     | 97.5% | 97.5% | 100%  | 99.8% | {Macular degeneration, age-related, 4}, 610698;Basal laminar drusen, 126700;Complement factor H deficiency, 609814;{Hemolytic uremic syndrome, atypical, susceptibility to, 1}, 235400 |
| CHD7    | 100%  | 100%  | 100%  | 99.4% | Hypogonadotropic hypogonadism 5 with or without anosmia, 612370;CHARGE syndrome, 214800                                                                                                |
| CHM     | 98.8% | 97.1% | 98.6% | 75.3% | Choroideremia, 303100                                                                                                                                                                  |
| CHMP4B  | 100%  | 100%  | 100%  | 98.8% | Cataract 31, multiple types, 605387                                                                                                                                                    |
| CHN1    | 96.5% | 96.5% | 100%  | 99.3% | Duane retraction syndrome 2, 604356                                                                                                                                                    |
| CHRD1   | 100%  | 99.9% | 99.5% | 74.1% | Megalocornea 1, X-linked, 309300                                                                                                                                                       |

|        |       |       |      |       |                                                                                                                  |
|--------|-------|-------|------|-------|------------------------------------------------------------------------------------------------------------------|
| CHST6  | 100%  | 100%  | 100% | 99.2% | Macular corneal dystrophy, 217800                                                                                |
| CIB2   | 100%  | 99.9% | 100% | 98.8% | Deafness, autosomal recessive 48, 609439;Usher syndrome, type IJ, 614869                                         |
| CISD2  | 100%  | 100%  | 100% | 99.5% | Wolfram syndrome 2, 604928                                                                                       |
| CLCC1  | 98.6% | 98.6% | 100% | 99.7% | Retinitis pigmentosa 32, 609913                                                                                  |
| CLDN19 | 100%  | 99.9% | 100% | 99.5% | Hypomagnesemia 5, renal, with ocular involvement, 248190                                                         |
| CLEC3B | 100%  | 100%  | 100% | 99.4% | Macular dystrophy, retinal, 4, 619977                                                                            |
| CLN3   | 93.1% | 93.1% | 100% | 99%   | Ceroid lipofuscinosis, neuronal, 3, 204200                                                                       |
| CLN5   | 83%   | 83%   | 100% | 99.7% | Ceroid lipofuscinosis, neuronal, 5, 256731                                                                       |
| CLN6   | 100%  | 100%  | 100% | 98.8% | Ceroid lipofuscinosis, neuronal, 6B (Kufs type), 204300;Ceroid lipofuscinosis, neuronal, 6A, 601780              |
| CLN8   | 100%  | 100%  | 100% | 99.7% | Ceroid lipofuscinosis, neuronal, 8, Northern epilepsy variant, 610003;Ceroid lipofuscinosis, neuronal, 8, 600143 |

|         |      |       |      |       |                                                                                                                                                                                        |
|---------|------|-------|------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CLRN1   | 100% | 100%  | 100% | 99.7% | Usher syndrome, type 3A, 276902;Retinitis pigmentosa 61, 614180                                                                                                                        |
| CLUAP1  | 100% | 100%  | 100% | 99.7% |                                                                                                                                                                                        |
| CNGA1   | 100% | 100%  | 100% | 99.8% | Retinitis pigmentosa 49, 613756                                                                                                                                                        |
| CNGA3   | 100% | 100%  | 100% | 99.1% | Achromatopsia 2, 216900                                                                                                                                                                |
| CNGB1   | 100% | 100%  | 100% | 98.3% | Retinitis pigmentosa 45, 613767                                                                                                                                                        |
| CNGB3   | 100% | 100%  | 100% | 99.7% | Achromatopsia 3, 262300                                                                                                                                                                |
| CNNM4   | 100% | 100%  | 100% | 98.9% | Jalili syndrome, 217080                                                                                                                                                                |
| COA8    | 100% | 99.9% | 100% | 98.2% | Mitochondrial complex IV deficiency, nuclear type 17, 619061                                                                                                                           |
| COL11A1 | 100% | 100%  | 100% | 99.6% | Fibrochondrogenesis 1, 228520;Stickler syndrome, type II, 604841;Marshall syndrome, 154780;Deafness, autosomal dominant 37, 618533;{Lumbar disc herniation, susceptibility to}, 603932 |
| COL17A1 | 100% | 100%  | 100% | 99.2% | Epithelial recurrent erosion dystrophy, 122400;Epidermolysis bullosa, junctional 4, intermediate, 619787                                                                               |
| COL18A1 | 100% | 100%  | 100% | 98.9% | Knobloch syndrome, type 1, 267750;Glaucoma, primary closed-angle, 618880                                                                                                               |

|         |      |      |      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------|------|------|------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COL25A1 | 100% | 100% | 100% | 99.5% | Fibrosis of extraocular muscles, congenital, 5, 616219                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| COL2A1  | 100% | 100% | 100% | 99.5% | ?Vitreoretinopathy with phalangeal epiphyseal dysplasia, 619248;Czech dysplasia, 609162;Achondrogenesis, type II or hypochondrogenesis, 200610;Spondyloperipheral dysplasia, 271700;SMED Strudwick type, 184250;?Epiphyseal dysplasia, multiple, with myopia and deafness, 132450;SED congenita, 183900;Kniest dysplasia, 156550;Stickler syndrome, type I, nonsyndromic ocular, 609508;Osteoarthritis with mild chondrodysplasia, 604864;Stickler syndrome, type I, 108300;Platyspondylic skeletal dysplasia, Torrance type, 151210;Spondyloepiphyseal dysplasia, Stanescu type, 616583;Avascular necrosis of the femoral head, 608805;Legg-Calve-Perthes disease, 150600 |

|        |      |      |      |       |                                                                                                                                                                                                                                                                                                                                 |
|--------|------|------|------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COL4A1 | 100% | 100% | 100% | 99.3% | ?Retinal arteries, tortuosity of, 180000;{Hemorrhage, intracerebral, susceptibility to}, 614519;Angiopathy, hereditary, with nephropathy, aneurysms, and muscle cramps, 611773;Microangiopathy and leukoencephalopathy, pontine, autosomal dominant, 618564;Brain small vessel disease with or without ocular anomalies, 175780 |
| COL5A1 | 100% | 100% | 100% | 98.4% | Ehlers-Danlos syndrome, classic type, 1, 130000;Fibromuscular dysplasia, multifocal, 619329                                                                                                                                                                                                                                     |
| COL8A2 | 100% | 100% | 100% | 96.2% | Corneal dystrophy, posterior polymorphous 2, 609140;Corneal dystrophy, Fuchs endothelial, 1, 136800                                                                                                                                                                                                                             |
| COL9A1 | 100% | 100% | 100% | 99.4% | Stickler syndrome, type IV, 614134;?Epiphyseal dysplasia, multiple, 6, 614135                                                                                                                                                                                                                                                   |
| COL9A2 | 100% | 100% | 100% | 98.4% | Epiphyseal dysplasia, multiple, 2, 600204;?Stickler syndrome, type V, 614284                                                                                                                                                                                                                                                    |

|         |       |       |       |       |                                                                                                                                                                 |
|---------|-------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COL9A3  | 100%  | 100%  | 100%  | 98.4% | {Intervertebral disc disease, susceptibility to}, 603932;Epiphyseal dysplasia, multiple, 3, with or without myopathy, 600969;Stickler syndrome, type VI, 620022 |
| COQ8B   | 100%  | 100%  | 100%  | 99.3% | Nephrotic syndrome, type 9, 615573                                                                                                                              |
| COX7B   | 100%  | 99.8% | 99.4% | 70.3% | Linear skin defects with multiple congenital anomalies 2, 300887                                                                                                |
| CPAMD8  | 100%  | 100%  | 100%  | 98.9% | Anterior segment dysgenesis 8, 617319                                                                                                                           |
| CPLANE1 | 100%  | 100%  | 100%  | 99.5% | Orofaciodigital syndrome VI, 277170;Joubert syndrome 17, 614615                                                                                                 |
| CPSF1   | 100%  | 100%  | 100%  | 98.5% | Myopia 27, 618827                                                                                                                                               |
| CRB1    | 98.6% | 98.6% | 100%  | 99.8% | Leber congenital amaurosis 8, 613835;Retinitis pigmentosa-12, 600105;Pigmented paravenous chorioretinal atrophy, 172870                                         |
| CREBBP  | 100%  | 100%  | 100%  | 99%   | Menke-Hennekam syndrome 1, 618332;Rubinstein-Taybi syndrome 1, 180849                                                                                           |
| CRX     | 100%  | 100%  | 100%  | 98.2% | Leber congenital amaurosis 7, 613829;Cone-rod retinal dystrophy-2, 120970                                                                                       |



|        |      |      |       |       |                                                                                                                                                                                                   |
|--------|------|------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CRYAA  | 100% | 100% | 100%  | 97.9% | Cataract 9, multiple types, 604219                                                                                                                                                                |
| CRYAB  | 100% | 100% | 100%  | 99.7% | Myopathy, myofibrillar, fatal infantile hypertonic, alpha-B crystallin-related, 613869;Myopathy, myofibrillar, 2, 608810;Cataract 16, multiple types, 613763;Cardiomyopathy, dilated, 1II, 615184 |
| CRYBA1 | 100% | 100% | 100%  | 99.5% | Cataract 10, multiple types, 600881                                                                                                                                                               |
| CRYBA2 | 100% | 100% | 98.2% | 90.5% | ?Cataract 42, 115900                                                                                                                                                                              |
| CRYBA4 | 100% | 100% | 100%  | 99.5% | Cataract 23, 610425                                                                                                                                                                               |
| CRYBB1 | 100% | 100% | 100%  | 98.6% | Cataract 17, multiple types, 611544                                                                                                                                                               |
| CRYBB2 | 100% | 100% | 100%  | 99.4% | Cataract 3, multiple types, 601547                                                                                                                                                                |
| CRYBB3 | 100% | 100% | 100%  | 99.2% | Cataract 22, 609741                                                                                                                                                                               |
| CRYGB  | 100% | 100% | 100%  | 98.4% | Cataract 39, multiple types, autosomal dominant, 615188                                                                                                                                           |
| CRYGC  | 100% | 100% | 100%  | 99.4% | Cataract 2, multiple types, 604307                                                                                                                                                                |
| CRYGD  | 100% | 100% | 100%  | 99.6% | Cataract 4, multiple types, 115700                                                                                                                                                                |
| CRYGS  | 100% | 100% | 100%  | 99.4% | Cataract 20, multiple types, 116100                                                                                                                                                               |

|        |       |       |      |       |                                                                                                                                                                                                                                                                                                 |
|--------|-------|-------|------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CSPP1  | 96.9% | 96.9% | 100% | 99.4% | Joubert syndrome 21, 615636                                                                                                                                                                                                                                                                     |
| CTC1   | 100%  | 100%  | 100% | 99.3% | Cerebroretinal microangiopathy with calcifications and cysts, 612199                                                                                                                                                                                                                            |
| CTDP1  | 100%  | 100%  | 100% | 99%   | Congenital cataracts, facial dysmorphism, and neuropathy, 604168                                                                                                                                                                                                                                |
| CTNNA1 | 100%  | 100%  | 100% | 99.5% | Macular dystrophy, patterned, 2, 608970                                                                                                                                                                                                                                                         |
| CTNNB1 | 100%  | 100%  | 100% | 99.8% | Exudative vitreoretinopathy 7, 617572;Pilomatricoma, somatic, 132600;Colorectal cancer, somatic, 114500;Neurodevelopmental disorder with spastic diplegia and visual defects, 615075;Medulloblastoma, somatic, 155255;Ovarian cancer, somatic, 167000;Hepatocellular carcinoma, somatic, 114550 |
| CTSD   | 100%  | 100%  | 100% | 99.4% | Ceroid lipofuscinosis, neuronal, 10, 610127                                                                                                                                                                                                                                                     |
| CTSH   | 97.2% | 94.7% | 100% | 99.3% |                                                                                                                                                                                                                                                                                                 |
| CWC27  | 82.6% | 82.6% | 100% | 99.6% | Retinitis pigmentosa with or without skeletal anomalies, 250410                                                                                                                                                                                                                                 |

|         |       |       |      |       |                                                                                                                                                                         |
|---------|-------|-------|------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CYP1B1  | 100%  | 100%  | 100% | 99.2% | Glaucoma 3A, primary open angle, congenital, juvenile, or adult onset, 231300;Anterior segment dysgenesis 6, multiple subtypes, 617315                                  |
| CYP27A1 | 100%  | 100%  | 100% | 99%   | Cerebrotendinous xanthomatosis, 213700                                                                                                                                  |
| CYP4V2  | 100%  | 100%  | 100% | 99.4% | Bietti crystalline corneoretinal dystrophy, 210370                                                                                                                      |
| DCDC1   | 100%  | 100%  | 100% | 99.8% |                                                                                                                                                                         |
| DCN     | 95.1% | 95.1% | 100% | 99.6% | Corneal dystrophy, congenital stromal, 610048                                                                                                                           |
| DCT     | 100%  | 99.9% | 100% | 97.9% | Oculocutaneous albinism, type VIII, 619165                                                                                                                              |
| DDHD1   | 100%  | 100%  | 100% | 98.7% | Spastic paraplegia 28, autosomal recessive, 609340                                                                                                                      |
| DHDDS   | 73.7% | 73.7% | 100% | 99%   | Developmental delay and seizures with or without movement abnormalities, 617836;?Congenital disorder of glycosylation, type 1bb, 613861;Retinitis pigmentosa 59, 613861 |
| DHX38   | 100%  | 100%  | 100% | 99.2% | Retinitis pigmentosa 84, 618220                                                                                                                                         |

|         |      |       |      |       |                                                                                                                                   |
|---------|------|-------|------|-------|-----------------------------------------------------------------------------------------------------------------------------------|
| DKC1    | 100% | 99.4% | 99%  | 70.2% | ?Cataracts, hearing impairment, nephrotic syndrome, and enterocolitis 1, 301108;Dyskeratosis congenita, X-linked, 305000          |
| DNAJC30 | 100% | 100%  | 100% | 99%   | Leber-like hereditary optic neuropathy, autosomal recessive 1, 619382                                                             |
| DNM1L   | 100% | 100%  | 100% | 99.6% | Optic atrophy 5, 610708;Encephalopathy, lethal, due to defective mitochondrial peroxisomal fission 1, 614388                      |
| DNMBP   | 100% | 100%  | 100% | 99.4% | Cataract 48, 618415                                                                                                               |
| DRAM2   | 100% | 100%  | 100% | 99.8% | Cone-rod dystrophy 21, 616502                                                                                                     |
| DTNBP1  | 100% | 100%  | 100% | 99.5% | Hermansky-Pudlak syndrome 7, 614076                                                                                               |
| DYNC2H1 | 100% | 100%  | 100% | 99.7% | Short-rib thoracic dysplasia 3 with or without polydactyly, 613091                                                                |
| DYNC2I2 | 100% | 100%  | 100% | 98.5% | Short-rib thoracic dysplasia 11 with or without polydactyly, 615633                                                               |
| EFEMP1  | 100% | 100%  | 100% | 99%   | Doyme honeycomb degeneration of retina, 126600;Cutis laxa, autosomal recessive, type ID, 620780;Glaucoma 1, open angle, H, 611276 |

|        |       |       |      |       |                                                                                                                                               |
|--------|-------|-------|------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| ELOVL1 | 100%  | 100%  | 100% | 99.1% | Ichthyotic keratoderma, spasticity, hypomyelination, and dysmorphic facies, 618527                                                            |
| ELOVL4 | 100%  | 100%  | 100% | 99%   | Spinocerebellar ataxia 34, 133190;Stargardt disease 3, 600110;Ichthyosis, spastic quadriplegia, and impaired intellectual development, 614457 |
| ELP4   | 87.8% | 87.8% | 100% | 99.8% | ?Aniridia 2, 617141                                                                                                                           |
| EMC1   | 100%  | 100%  | 100% | 99.2% | Cerebellar atrophy, visual impairment, and psychomotor retardation, 616875                                                                    |
| EPG5   | 100%  | 100%  | 100% | 99.6% | Vici syndrome, 242840                                                                                                                         |
| EPHA2  | 100%  | 100%  | 100% | 98.8% | Cataract 6, multiple types, 116600                                                                                                            |
| ERCC2  | 99.9% | 98.8% | 100% | 98.9% | Xeroderma pigmentosum, group D, 278730;Trichothiodystrophy 1, photosensitive, 601675;?Cerebrooculofacio skeletal syndrome 2, 610756           |
| ERCC3  | 100%  | 100%  | 100% | 99.6% | Trichothiodystrophy 2, photosensitive, 616390;Xeroderma pigmentosum, group B, 610651                                                          |

|        |       |       |       |       |                                                                                                                                                                                                                                                                                                       |
|--------|-------|-------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ERCC6  | 100%  | 100%  | 100%  | 99.5% | UV-sensitive syndrome 1, 600630;Cerebrooculofacioskeletal syndrome 1, 214150;?De Sanctis-Cacchione syndrome, 278800;Cockayne syndrome, type B, 133540;{Macular degeneration, age-related, susceptibility to, 5}, 613761;Premature ovarian failure 11, 616946;{Lung cancer, susceptibility to}, 211980 |
| ERCC8  | 95.2% | 95.2% | 99.9% | 96.3% | UV-sensitive syndrome 2, 614621;Cockayne syndrome, type A, 216400                                                                                                                                                                                                                                     |
| EXOSC2 | 100%  | 99.4% | 100%  | 98.7% | Short stature, hearing loss, retinitis pigmentosa, and distinctive facies, 617763                                                                                                                                                                                                                     |
| EYA1   | 100%  | 100%  | 100%  | 99.7% | Branchiootic syndrome 1, 602588;Branchiootorenal syndrome 1, with or without cataracts, 113650;Anterior segment anomalies with or without cataract, 602588;?Otofaciocervical syndrome, 166780                                                                                                         |
| EYS    | 100%  | 100%  | 100%  | 99.8% | Retinitis pigmentosa 25, 602772                                                                                                                                                                                                                                                                       |
| FA2H   | 100%  | 100%  | 100%  | 99.1% | Spastic paraplegia 35, autosomal recessive, 612319                                                                                                                                                                                                                                                    |

|         |       |       |       |       |                                                                                                                                                                                                                                                             |
|---------|-------|-------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FAM161A | 100%  | 100%  | 100%  | 99.7% | Retinitis pigmentosa 28, 606068                                                                                                                                                                                                                             |
| FBN1    | 100%  | 100%  | 100%  | 99.8% | Geleophysic dysplasia 2, 614185;Weill-Marchesani syndrome 2, dominant, 608328;Ectopia lentis, familial, 129600;MASS syndrome, 604308;Marfan lipodystrophy syndrome, 616914;Acromicric dysplasia, 102370;Marfan syndrome, 154700;Stiff skin syndrome, 184900 |
| FBN2    | 99.2% | 99.2% | 100%  | 99.6% | Macular degeneration, early-onset, 616118;Contractural arachnodactyly, congenital, 121050                                                                                                                                                                   |
| FBXW11  | 100%  | 100%  | 100%  | 99.5% | Neurodevelopmental, jaw, eye, and digital syndrome, 618914                                                                                                                                                                                                  |
| FDXR    | 100%  | 100%  | 100%  | 99.4% | Multiple mitochondrial dysfunctions syndrome 9B, 620887;Auditory neuropathy and optic atrophy, 617717                                                                                                                                                       |
| FLVCR1  | 100%  | 100%  | 100%  | 99.2% | Ataxia, posterior column, with retinitis pigmentosa, 609033                                                                                                                                                                                                 |
| FOXC1   | 100%  | 100%  | 99.7% | 84.6% | Axenfeld-Rieger syndrome, type 3, 602482;Anterior segment dysgenesis 3, multiple subtypes, 601631                                                                                                                                                           |

|       |      |       |       |       |                                                                                                                                                                 |
|-------|------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FOXE3 | 100% | 98.5% | 98.7% | 82.9% | Anterior segment dysgenesis 2, multiple subtypes, 610256;{Aortic aneurysm, familial thoracic 11, susceptibility to}, 617349;Cataract 34, multiple types, 612968 |
| FREM1 | 100% | 100%  | 100%  | 99.7% | Manitoba oculotrichoanal syndrome, 248450;Bifid nose with or without anorectal and renal anomalies, 608980;Trigonocephaly 2, 614485                             |
| FRMD7 | 100% | 99.8% | 98.6% | 73.9% | Nystagmus, infantile periodic alternating, X-linked, 310700;Nystagmus 1, congenital, X-linked, 310700                                                           |
| FTL   | 100% | 99.9% | 100%  | 99%   | Hyperferritinemia-cataract syndrome, 600886;L-ferritin deficiency, dominant and recessive, 615604;Neurodegeneration with brain iron accumulation 3, 606159      |
| FYCO1 | 100% | 100%  | 100%  | 99.2% | Cataract 18, autosomal recessive, 610019                                                                                                                        |
| FZD4  | 100% | 100%  | 100%  | 99.1% | Retinopathy of prematurity, 133780;Exudative vitreoretinopathy 1, 133780                                                                                        |
| FZD5  | 100% | 100%  | 100%  | 99.1% | Microphthalmia/coloboma 11, 620731                                                                                                                              |



|       |      |      |      |       |                                                                                                                                                                                                                     |
|-------|------|------|------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GALK1 | 100% | 100% | 100% | 99.4% | Galactokinase deficiency with cataracts, 230200                                                                                                                                                                     |
| GALM  | 100% | 100% | 100% | 99.3% | Galactosemia IV, 618881                                                                                                                                                                                             |
| GALT  | 100% | 100% | 100% | 99%   | Galactosemia, 230400                                                                                                                                                                                                |
| GCNT2 | 100% | 100% | 100% | 99.8% | [Blood group, Ii], 110800;Adult i phenotype without cataract, 110800;Cataract 13 with adult i phenotype, 116700                                                                                                     |
| GDF3  | 100% | 100% | 100% | 99.6% | Klippel-Feil syndrome 3, autosomal dominant, 613702;Microphthalmia, isolated, with coloboma 6, 613703;Microphthalmia, isolated 7, 613704                                                                            |
| GDF6  | 100% | 100% | 100% | 98.1% | Microphthalmia with coloboma 6, digenic, 613703;Microphthalmia, isolated 4, 613094;Leber congenital amaurosis 17, 615360;Multiple synostoses syndrome 4, 617898;Klippel-Feil syndrome 1, autosomal dominant, 118100 |
| GDPD1 | 100% | 100% | 100% | 99.5% |                                                                                                                                                                                                                     |
| GFER  | 100% | 100% | 100% | 98.3% | Myopathy, mitochondrial progressive, with congenital cataract and developmental delay, 613076                                                                                                                       |

|          |      |      |      |       |                                                                                                                                                                                                                                                                                                     |
|----------|------|------|------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GJA1     | 100% | 100% | 100% | 99.1% | Erythrokeratoderma variabilis et progressiva 3, 617525;Craniometaphyseal dysplasia, autosomal recessive, 218400;Oculodentodigital dysplasia, 164200;Palmoplantar keratoderma with congenital alopecia, 104100;Syndactyly, type III, 186100;Oculodentodigital dysplasia, autosomal recessive, 257850 |
| GJA3     | 100% | 100% | 100% | 98.8% | Cataract 14, multiple types, 601885                                                                                                                                                                                                                                                                 |
| GJA8     | 100% | 100% | 100% | 99%   | Cataract 1, multiple types, 116200                                                                                                                                                                                                                                                                  |
| GNAT1    | 100% | 100% | 100% | 99.2% | Night blindness, congenital stationary, autosomal dominant 3, 610444;Night blindness, congenital stationary, type 1G, 616389                                                                                                                                                                        |
| GNAT2    | 100% | 100% | 100% | 99.7% | Achromatopsia 4, 613856                                                                                                                                                                                                                                                                             |
| GNB3     | 100% | 100% | 100% | 98%   | Night blindness, congenital stationary, type 1H, 617024;{Hypertension, essential, susceptibility to}, 145500                                                                                                                                                                                        |
| GNPTG    | 100% | 100% | 100% | 99.2% | Mucopolipidosis III gamma, 252605                                                                                                                                                                                                                                                                   |
| GPATCH11 | 100% | 100% | 100% | 99.6% |                                                                                                                                                                                                                                                                                                     |

|        |      |       |       |       |                                                                                                                                                  |
|--------|------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| GPR143 | 100% | 99.8% | 98.9% | 72.4% | Ocular albinism, type I, Nettleship-Falls type, 300500;Nystagmus 6, congenital, X-linked, 300814                                                 |
| GPR179 | 100% | 100%  | 100%  | 99.4% | Night blindness, congenital stationary (complete), 1E, autosomal recessive, 614565                                                               |
| GRHL2  | 100% | 100%  | 100%  | 99.5% | Deafness, autosomal dominant 28, 608641;Ectodermal dysplasia/short stature syndrome, 616029;Corneal dystrophy, posterior polymorphous, 4, 618031 |
| GRK1   | 100% | 100%  | 100%  | 98.9% | Oguchi disease-2, 613411                                                                                                                         |
| GRM6   | 100% | 100%  | 100%  | 98.7% | Night blindness, congenital stationary (complete), 1B, autosomal recessive, 257270                                                               |
| GSN    | 100% | 100%  | 100%  | 97.6% | Amyloidosis, Finnish type, 105120                                                                                                                |
| GUCA1A | 100% | 100%  | 100%  | 100%  | Cone-rod dystrophy 14, 602093;Cone dystrophy-3, 602093                                                                                           |
| GUCA1B | 100% | 100%  | 100%  | 98.6% | Retinitis pigmentosa 48, 613827                                                                                                                  |

|        |       |       |       |       |                                                                                                                                                                                                                                                        |
|--------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GUCY2D | 100%  | 100%  | 100%  | 99.2% | Cone-rod dystrophy 6, 601777;?Choroidal dystrophy, central areolar 1, 215500;Leber congenital amaurosis 1, 204000;Night blindness, congenital stationary, type 1I, 618555                                                                              |
| HARS1  | 100%  | 100%  | 100%  | 99.2% | Charcot-Marie-Tooth disease, axonal, type 2W, 616625;Usher syndrome type 3B, 614504                                                                                                                                                                    |
| HCCS   | 100%  | 99.8% | 99.5% | 75%   | Linear skin defects with multiple congenital anomalies 1, 309801                                                                                                                                                                                       |
| HGSNAT | 92.4% | 92.4% | 100%  | 99.3% | Mucopolysaccharidosis type IIIC (Sanfilippo C), 252930;Retinitis pigmentosa 73, 616544                                                                                                                                                                 |
| HK1    | 100%  | 100%  | 100%  | 99.4% | Anemia, congenital, nonspherocytic hemolytic, 5, hexokinase deficient, 235700;Retinitis pigmentosa 79, 617460;Neuropathy, hereditary motor and sensory, Russe type, 605285;Neurodevelopmental disorder with visual defects and brain anomalies, 618547 |
| HKDC1  | 100%  | 100%  | 100%  | 99.5% | Retinitis pigmentosa 92, 619614                                                                                                                                                                                                                        |

|       |      |       |       |       |                                                                                                                                                                                                                                                                                                                                         |
|-------|------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HMGB3 | 100% | 99.4% | 99.8% | 74.1% | ?Microphthalmia, syndromic 13, 300915                                                                                                                                                                                                                                                                                                   |
| HMX1  | 100% | 99.9% | 100%  | 97.3% | Oculoauricular syndrome, 612109                                                                                                                                                                                                                                                                                                         |
| HPS1  | 100% | 100%  | 100%  | 99%   | Hermansky-Pudlak syndrome 1, 203300                                                                                                                                                                                                                                                                                                     |
| HPS3  | 100% | 100%  | 100%  | 99.6% | Hermansky-Pudlak syndrome 3, 614072                                                                                                                                                                                                                                                                                                     |
| HPS4  | 100% | 100%  | 100%  | 99.7% | Hermansky-Pudlak syndrome 4, 614073                                                                                                                                                                                                                                                                                                     |
| HPS5  | 100% | 100%  | 100%  | 99.7% | Hermansky-Pudlak syndrome 5, 614074                                                                                                                                                                                                                                                                                                     |
| HPS6  | 100% | 100%  | 100%  | 98.4% | Hermansky-Pudlak syndrome 6, 614075                                                                                                                                                                                                                                                                                                     |
| HRAS  | 100% | 100%  | 100%  | 98.6% | Bladder cancer, somatic, 109800;Thyroid carcinoma, follicular, somatic, 188470;Congenital myopathy with excess of muscle spindles, 218040;Nevus sebaceous or woolly hair nevus, somatic, 162900;Schimmelpenning-Feuerstein-Mims syndrome, somatic mosaic, 163200;Spitz nevus or nevus spilus, somatic, 137550;Costello syndrome, 218040 |
| HSF4  | 100% | 100%  | 100%  | 98.7% | Cataract 5, multiple types, 116800                                                                                                                                                                                                                                                                                                      |

|        |      |      |      |       |                                                                                                                                      |
|--------|------|------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------|
| HSPG2  | 100% | 100% | 100% | 99.1% | Dyssegmental dysplasia, Silverman-Handmaker type, 224410;Schwartz-Jampel syndrome, type 1, 255800                                    |
| HYCC1  | 100% | 100% | 100% | 99.5% | Leukodystrophy, hypomyelinating, 5, 610532                                                                                           |
| IDH3A  | 100% | 100% | 100% | 99.4% | Retinitis pigmentosa 90, 619007                                                                                                      |
| IDH3B  | 100% | 100% | 100% | 99.5% | Retinitis pigmentosa 46, 612572                                                                                                      |
| IDUA   | 100% | 100% | 100% | 97.7% | Mucopolysaccharidosis Is, 607016;Mucopolysaccharidosis Ih/s, 607015;Mucopolysaccharidosis Ih, 607014                                 |
| IFIH1  | 100% | 100% | 100% | 99.8% | Immunodeficiency 95, 619773;Aicardi-Goutieres syndrome 7, 615846;Singleton-Merten syndrome 1, 182250                                 |
| IFT140 | 100% | 100% | 100% | 99%   | Short-rib thoracic dysplasia 9 with or without polydactyly, 266920;Retinitis pigmentosa 80, 617781                                   |
| IFT172 | 100% | 100% | 100% | 99.3% | Retinitis pigmentosa 71, 616394;Bardet-Biedl syndrome 20, 619471;Short-rib thoracic dysplasia 10 with or without polydactyly, 615630 |

|       |       |       |       |       |                                                                                                                                 |
|-------|-------|-------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------|
| IFT27 | 100%  | 100%  | 100%  | 99.2% | Bardet-Biedl syndrome 19, 615996                                                                                                |
| IFT43 | 100%  | 100%  | 100%  | 99.4% | ?Cranioectodermal dysplasia 3, 614099;?Retinitis pigmentosa 81, 617871;Short-rib thoracic dysplasia 18 with polydactyly, 617866 |
| IFT52 | 100%  | 100%  | 100%  | 99.6% | Short-rib thoracic dysplasia 16 with or without polydactyly, 617102                                                             |
| IFT74 | 100%  | 100%  | 100%  | 99.7% | Bardet-Biedl syndrome 22, 617119;Spermatogenic failure 58, 619585;Joubert syndrome 40, 619582                                   |
| IFT81 | 94.9% | 94.9% | 100%  | 99.9% | Short-rib thoracic dysplasia 19 with or without polydactyly, 617895                                                             |
| IGBP1 | 100%  | 99.2% | 99.3% | 72.4% | ?Corpus callosum, agenesis of, with impaired intellectual development, ocular coloboma and micrognathia, 300472                 |
| IGSF3 | 100%  | 100%  | 100%  | 99.5% | ?Lacrimal duct defect, 149700                                                                                                   |

|        |       |       |       |       |                                                                                                                                                                     |
|--------|-------|-------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| IKBKG  | 96.4% | 94.1% | 99.3% | 75%   | Incontinentia pigmenti, 308300;Ectodermal dysplasia and immunodeficiency 1, 300291;Immunodeficiency 33, 300636;Autoinflammatory disease, systemic, X-linked, 301081 |
| IMPDH1 | 100%  | 100%  | 100%  | 99.2% | Retinitis pigmentosa 10, 180105;Leber congenital amaurosis 11, 613837                                                                                               |
| IMPG1  | 100%  | 100%  | 100%  | 99.3% | Macular dystrophy, vitelliform, 4, 616151;Retinitis pigmentosa 91, 153870                                                                                           |
| IMPG2  | 100%  | 100%  | 100%  | 99.8% | Retinitis pigmentosa 56, 613581;Macular dystrophy, vitelliform, 5, 616152                                                                                           |
| INPP5E | 100%  | 100%  | 100%  | 96.7% | Impaired intellectual development, truncal obesity, retinal dystrophy, and micropenis syndrome, 610156;Joubert syndrome 1, 213300                                   |
| INVS   | 100%  | 100%  | 100%  | 99.6% | Nephronophthisis 2, infantile, 602088                                                                                                                               |
| IQCB1  | 100%  | 100%  | 100%  | 99.8% | Senior-Loken syndrome 5, 609254                                                                                                                                     |
| IRX1   | 100%  | 97.7% | 100%  | 94.7% |                                                                                                                                                                     |



|        |      |      |      |       |                                                                                                                                                                                      |
|--------|------|------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ITM2B  | 100% | 100% | 100% | 99.1% | ?Retinal dystrophy with inner retinal dysfunction and ganglion cell abnormalities, 616079;Dementia, familial British, 176500;Dementia, familial Danish, 117300                       |
| ITPR1  | 100% | 100% | 100% | 99.5% | Gillespie syndrome, 206700;Spinocerebellar ataxia 29, congenital nonprogressive, 117360;Spinocerebellar ataxia 15, 606658                                                            |
| JAG1   | 100% | 100% | 100% | 99.4% | ?Deafness, congenital heart defects, and posterior embryotoxon, 617992;Charcot-Marie-Tooth disease, axonal, type 2HH, 619574;Alagille syndrome 1, 118450;Tetralogy of Fallot, 187500 |
| JAM3   | 100% | 100% | 100% | 99.8% | Hemorrhagic destruction of the brain, subependymal calcification, and cataracts, 613730                                                                                              |
| KCNJ13 | 100% | 100% | 100% | 99.6% | Snowflake vitreoretinal degeneration, 193230;Leber congenital amaurosis 16, 614186                                                                                                   |
| KCNV2  | 100% | 100% | 100% | 99.6% | Retinal cone dystrophy 3B, 610356                                                                                                                                                    |
| KERA   | 100% | 100% | 100% | 99.5% | Cornea plana 2, autosomal recessive, 217300                                                                                                                                          |

|          |       |       |      |       |                                                                                                                                    |
|----------|-------|-------|------|-------|------------------------------------------------------------------------------------------------------------------------------------|
| KIAA0586 | 95.6% | 95.6% | 100% | 99.8% | Short-rib thoracic dysplasia 14 with polydactyly, 616546;Joubert syndrome 23, 616490                                               |
| KIAA0753 | 100%  | 100%  | 100% | 99.6% | ?Orofaciodigital syndrome XV, 617127;?Joubert syndrome 38, 619476;Short-rib thoracic dysplasia 21 without polydactyly, 619479      |
| KIAA1549 | 99.8% | 99.5% | 100% | 98.5% | Retinitis pigmentosa 86, 618613                                                                                                    |
| KIF11    | 100%  | 100%  | 100% | 99.6% | Microcephaly with or without chorioretinopathy, lymphedema, or impaired intellectual development, 152950                           |
| KIF21A   | 100%  | 100%  | 100% | 99.7% | Fibrosis of extraocular muscles, congenital, 3B, 135700;Fibrosis of extraocular muscles, congenital, 1, 135700                     |
| KIF3B    | 100%  | 100%  | 100% | 99.2% | Retinitis pigmentosa 89, 618955                                                                                                    |
| KIF7     | 100%  | 99.8% | 100% | 98.4% | Joubert syndrome 12, 200990;Acrocallosal syndrome, 200990;?Hydroletharus syndrome 2, 614120;?Al-Gazali-Bakalinova syndrome, 607131 |

|       |       |       |       |       |                                                                                                   |
|-------|-------|-------|-------|-------|---------------------------------------------------------------------------------------------------|
| KIZ   | 100%  | 100%  | 100%  | 99.9% | Retinitis pigmentosa 69, 615780                                                                   |
| KLHL7 | 100%  | 100%  | 100%  | 99.3% | Retinitis pigmentosa 42, 612943;PERCHING syndrome, 617055                                         |
| KRT12 | 100%  | 100%  | 100%  | 99.5% | Meesmann corneal dystrophy 1, 122100                                                              |
| KRT3  | 100%  | 100%  | 100%  | 99.3% | Meesmann corneal dystrophy 2, 618767                                                              |
| LAMA1 | 100%  | 100%  | 100%  | 99.5% | Poretti-Boltshauser syndrome, 615960                                                              |
| LAMB2 | 100%  | 100%  | 100%  | 99.3% | Nephrotic syndrome, type 5, with or without ocular abnormalities, 614199;Pierson syndrome, 609049 |
| LAMP2 | 85.3% | 85.1% | 98.7% | 73.3% | Danon disease, 300257                                                                             |
| LCA5  | 100%  | 100%  | 100%  | 99.5% | Leber congenital amaurosis 5, 604537                                                              |
| LCAT  | 100%  | 100%  | 100%  | 97.5% | Fish-eye disease, 136120;Norum disease, 245900                                                    |
| LEMD2 | 100%  | 100%  | 100%  | 99%   | Marbach-Rustad progeroid syndrome, 619322;Cataract 46, juvenile-onset, 212500                     |
| LIM2  | 100%  | 100%  | 100%  | 97.3% | Cataract 19, multiple types, 615277                                                               |

|       |       |       |      |       |                                                                                                                            |
|-------|-------|-------|------|-------|----------------------------------------------------------------------------------------------------------------------------|
| LMX1B | 100%  | 100%  | 100% | 97.8% | Focal segmental glomerulosclerosis 10, 256020;Nail-patella syndrome, 161200                                                |
| LONP1 | 100%  | 100%  | 100% | 98.9% | CODAS syndrome, 600373                                                                                                     |
| LOXL3 | 100%  | 100%  | 100% | 99.2% | Myopia 28, autosomal recessive, 619781                                                                                     |
| LRAT  | 100%  | 100%  | 100% | 98.4% | Leber congenital amaurosis 14, 613341;Retinal dystrophy, early-onset severe, 613341;Retinitis pigmentosa, juvenile, 613341 |
| LRIT3 | 100%  | 100%  | 100% | 99.9% | Night blindness, congenital stationary (complete), 1F, autosomal recessive, 615058                                         |
| LRMDA | 97.8% | 97.8% | 100% | 99.2% | Albinism, oculocutaneous, type VII, 615179                                                                                 |
| LRP2  | 100%  | 100%  | 100% | 99.6% | Donnai-Barrow syndrome, 222448                                                                                             |

|        |       |       |      |       |                                                                                                                                                                                                                                                                          |
|--------|-------|-------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LRP5   | 100%  | 100%  | 100% | 98.3% | Osteopetrosis, autosomal dominant 1, 607634;[Bone mineral density variability 1], 601884;Polycystic liver disease 4 with or without kidney cysts, 617875;Endosteal hyperostosis, 144750;Osteoporosis-pseudoglioma syndrome, 259770;Exudative vitreoretinopathy 4, 601813 |
| LRPAP1 | 100%  | 100%  | 100% | 99%   | Myopia 23, autosomal recessive, 615431                                                                                                                                                                                                                                   |
| LSS    | 100%  | 100%  | 100% | 99.1% | Hypotrichosis 14, 618275;Cataract 44, 616509;Alopecia-intellectual disability syndrome 4, 618840                                                                                                                                                                         |
| LTBP2  | 100%  | 100%  | 100% | 99%   | Glaucoma 3, primary congenital, D, 613086;Microspherophakia and/or megalocornea, with ectopia lentis and with or without secondary glaucoma, 251750;?Weill-Marchesani syndrome 3, recessive, 614819                                                                      |
| LYST   | 99.5% | 99.4% | 100% | 99.8% | Chediak-Higashi syndrome, 214500                                                                                                                                                                                                                                         |
| LZTFL1 | 100%  | 100%  | 100% | 99.8% | Bardet-Biedl syndrome 17, 615994                                                                                                                                                                                                                                         |

|          |       |       |       |       |                                                                                                                |
|----------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------|
| MAB21L2  | 100%  | 100%  | 100%  | 98.8% | Microphthalmia/coloboma and skeletal dysplasia syndrome, 615877                                                |
| MAF      | 92.2% | 87.3% | 99.9% | 88.8% | Cataract 21, multiple types, 610202;Ayme-Gripp syndrome, 601088                                                |
| MAFB     | 100%  | 100%  | 100%  | 98.5% | Duane retraction syndrome 3, 617041;Multicentric carpotarsal osteolysis syndrome, 166300                       |
| MAK      | 100%  | 100%  | 100%  | 99.8% | Retinitis pigmentosa 62, 614181                                                                                |
| MAPKAPK3 | 100%  | 100%  | 100%  | 99.1% | ?Macular dystrophy, patterned, 3, 617111                                                                       |
| MCAT     | 100%  | 100%  | 100%  | 99.8% | Optic atrophy 15, 620583                                                                                       |
| MCOLN1   | 100%  | 100%  | 100%  | 99.6% | Lisch epithelial corneal dystrophy, 620763;Mucopolidosis IV, 252650                                            |
| MECR     | 100%  | 100%  | 100%  | 99.2% | Dystonia, childhood-onset, with optic atrophy and basal ganglia abnormalities, 617282;Optic atrophy 16, 620629 |
| MERTK    | 100%  | 100%  | 100%  | 99.6% | Retinitis pigmentosa 38, 613862                                                                                |

|        |      |      |      |       |                                                                                                                                                                                                                                                  |
|--------|------|------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MFN2   | 100% | 100% | 100% | 99.1% | Lipomatosis, multiple symmetric, with or without peripheral neuropathy, 151800;Charcot-Marie-Tooth disease, axonal, type 2A2A, 609260;Charcot-Marie-Tooth disease, axonal, type 2A2B, 617087;Hereditary motor and sensory neuropathy VIA, 601152 |
| MFRP   | 100% | 100% | 100% | 99.3% | Microphthalmia, isolated 5, 611040;Nanophthalmos 2, 609549                                                                                                                                                                                       |
| MFSD8  | 100% | 100% | 100% | 99.9% | Macular dystrophy with central cone involvement, 616170;Ceroid lipofuscinosis, neuronal, 7, 610951                                                                                                                                               |
| MIEF1  | 100% | 100% | 100% | 99.2% | Optic atrophy 14, 620550                                                                                                                                                                                                                         |
| MIP    | 100% | 100% | 100% | 99.3% | Cataract 15, multiple types, 615274                                                                                                                                                                                                              |
| MIR184 |      |      |      |       | EDICT syndrome, 614303                                                                                                                                                                                                                           |
| MIR204 |      |      |      |       | Retinal dystrophy and iris coloboma with or without cataract, 616722                                                                                                                                                                             |

|       |       |       |      |       |                                                                                                                                                                      |
|-------|-------|-------|------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MITF  | 100%  | 100%  | 100% | 99.4% | Waardenburg syndrome, type 2A, 193510;{Melanoma, cutaneous malignant, susceptibility to, 8}, 614456;Tietz albinism-deafness syndrome, 103500;COMMAD syndrome, 617306 |
| MKKS  | 100%  | 100%  | 100% | 99.9% | McKusick-Kaufman syndrome, 236700;Bardet-Biedl syndrome 6, 605231                                                                                                    |
| MKS1  | 99.1% | 99%   | 100% | 99.2% | Bardet-Biedl syndrome 13, 615990;Meckel syndrome 1, 249000;Joubert syndrome 28, 617121                                                                               |
| MTFMT | 100%  | 100%  | 100% | 97.6% | Combined oxidative phosphorylation deficiency 15, 614947;Mitochondrial complex I deficiency, nuclear type 27, 618248                                                 |
| MTRFR | 100%  | 99.8% | 100% | 98.8% | Spastic paraplegia 55, autosomal recessive, 615035;Combined oxidative phosphorylation deficiency 7, 613559                                                           |
| MVK   | 100%  | 100%  | 100% | 99.2% | Hyper-IgD syndrome, 260920;Porokeratosis 3, multiple types, 175900;Mevalonic aciduria, 610377                                                                        |



|       |       |       |       |       |                                                                                                                                                          |
|-------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| MYH9  | 97.3% | 97.2% | 100%  | 99.1% | Macrothrombocytopenia and granulocyte inclusions with or without nephritis or sensorineural hearing loss, 155100;Deafness, autosomal dominant 17, 603622 |
| MYO5A | 99%   | 99%   | 100%  | 99.7% | Griscelli syndrome, type 1, 214450                                                                                                                       |
| MYO7A | 100%  | 100%  | 100%  | 99.2% | Deafness, autosomal recessive 2, 600060;Usher syndrome, type 1B, 276900;Deafness, autosomal dominant 11, 601317                                          |
| MYOC  | 100%  | 100%  | 100%  | 98.5% | Glaucoma 1A, primary open angle, 137750                                                                                                                  |
| MYRF  | 100%  | 100%  | 100%  | 98.5% | Encephalitis/encephalopathy, mild, with reversible myelin vacuolization, 618113;Cardiac-urogenital syndrome, 618280                                      |
| NAA10 | 100%  | 99.8% | 98.9% | 68.4% | Microphthalmia, syndromic 1, 309800;Ogden syndrome, 300855                                                                                               |
| NBAS  | 100%  | 99.9% | 100%  | 99.7% | Short stature, optic nerve atrophy, and Pelger-Huet anomaly, 614800;Infantile liver failure syndrome 2, 616483                                           |

|         |       |       |      |       |                                                                                                                                   |
|---------|-------|-------|------|-------|-----------------------------------------------------------------------------------------------------------------------------------|
| NDP     | 100%  | 99.7% | 99%  | 72.6% | Exudative vitreoretinopathy 2, X-linked, 305390;Norrie disease, 310600                                                            |
| NDUFA12 | 79.4% | 79.4% | 100% | 99.8% | Mitochondrial complex I deficiency, nuclear type 23, 618244                                                                       |
| NDUFA7  | 100%  | 100%  | 100% | 98.3% |                                                                                                                                   |
| NDUFAF2 | 67.4% | 67.4% | 100% | 99.6% | Mitochondrial complex I deficiency, nuclear type 10, 618233                                                                       |
| NDUFAF5 | 100%  | 100%  | 100% | 99.5% | Mitochondrial complex I deficiency, nuclear type 16, 618238                                                                       |
| NDUFB11 | 99%   | 93.8% | 92%  | 56%   | Linear skin defects with multiple congenital anomalies 3, 300952;?Mitochondrial complex I deficiency, nuclear type 30, 301021     |
| NDUFS1  | 100%  | 100%  | 100% | 99.7% | Mitochondrial complex I deficiency, nuclear type 5, 618226                                                                        |
| NDUFS2  | 99.7% | 97.2% | 100% | 99.3% | ?Leber-like hereditary optic neuropathy, autosomal recessive 2, 620569;Mitochondrial complex I deficiency, nuclear type 6, 618228 |

|         |       |       |       |       |                                                                                                                                                                            |
|---------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NEK1    | 100%  | 100%  | 100%  | 99.8% | Short-rib thoracic dysplasia 6 with or without polydactyly, 263520;?Orofaciodigital syndrome II, 252100;{Amyotrophic lateral sclerosis, susceptibility to, 24}, 617892     |
| NEK2    | 95.9% | 95.9% | 100%  | 99.6% | ?Retinitis pigmentosa 67, 615565                                                                                                                                           |
| NEUROD1 | 100%  | 100%  | 100%  | 99.4% | {Type 2 diabetes mellitus, susceptibility to}, 125853;Maturity-onset diabetes of the young 6, 606394                                                                       |
| NHEJ1   | 100%  | 100%  | 100%  | 99.4% | Microphthalmia/coloboma 13, 620968;Immunodeficiency 124, severe combined, 611291                                                                                           |
| NHS     | 100%  | 99.9% | 98.9% | 71.9% | Cataract 40, X-linked, 302200;Nance-Horan syndrome, 302350                                                                                                                 |
| NMNAT1  | 100%  | 97.8% | 100%  | 99.8% | Spondyloepiphyseal dysplasia, sensorineural hearing loss, intellectual developmental disorder, and Leber congenital amaurosis, 619260;Leber congenital amaurosis 9, 608553 |

|       |       |       |      |       |                                                                                                                                                                                                                             |
|-------|-------|-------|------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOP10 | 92.5% | 92.5% | 100% | 98.8% | ?Pulmonary fibrosis and/or bone marrow failure syndrome, telomere-related, 9, 620400;?Cataracts, hearing impairment, nephrotic syndrome, and enterocolitis 2, 620425;?Dyskeratosis congenita, autosomal recessive 1, 224230 |
| NPHP1 | 100%  | 100%  | 100% | 99.3% | Joubert syndrome 4, 609583;Nephronophthisis 1, juvenile, 256100;Senior-Loken syndrome-1, 266900                                                                                                                             |
| NPHP3 | 100%  | 100%  | 100% | 99.6% | Nephronophthisis 3, 604387;Renal-hepatic-pancreatic dysplasia 1, 208540;Meckel syndrome 7, 267010                                                                                                                           |
| NPHP4 | 100%  | 100%  | 100% | 99.1% | Senior-Loken syndrome 4, 606996;Nephronophthisis 4, 606966                                                                                                                                                                  |
| NR2E3 | 100%  | 100%  | 100% | 99.6% | Retinitis pigmentosa 37, 611131;Enhanced S-cone syndrome, 268100                                                                                                                                                            |
| NR2F1 | 100%  | 99.7% | 100% | 96.4% | Bosch-Boonstra-Schaaf optic atrophy syndrome, 615722                                                                                                                                                                        |
| NRL   | 100%  | 100%  | 100% | 98%   | Retinitis pigmentosa 27, 613750;Retinal degeneration, autosomal recessive, clumped pigment type                                                                                                                             |

|      |      |       |       |       |                                                                                                                                                                                                     |
|------|------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NYX  | 100% | 100%  | 98.2% | 65.7% | Night blindness, congenital stationary (complete), 1A, X-linked, 310500                                                                                                                             |
| OAT  | 100% | 100%  | 100%  | 99.7% | Gyrate atrophy of choroid and retina with or without ornithinemia, 258870                                                                                                                           |
| OCA2 | 100% | 100%  | 100%  | 99.5% | [Skin/hair/eye pigmentation 1, blue/nonblue eyes], 227220;[Skin/hair/eye pigmentation 1, blond/brown hair], 227220;Albinism, brown oculocutaneous, 203200;Albinism, oculocutaneous, type II, 203200 |
| OCRL | 100% | 99.9% | 99.5% | 75.4% | Dent disease 2, 300555;Lowe syndrome, 309000                                                                                                                                                        |
| OFD1 | 100% | 99.9% | 99%   | 74.1% | Simpson-Golabi-Behmel syndrome, type 2, 300209;?Retinitis pigmentosa 23, 300424;Orofaciodigital syndrome I, 311200;Joubert syndrome 10, 300804                                                      |

|        |       |       |       |       |                                                                                                                                                                                                                          |
|--------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OPA1   | 100%  | 100%  | 100%  | 99.6% | Optic atrophy plus syndrome, 125250;{Glaucoma, normal tension, susceptibility to}, 606657;Optic atrophy 1, 165500;Behr syndrome, 210000;?Mitochondrial DNA depletion syndrome 14 (encephalocardiomyopathic type), 616896 |
| OPA3   | 100%  | 100%  | 100%  | 99%   | 3-methylglutaconic aciduria, type III, 258501;Optic atrophy 3 with cataract, 165300                                                                                                                                      |
| OPN1LW | 99.5% | 98.5% | 92.5% | 63.4% | Blue cone monochromacy, 303700;Colorblindness, protan, 303900                                                                                                                                                            |
| OPN1MW | 96.8% | 90.8% | 73.5% | 46.8% | Colorblindness, deutan, 303800;Blue cone monochromacy, 303700                                                                                                                                                            |
| OTX2   | 100%  | 100%  | 100%  | 99.7% | Retinal dystrophy, early-onset, with or without pituitary dysfunction, 610125;Pituitary hormone deficiency, combined, 6, 613986;Microphthalmia, syndromic 5, 610125                                                      |
| OVOL2  | 100%  | 99.9% | 100%  | 99%   | Corneal dystrophy, posterior polymorphous, 1, 122000                                                                                                                                                                     |
| P3H2   | 100%  | 100%  | 100%  | 99.3% | Myopia, high, with cataract and vitreoretinal degeneration, 614292                                                                                                                                                       |

|        |      |      |      |       |                                                                                                                                                                                                                                                                                                                   |
|--------|------|------|------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P4HA2  | 100% | 100% | 100% | 99.6% | Myopia 25, autosomal dominant, 617238                                                                                                                                                                                                                                                                             |
| PAK2   | 100% | 100% | 100% | 99.8% | ?Knobloch syndrome 2, 618458                                                                                                                                                                                                                                                                                      |
| PANK2  | 100% | 100% | 100% | 99.8% | Neurodegeneration with brain iron accumulation 1, 234200                                                                                                                                                                                                                                                          |
| PANK4  | 100% | 100% | 100% | 98.6% | ?Cataract 49, 619593                                                                                                                                                                                                                                                                                              |
| PAX2   | 100% | 100% | 100% | 98.9% | Glomerulosclerosis, focal segmental, 7, 616002;Papillorenal syndrome, 120330                                                                                                                                                                                                                                      |
| PAX6   | 100% | 100% | 100% | 99.1% | Optic nerve hypoplasia, 165550;Cataract with late-onset corneal dystrophy, 106210;Microphthalmia/coloboma 12, 120200;?Coloboma of optic nerve, 120430;Aniridia, 106210;Anterior segment dysgenesis 5, multiple subtypes, 604229;?Morning glory disc anomaly, 120430;Foveal hypoplasia 1, 136520;Keratitis, 148190 |
| PCARE  | 100% | 100% | 100% | 99.1% | Retinitis pigmentosa 54, 613428                                                                                                                                                                                                                                                                                   |
| PCDH15 | 100% | 100% | 100% | 99.5% | Usher syndrome, type 1D/F digenic, 601067;Deafness, autosomal recessive 23, 609533;Usher syndrome, type 1F, 602083                                                                                                                                                                                                |

|        |      |      |      |       |                                                                                                                                                      |
|--------|------|------|------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| PCYT1A | 100% | 100% | 100% | 99.6% | Spondylometaphyseal dysplasia with cone-rod dystrophy, 608940;Lipodystrophy, congenital generalized, type 5, 620680                                  |
| PDE6A  | 100% | 100% | 100% | 99.5% | Retinitis pigmentosa 43, 613810                                                                                                                      |
| PDE6B  | 100% | 100% | 100% | 98.8% | Retinitis pigmentosa-40, 613801;Night blindness, congenital stationary, autosomal dominant 2, 163500                                                 |
| PDE6C  | 100% | 100% | 100% | 99.7% | Cone dystrophy 4, 613093                                                                                                                             |
| PDE6D  | 100% | 100% | 100% | 99.6% | Joubert syndrome 22, 615665                                                                                                                          |
| PDE6G  | 100% | 100% | 100% | 99.8% | Retinitis pigmentosa 57, 613582                                                                                                                      |
| PDE6H  | 100% | 100% | 100% | 98.9% | Retinal cone dystrophy 3, 610024;Achromatopsia 6, 610024                                                                                             |
| PDGFRA | 100% | 100% | 100% | 99.4% | Gastrointestinal stromal tumor/GIST-plus syndrome, somatic or familial, 175510;Hypereosinophilic syndrome, idiopathic, resistant to imatinib, 607685 |
| PDSS1  | 100% | 100% | 100% | 99.5% | Coenzyme Q10 deficiency, primary, 2, 614651                                                                                                          |



|        |       |       |      |       |                                                                                                                                                                  |
|--------|-------|-------|------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PDZD7  | 99.9% | 99.1% | 100% | 99%   | Deafness, autosomal recessive 57, 618003;{Retinal disease in Usher syndrome type IIA, modifier of}, 276901;Usher syndrome, type IIC, GPR98/PDZD7 digenic, 605472 |
| PET100 | 100%  | 100%  | 100% | 97.8% | Mitochondrial complex IV deficiency, nuclear type 12, 619055                                                                                                     |
| PEX1   | 100%  | 100%  | 100% | 99.8% | Heimler syndrome 1, 234580;Peroxisome biogenesis disorder 1B (NALD/IRD), 601539;Peroxisome biogenesis disorder 1A (Zellweger), 214100                            |
| PEX2   | 100%  | 100%  | 100% | 99.7% | Peroxisome biogenesis disorder 5A (Zellweger), 614866;Peroxisome biogenesis disorder 5B, 614867                                                                  |
| PEX26  | 100%  | 100%  | 100% | 99.3% | Peroxisome biogenesis disorder 7B, 614873;Peroxisome biogenesis disorder 7A (Zellweger), 614872                                                                  |

|         |       |       |       |       |                                                                                                                                                  |
|---------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| PEX6    | 100%  | 100%  | 100%  | 98.5% | Peroxisome biogenesis disorder 4B, 614863;Peroxisome biogenesis disorder 4A (Zellweger), 614862;Heimler syndrome 2, 616617                       |
| PEX7    | 97.9% | 97.9% | 100%  | 99.6% | Rhizomelic chondrodysplasia punctata, type 1, 215100;Peroxisome biogenesis disorder 9B, 614879                                                   |
| PGK1    | 100%  | 98.1% | 98.9% | 73.1% | Phosphoglycerate kinase 1 deficiency, 300653                                                                                                     |
| PHOX2A  | 100%  | 99.9% | 100%  | 98%   | Fibrosis of extraocular muscles, congenital, 2, 602078                                                                                           |
| PHYH    | 100%  | 100%  | 100%  | 99.2% | Refsum disease, 266500                                                                                                                           |
| PIKFYVE | 100%  | 100%  | 100%  | 99.7% | Corneal fleck dystrophy, 121850                                                                                                                  |
| PITX2   | 100%  | 100%  | 100%  | 97.9% | Ring dermoid of cornea, 180550;Axenfeld-Rieger syndrome, type 1, 180500;Anterior segment dysgenesis 4, 137600                                    |
| PITX3   | 100%  | 100%  | 100%  | 98%   | Cataract 11, multiple types, 610623;Anterior segment dysgenesis 1, multiple subtypes, 107250;Cataract 11, syndromic, autosomal recessive, 610623 |

|        |      |      |      |       |                                                                                                                                                         |
|--------|------|------|------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| PLA2G5 | 100% | 100% | 100% | 99.4% | [Fleck retina, familial benign], 228980                                                                                                                 |
| PLK4   | 100% | 100% | 100% | 99.5% | Microcephaly and chorioretinopathy, autosomal recessive, 2, 616171                                                                                      |
| PMPCA  | 96%  | 96%  | 100% | 99.1% | Spinocerebellar ataxia, autosomal recessive 2, 213200                                                                                                   |
| PNPLA6 | 100% | 100% | 100% | 98.8% | Spastic paraplegia 39, autosomal recessive, 612020;Oliver-McFarlane syndrome, 275400;?Laurence-Moon syndrome, 245800;Boucher-Neuhauser syndrome, 215470 |
| POC1B  | 100% | 100% | 100% | 99.8% | Cone-rod dystrophy 20, 615973                                                                                                                           |
| POC5   | 100% | 100% | 100% | 99.8% |                                                                                                                                                         |

|       |      |      |      |       |                                                                                                                                                                                                                                                                                                                                             |
|-------|------|------|------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POLG  | 100% | 100% | 100% | 99.5% | Mitochondrial recessive ataxia syndrome (includes SANDO and SCAE), 607459;Mitochondrial DNA depletion syndrome 4B (MNGIE type), 613662;Mitochondrial DNA depletion syndrome 4A (Alpers type), 203700;Progressive external ophthalmoplegia, autosomal dominant 1, 157640;Progressive external ophthalmoplegia, autosomal recessive 1, 258450 |
| POLG2 | 100% | 100% | 100% | 99.8% | Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal dominant 4, 610131;?Mitochondrial DNA depletion syndrome 16 (hepatic type), 618528;?Mitochondrial DNA depletion syndrome 16B (neuroophthalmic type), 619425                                                                                                |

|         |       |       |      |       |                                                                                                                                                                                                                                                                                                                        |
|---------|-------|-------|------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POMGNT1 | 100%  | 100%  | 100% | 99%   | Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 3, 613157;Muscular dystrophy-dystroglycanopathy (congenital with impaired intellectual development), type B, 3, 613151;Retinitis pigmentosa 76, 617123;Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 3, 253280 |
| PPT1    | 90.3% | 90.3% | 100% | 99.7% | Ceroid lipofuscinosis, neuronal, 1, 256730                                                                                                                                                                                                                                                                             |
| PRCD    | 100%  | 100%  | 100% | 99.2% | Retinitis pigmentosa 36, 610599                                                                                                                                                                                                                                                                                        |
| PRDM13  | 100%  | 100%  | 100% | 98.1% | Pontocerebellar hypoplasia, type 17, 619909;Cerebellar dysfunction, impaired intellectual development, and hypogonadotropic hypogonadism, 619761                                                                                                                                                                       |
| PRDM5   | 100%  | 100%  | 100% | 99.6% | Brittle cornea syndrome 2, 614170                                                                                                                                                                                                                                                                                      |

|         |      |      |      |       |                                                                                                                                 |
|---------|------|------|------|-------|---------------------------------------------------------------------------------------------------------------------------------|
| PRDX3   | 100% | 100% | 100% | 99.8% | Spinocerebellar ataxia, autosomal recessive 32, 619862;Corneal dystrophy, punctiform and polychromatic pre-Descemet, 619871     |
| PRIMPOL | 100% | 100% | 100% | 99.3% | Myopia 22, autosomal dominant, 615420                                                                                           |
| PROM1   | 100% | 100% | 100% | 99.8% | Macular dystrophy, retinal, 2, 608051;Retinitis pigmentosa 41, 612095;Stargardt disease 4, 603786;Cone-rod dystrophy 12, 612657 |
| PRPF3   | 100% | 100% | 100% | 99.2% | Retinitis pigmentosa 18, 601414                                                                                                 |
| PRPF31  | 100% | 100% | 100% | 99.1% | Retinitis pigmentosa 11, 600138                                                                                                 |
| PRPF4   | 100% | 100% | 100% | 99.5% | Retinitis pigmentosa 70, 615922                                                                                                 |
| PRPF6   | 100% | 100% | 100% | 98.7% | Retinitis pigmentosa 60, 613983                                                                                                 |
| PRPF8   | 100% | 100% | 100% | 99.3% | Retinitis pigmentosa 13, 600059                                                                                                 |

|        |      |       |       |       |                                                                                                                                                                                                                                                             |
|--------|------|-------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PRPH2  | 100% | 100%  | 100%  | 98.7% | Macular dystrophy, patterned, 1, 169150;Choroidal dystrophy, central areolar 2, 613105;Retinitis punctata albescens, 136880;Leber congenital amaurosis 18, 608133;Macular dystrophy, vitelliform, 3, 608161;Retinitis pigmentosa 7 and digenic form, 608133 |
| PRPS1  | 100% | 99.9% | 98.5% | 70.4% | Arts syndrome, 301835;Phosphoribosylpyro phosphate synthetase superactivity, 300661;Charcot-Marie-Tooth disease, X-linked recessive, 5, 311070;Deafness, X-linked 1, 304500;Gout, PRPS-related, 300661                                                      |
| PRR11  | 100% | 100%  | 100%  | 99.7% |                                                                                                                                                                                                                                                             |
| PRR12  | 100% | 100%  | 100%  | 97.6% | Neuroocular syndrome, 619539                                                                                                                                                                                                                                |
| PRSS56 | 100% | 100%  | 100%  | 98.9% | Microphthalmia, isolated 6, 613517                                                                                                                                                                                                                          |
| PTCHD1 | 100% | 99.9% | 98.5% | 70.7% | {Autism, susceptibility to, X-linked 4}, 300830                                                                                                                                                                                                             |
| PXDN   | 100% | 99.5% | 100%  | 99.4% | Anterior segment dysgenesis 7, with sclerocornea, 269400                                                                                                                                                                                                    |

|          |       |       |      |       |                                                                                                             |
|----------|-------|-------|------|-------|-------------------------------------------------------------------------------------------------------------|
| RAB28    | 100%  | 100%  | 100% | 99.3% | Cone-rod dystrophy 18, 615374                                                                               |
| RAB3GAP2 | 94.4% | 94.4% | 100% | 99.5% | Martsolf syndrome 1, 212720;Warburg micro syndrome 2, 614225                                                |
| RARB     | 98%   | 98%   | 100% | 99.5% | Microphthalmia, syndromic 12, 615524                                                                        |
| RAX      | 100%  | 100%  | 100% | 98.4% | Microphthalmia, syndromic 16, 611038                                                                        |
| RAX2     | 100%  | 100%  | 100% | 99.1% | Retinitis pigmentosa 95, 620102;Cone-rod dystrophy 11, 610381;?Macular degeneration, age-related, 6, 613757 |
| RBP3     | 100%  | 100%  | 100% | 99.3% | ?Retinitis pigmentosa 66, 615233                                                                            |
| RBP4     | 100%  | 100%  | 100% | 98.4% | Microphthalmia/coloboma 10, 616428;Retinal dystrophy, iris coloboma, and comedogenic acne syndrome, 615147  |
| RCBTB1   | 100%  | 100%  | 100% | 99.6% | Retinal dystrophy with or without extraocular anomalies, 617175                                             |
| RD3      | 100%  | 100%  | 100% | 99.8% | Leber congenital amaurosis 12, 610612                                                                       |
| RDH11    | 100%  | 100%  | 100% | 99.6% | ?Retinal dystrophy, juvenile cataracts, and short stature syndrome, 616108                                  |
| RDH12    | 100%  | 100%  | 100% | 99.1% | Leber congenital amaurosis 13, 612712                                                                       |



|        |       |       |      |       |                                                                                                                                                                           |
|--------|-------|-------|------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RDH5   | 100%  | 100%  | 100% | 99.3% | Fundus albipunctatus, 136880                                                                                                                                              |
| REEP6  | 100%  | 100%  | 100% | 98%   | Retinitis pigmentosa 77, 617304                                                                                                                                           |
| RGS9   | 100%  | 100%  | 100% | 99.4% | Prolonged electroretinal response suppression 1, 608415                                                                                                                   |
| RGS9BP | 100%  | 100%  | 100% | 98.9% | Prolonged electroretinal response suppression 2, 620344                                                                                                                   |
| RHO    | 100%  | 100%  | 100% | 98.8% | Night blindness, congenital stationary, autosomal dominant 1, 610445;Retinitis pigmentosa 4, autosomal dominant or recessive, 613731;Retinitis punctata albescens, 136880 |
| RIGI   | 98.6% | 98.6% | 100% | 99.6% | Singleton-Merten syndrome 2, 616298                                                                                                                                       |
| RIMS2  | 99.2% | 99.2% | 100% | 99.4% | Cone-rod synaptic disorder syndrome, congenital nonprogressive, 618970                                                                                                    |
| RLBP1  | 100%  | 100%  | 100% | 99.6% | Bothnia retinal dystrophy, 607475;Newfoundland rod-cone dystrophy, 607476;Retinitis punctata albescens, 136880;Fundus albipunctatus, 136880                               |
| RNU4-2 |       |       |      |       | ReNU syndrome, 620851                                                                                                                                                     |

|          |      |       |       |       |                                                                                                                                 |
|----------|------|-------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------|
| RNU4ATAC |      |       |       |       | Roifman syndrome, 616651;Lowry-Wood syndrome, 226960;Microcephalic osteodysplastic primordial dwarfism, type I, 210710          |
| RNU6-1   |      |       |       |       |                                                                                                                                 |
| RNU6-2   |      |       |       |       |                                                                                                                                 |
| RNU6-8   |      |       |       |       |                                                                                                                                 |
| RNU6-9   |      |       |       |       |                                                                                                                                 |
| ROM1     | 100% | 100%  | 100%  | 99.4% | Retinitis pigmentosa 7, digenic form, 608133                                                                                    |
| RP1      | 100% | 100%  | 100%  | 99.8% | Retinitis pigmentosa 1, 180100                                                                                                  |
| RP1L1    | 100% | 100%  | 100%  | 98.4% | Occult macular dystrophy, 613587;Retinitis pigmentosa 88, 618826                                                                |
| RP2      | 100% | 99.9% | 98.5% | 72.9% | Retinitis pigmentosa 2, 312600                                                                                                  |
| RP9      | 100% | 100%  | 100%  | 95%   | ?Retinitis pigmentosa 9, 180104                                                                                                 |
| RPE65    | 100% | 100%  | 100%  | 99.7% | Retinitis pigmentosa 20, 613794;Retinitis pigmentosa 87 with choroidal involvement, 618697;Leber congenital amaurosis 2, 204100 |

|          |       |       |       |       |                                                                                                                                                                                                                         |
|----------|-------|-------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPGR     | 99.7% | 96.4% | 87.3% | 58.5% | Retinitis pigmentosa, X-linked, and sinorespiratory infections, with or without deafness, 300455;Cone-rod dystrophy, X-linked, 1, 304020;Retinitis pigmentosa 3, 300029;Macular degeneration, X-linked atrophic, 300834 |
| RPGRIP1  | 100%  | 100%  | 100%  | 98.9% | Cone-rod dystrophy 13, 608194;Leber congenital amaurosis 6, 613826                                                                                                                                                      |
| RPGRIP1L | 100%  | 100%  | 100%  | 99.7% | Joubert syndrome 7, 611560;Meckel syndrome 5, 611561;?COACH syndrome 3, 619113                                                                                                                                          |
| RS1      | 100%  | 99.8% | 99.2% | 70.5% | Retinoschisis, 312700                                                                                                                                                                                                   |
| RTN4IP1  | 100%  | 100%  | 100%  | 99.7% | Optic atrophy 10 with or without ataxia, impaired intellectual development and seizures, 616732                                                                                                                         |
| SAG      | 100%  | 100%  | 100%  | 99.4% | Retinitis pigmentosa 47, autosomal recessive, 613758;Retinitis pigmentosa 96, autosomal dominant, 620228;Oguchi disease-1, 258100                                                                                       |
| SALL2    | 100%  | 100%  | 100%  | 99.4% | ?Coloboma, ocular, autosomal recessive, 216820                                                                                                                                                                          |
| SAMD11   | 100%  | 100%  | 100%  | 98.7% |                                                                                                                                                                                                                         |

|          |       |       |      |       |                                                                              |
|----------|-------|-------|------|-------|------------------------------------------------------------------------------|
| SAMD7    | 100%  | 100%  | 100% | 98.7% | Macular dystrophy with or without cone dysfunction, 620762                   |
| SBF2     | 93.7% | 93.7% | 100% | 99.7% | Charcot-Marie-Tooth disease, type 4B2, 604563                                |
| SC5D     | 100%  | 100%  | 100% | 99.8% | Lathosterolosis, 607330                                                      |
| SCAPER   | 100%  | 100%  | 100% | 99.7% | Intellectual developmental disorder and retinitis pigmentosa, 618195         |
| SCLT1    | 95.2% | 95.2% | 100% | 99.8% |                                                                              |
| SCO2     | 100%  | 100%  | 100% | 99.4% | Myopia 6, 608908;Mitochondrial complex IV deficiency, nuclear type 2, 604377 |
| SDCCAG8  | 100%  | 100%  | 100% | 99.7% | Senior-Loken syndrome 7, 613615;Bardet-Biedl syndrome 16, 615993             |
| SEMA4A   | 100%  | 100%  | 100% | 98.6% | Retinitis pigmentosa 35, 610282;Cone-rod dystrophy 10, 610283                |
| SGSH     | 100%  | 100%  | 100% | 99.3% | Mucopolysaccharidosis type IIIA (Sanfilippo A), 252900                       |
| SH3BP2   | 99.9% | 99%   | 100% | 98.8% | Cherubism, 118400                                                            |
| SH3PXD2B | 100%  | 100%  | 100% | 98.8% | Frank-ter Haar syndrome, 249420                                              |

|          |      |      |      |       |                                                                                                               |
|----------|------|------|------|-------|---------------------------------------------------------------------------------------------------------------|
| SHH      | 100% | 100% | 100% | 97.1% | Single median maxillary central incisor, 147250;Holoprosencephaly 3, 142945;Microphthalmia/coloboma 5, 611638 |
| SIL1     | 100% | 100% | 100% | 99.5% | Marinesco-Sjogren syndrome, 248800                                                                            |
| SIPA1L3  | 100% | 100% | 100% | 98.7% | ?Cataract 45, 616851                                                                                          |
| SIX6     | 100% | 100% | 100% | 97.5% | Optic disc anomalies with retinal and/or macular dystrophy, 212550                                            |
| SLC16A12 | 100% | 100% | 100% | 99.8% | Cataract 47, juvenile, with microcornea, 612018                                                               |
| SLC24A1  | 100% | 100% | 100% | 98.7% | Night blindness, congenital stationary (complete), 1D, autosomal recessive, 613830                            |
| SLC24A5  | 100% | 100% | 100% | 99.8% | [Skin/hair/eye pigmentation 4, fair/dark skin], 113750;Albinism, oculocutaneous, type VI, 113750              |
| SLC25A46 | 100% | 100% | 100% | 99.6% | Neuropathy, hereditary motor and sensory, type VIB, 616505;Pontocerebellar hypoplasia, type 1E, 619303        |

|          |      |       |      |       |                                                                                                                                                                                                                      |
|----------|------|-------|------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SLC33A1  | 100% | 100%  | 100% | 99.4% | Spastic paraplegia 42, autosomal dominant, 612539;Huppke-Brendel syndrome, 614482                                                                                                                                    |
| SLC37A3  | 100% | 100%  | 100% | 99.7% |                                                                                                                                                                                                                      |
| SLC38A8  | 100% | 99.9% | 100% | 98.7% | Foveal hypoplasia 2, with or without optic nerve misrouting and/or anterior segment dysgenesis, 609218                                                                                                               |
| SLC39A12 | 100% | 100%  | 100% | 99.7% |                                                                                                                                                                                                                      |
| SLC39A5  | 100% | 100%  | 100% | 98.9% | Myopia 24, autosomal dominant, 615946                                                                                                                                                                                |
| SLC45A2  | 100% | 100%  | 100% | 99.6% | [Skin/hair/eye pigmentation 5, dark/light eyes], 227240;[Skin/hair/eye pigmentation 5, black/nonblack hair], 227240;Albinism, oculocutaneous, type IV, 606574;[Skin/hair/eye pigmentation 5, dark/fair skin], 227240 |
| SLC4A11  | 100% | 100%  | 100% | 99.1% | Corneal endothelial dystrophy, autosomal recessive, 217700;Corneal dystrophy, Fuchs endothelial, 4, 613268;Corneal endothelial dystrophy and perceptive deafness, 217400                                             |

|          |       |       |      |       |                                                                                                                    |
|----------|-------|-------|------|-------|--------------------------------------------------------------------------------------------------------------------|
| SLC4A4   | 97.3% | 97.3% | 100% | 99.7% | Proximal renal tubular acidosis-ocular anomaly syndrome, 604278                                                    |
| SLC4A7   | 100%  | 100%  | 100% | 99.7% |                                                                                                                    |
| SLC52A2  | 100%  | 100%  | 100% | 99.6% | Brown-Vialetto-Van Laere syndrome 2, 614707                                                                        |
| SLC66A1  | 100%  | 100%  | 100% | 99.1% |                                                                                                                    |
| SLC7A14  | 100%  | 100%  | 100% | 99.6% | Retinitis pigmentosa 68, 615725                                                                                    |
| SLITRK6  | 100%  | 100%  | 100% | 99.7% | Deafness and myopia, 221200                                                                                        |
| SMG8     | 100%  | 100%  | 100% | 99.7% | Alzahrani-Kuwahara syndrome, 619268                                                                                |
| SMOC1    | 100%  | 100%  | 100% | 99.6% | Microphthalmia with limb anomalies, 206920                                                                         |
| SNF8     | 100%  | 100%  | 100% | 99.5% | Developmental and epileptic encephalopathy 115, 620783;Neurodevelopmental disorder plus optic atrophy, 620784      |
| SNRNP200 | 100%  | 100%  | 100% | 99.5% | Retinitis pigmentosa 33, 610359                                                                                    |
| SOX2     | 100%  | 99.9% | 100% | 96.8% | Optic nerve hypoplasia and abnormalities of the central nervous system, 206900;Microphthalmia, syndromic 3, 206900 |
| SOX5     | 100%  | 100%  | 100% | 99.6% | Lamb-Shaffer syndrome, 616803                                                                                      |
| SPARCL1  | 100%  | 100%  | 100% | 99.7% |                                                                                                                    |

|         |       |       |      |       |                                                                                                                  |
|---------|-------|-------|------|-------|------------------------------------------------------------------------------------------------------------------|
| SPATA7  | 100%  | 100%  | 100% | 99.8% | Leber congenital amaurosis 3, 604232;Retinitis pigmentosa 94, variable age at onset, autosomal recessive, 604232 |
| SPG7    | 100%  | 100%  | 100% | 98.7% | Spastic paraplegia 7, autosomal recessive, 607259                                                                |
| SPP2    | 100%  | 100%  | 100% | 99.4% |                                                                                                                  |
| SSBP1   | 100%  | 100%  | 100% | 99.7% | Optic atrophy 13 with retinal and foveal abnormalities, 165510                                                   |
| STRA6   | 100%  | 100%  | 100% | 99.3% | Microphthalmia, syndromic 9, 601186;Microphthalmia, isolated, with coloboma 8, 601186                            |
| STX3    | 100%  | 100%  | 100% | 99.6% | Retinal dystrophy and microvillus inclusion disease, 619446;Diarrhea 12, with microvillus atrophy, 619445        |
| SUMF1   | 100%  | 100%  | 100% | 99.5% | Multiple sulfatase deficiency, 272200                                                                            |
| TACSTD2 | 100%  | 100%  | 100% | 98.1% | Corneal dystrophy, gelatinous drop-like, 204870                                                                  |
| TBC1D2B | 99.9% | 99.2% | 100% | 99.3% | Neurodevelopmental disorder with seizures and gingival overgrowth, 619323                                        |
| TBC1D32 | 100%  | 100%  | 100% | 99.9% |                                                                                                                  |



|        |       |       |       |       |                                                                                                        |
|--------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------|
| TCF4   | 100%  | 100%  | 100%  | 99.4% | Pitt-Hopkins syndrome, 610954;Corneal dystrophy, Fuchs endothelial, 3, 613267                          |
| TCTN1  | 98.7% | 96.6% | 100%  | 99.8% | Joubert syndrome 13, 614173                                                                            |
| TCTN2  | 98.5% | 98.5% | 100%  | 99.5% | Joubert syndrome 24, 616654;?Meckel syndrome 8, 613885                                                 |
| TCTN3  | 100%  | 100%  | 100%  | 99.8% | Joubert syndrome 18, 614815;Orofaciodigital syndrome IV, 258860                                        |
| TDRD7  | 100%  | 100%  | 100%  | 99.7% | Cataract 36, 613887                                                                                    |
| TEAD1  | 100%  | 100%  | 100%  | 99.5% | Sveinsson chorioretinal atrophy, 108985                                                                |
| TEK    | 100%  | 100%  | 100%  | 99.8% | Venous malformations, multiple cutaneous and mucosal, 600195;Glaucoma 3, primary congenital, E, 617272 |
| TENM3  | 100%  | 100%  | 100%  | 99%   | Microphthalmia, syndromic 15, 615145;?Microphthalmia/coloboma 9, 615145                                |
| TFAP2A | 100%  | 100%  | 99.9% | 97.8% | Branchiooculofacial syndrome, 113620                                                                   |
| TFPT   | 100%  | 100%  | 100%  | 98.6% |                                                                                                        |

|          |       |       |       |       |                                                                                                                                                                                                                                                                                                                               |
|----------|-------|-------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TGFB1    | 100%  | 100%  | 100%  | 99.5% | Corneal dystrophy, Avellino type, 607541;Corneal dystrophy, Reis-Bucklers type, 608470;Corneal dystrophy, Thiel-Behnke type, 602082;Corneal dystrophy, Groenouw type I, 121900;Corneal dystrophy, epithelial basement membrane, 121820;Corneal dystrophy, lattice type I, 122200;Corneal dystrophy, lattice type IIIA, 608471 |
| THRB     | 100%  | 100%  | 100%  | 99.6% | Thyroid hormone resistance, autosomal recessive, 274300;Thyroid hormone resistance, 188570;Thyroid hormone resistance, selective pituitary, 145650                                                                                                                                                                            |
| TIMM8A   | 100%  | 99.5% | 99.2% | 71%   | Mohr-Tranebjaerg syndrome, 304700                                                                                                                                                                                                                                                                                             |
| TIMP3    | 100%  | 100%  | 100%  | 98.3% | Sorsby fundus dystrophy, 136900                                                                                                                                                                                                                                                                                               |
| TLCD3B   | 100%  | 100%  | 100%  | 98.7% | Cone-rod dystrophy 22, 619531                                                                                                                                                                                                                                                                                                 |
| TMCO3    | 100%  | 100%  | 100%  | 99.5% |                                                                                                                                                                                                                                                                                                                               |
| TMEM126A | 100%  | 100%  | 100%  | 99.9% | Optic atrophy 7, 612989                                                                                                                                                                                                                                                                                                       |
| TMEM138  | 99.8% | 96.8% | 100%  | 99.2% | Joubert syndrome 16, 614465                                                                                                                                                                                                                                                                                                   |

|          |       |       |      |       |                                                                                                                                                                                   |
|----------|-------|-------|------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TMEM216  | 100%  | 100%  | 100% | 99.9% | Joubert syndrome 2, 608091;Retinitis pigmentosa 98, 620996;Meckel syndrome 2, 603194                                                                                              |
| TMEM218  | 100%  | 100%  | 100% | 99.3% | Joubert syndrome 39, 619562                                                                                                                                                       |
| TMEM231  | 93.3% | 93.2% | 100% | 98.9% | Joubert syndrome 20, 614970;Meckel syndrome 11, 615397                                                                                                                            |
| TMEM237  | 98.2% | 98.2% | 100% | 99.7% | Joubert syndrome 14, 614424                                                                                                                                                       |
| TMEM67   | 96.1% | 96.1% | 100% | 99.8% | Nephronophthisis 11, 613550;{Bardet-Biedl syndrome 14, modifier of}, 615991;Joubert syndrome 6, 610688;Meckel syndrome 3, 607361;?RHYNS syndrome, 602152;COACH syndrome 1, 216360 |
| TMEM98   | 100%  | 100%  | 100% | 99.6% | Nanophthalmos 4, 615972                                                                                                                                                           |
| TOGARAM1 | 100%  | 100%  | 100% | 99.7% | Joubert syndrome 37, 619185                                                                                                                                                       |
| TOPORS   | 100%  | 100%  | 100% | 99.8% | Retinitis pigmentosa 31, 609923                                                                                                                                                   |
| TPP1     | 100%  | 100%  | 100% | 99.2% | Ceroid lipofuscinosis, neuronal, 2, 204500;Spinocerebellar ataxia, autosomal recessive 7, 609270                                                                                  |

|          |       |       |      |       |                                                                                                                                                                                                                                             |
|----------|-------|-------|------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TRAF3IP1 | 100%  | 100%  | 100% | 98.7% | Senior-Loken syndrome 9, 616629                                                                                                                                                                                                             |
| TREX1    | 100%  | 100%  | 100% | 99.7% | Vasculopathy, retinal, with cerebral leukoencephalopathy and systemic manifestations, 192315;Aicardi-Goutieres syndrome 1, dominant and recessive, 225750;{Systemic lupus erythematosus, susceptibility to}, 152700;Chilblain lupus, 610448 |
| TRIM32   | 100%  | 100%  | 100% | 99.8% | ?Bardet-Biedl syndrome 11, 615988;Muscular dystrophy, limb-girdle, autosomal recessive 8, 254110                                                                                                                                            |
| TRNT1    | 91.9% | 91.8% | 100% | 99.9% | Sideroblastic anemia with B-cell immunodeficiency, periodic fevers, and developmental delay, 616084;Retinitis pigmentosa and erythrocytic microcytosis, 616959                                                                              |
| TRPM1    | 100%  | 100%  | 100% | 99.5% | Night blindness, congenital stationary (complete), 1C, autosomal recessive, 613216                                                                                                                                                          |

|         |       |       |      |       |                                                                                                                                                                       |
|---------|-------|-------|------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TRPM3   | 97.8% | 97.8% | 100% | 99.6% | ?Cataract 50 with or without glaucoma, 620253;Neurodevelopmental disorder with hypotonia, dysmorphic facies, and skeletal anomalies, with or without seizures, 620224 |
| TSFM    | 94.3% | 94.3% | 100% | 98.9% | Combined oxidative phosphorylation deficiency 3, 610505                                                                                                               |
| TSPAN12 | 100%  | 100%  | 100% | 99.6% | Exudative vitreoretinopathy 5, 613310                                                                                                                                 |
| TTC8    | 100%  | 100%  | 100% | 99.8% | Bardet-Biedl syndrome 8, 615985;?Retinitis pigmentosa 51, 613464                                                                                                      |
| TTLL5   | 100%  | 100%  | 100% | 99.4% | Cone-rod dystrophy 19, 615860                                                                                                                                         |
| TUB     | 100%  | 100%  | 100% | 99.1% | ?Retinal dystrophy and obesity, 616188                                                                                                                                |
| TUBA3D  | 100%  | 100%  | 100% | 98.7% | Keratoconus 9, 617928                                                                                                                                                 |
| TUBB3   | 100%  | 100%  | 100% | 98.9% | Fibrosis of extraocular muscles, congenital, 3A, 600638;Cortical dysplasia, complex, with other brain malformations 1, 614039                                         |
| TUBB4B  | 100%  | 100%  | 100% | 99.5% | Leber congenital amaurosis with early-onset deafness, 617879                                                                                                          |

|         |      |       |       |       |                                                                                                                                                                                                                                                                             |
|---------|------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TUBGCP4 | 100% | 99.9% | 99.7% | 97%   | Microcephaly and chorioretinopathy, autosomal recessive, 3, 616335                                                                                                                                                                                                          |
| TUBGCP6 | 100% | 100%  | 100%  | 99%   | Microcephaly and chorioretinopathy, autosomal recessive, 1, 251270                                                                                                                                                                                                          |
| TULP1   | 100% | 100%  | 100%  | 99%   | Leber congenital amaurosis 15, 613843;Retinitis pigmentosa 14, 600132                                                                                                                                                                                                       |
| TWINK   | 100% | 100%  | 100%  | 99.5% | Mitochondrial DNA depletion syndrome 7 (hepatocerebral type), 271245;Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal dominant 3, 609286;Perrault syndrome 5, 616138                                                                        |
| TYR     | 100% | 100%  | 100%  | 99.9% | [Skin/hair/eye pigmentation 3, light/dark/freckling skin], 601800;[Skin/hair/eye pigmentation 3, blue/green eyes], 601800;{Melanoma, cutaneous malignant, susceptibility to, 8}, 601800;Albinism, oculocutaneous, type IB, 606952;Albinism, oculocutaneous, type IA, 203100 |

|        |      |      |      |       |                                                                                                                                                             |
|--------|------|------|------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TYRP1  | 100% | 100% | 100% | 99.6% | [Skin/hair/eye pigmentation, variation in, 11 (Melanesian blond hair)],<br>612271;Albinism, oculocutaneous, type III, 203290                                |
| UBAP1L | 100% | 100% | 100% | 99.3% |                                                                                                                                                             |
| UBIAD1 | 100% | 100% | 100% | 99.8% | Corneal dystrophy, Schnyder type, 121800                                                                                                                    |
| UCHL1  | 100% | 100% | 100% | 99.7% | {?Parkinson disease 5, susceptibility to},<br>613643;Spastic paraplegia 79A, autosomal dominant, 620221;Spastic paraplegia 79B, autosomal recessive, 615491 |
| UNC119 | 100% | 100% | 100% | 97.9% | Cone-rod dystrophy 24, 620342;?Immunodeficiency 13, 615518                                                                                                  |
| UNC45B | 100% | 100% | 100% | 99.1% | ?Cataract 43, 616279;Myofibrillar myopathy 11, 619178                                                                                                       |
| USH1C  | 100% | 100% | 100% | 98.9% | Usher syndrome, type 1C, 276904;Deafness, autosomal recessive 18A, 602092                                                                                   |
| USH1G  | 100% | 100% | 100% | 99.1% | Usher syndrome, type 1G, 606943                                                                                                                             |
| USH2A  | 100% | 100% | 100% | 99.6% | Usher syndrome, type 2A, 276901;Retinitis pigmentosa 39, 613809                                                                                             |

|        |      |       |      |       |                                                                                                                                                                              |
|--------|------|-------|------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USP45  | 100% | 100%  | 100% | 99.9% | ?Leber congenital amaurosis 19, 618513                                                                                                                                       |
| VAX1   | 100% | 98.1% | 100% | 96.6% | ?Microphthalmia, syndromic 11, 614402                                                                                                                                        |
| VCAN   | 100% | 100%  | 100% | 99.8% | Wagner syndrome 1, 143200                                                                                                                                                    |
| VHL    | 88%  | 88%   | 100% | 99.1% | Hemangioblastoma, cerebellar, somatic;Erythrocytosis, familial, 2, 263400;von Hippel-Lindau syndrome, 193300;Renal cell carcinoma, somatic, 144700;Pheochromocytoma , 171300 |
| VIM    | 100% | 100%  | 100% | 99.1% | Cataract 30, pulverulent, 116300                                                                                                                                             |
| VPS13B | 100% | 100%  | 100% | 99.7% | Cohen syndrome, 216550                                                                                                                                                       |
| VSX1   | 100% | 100%  | 100% | 99.3% | ?Craniofacial anomalies and anterior segment dysgenesis syndrome, 614195;Keratoconus 1, 148300                                                                               |
| VSX2   | 100% | 100%  | 100% | 99.5% | Microphthalmia, isolated 2, 610093;Microphthalmia/coloboma 3, 610092                                                                                                         |
| VWA8   | 100% | 100%  | 100% | 99.5% | ?Retinitis pigmentosa 97, 620422                                                                                                                                             |



|       |       |       |      |       |                                                                                                                                                                                                                        |
|-------|-------|-------|------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WDPCP | 97.7% | 97.7% | 100% | 99.8% | Bardet-Biedl syndrome 15, 615992; Congenital heart defects, hamartomas of tongue, and polysyndactyly, 217085                                                                                                           |
| WDR19 | 100%  | 100%  | 100% | 99.7% | Nephronophthisis 13, 614377; Cranioectodermal dysplasia 4, 614378; Senior-Loken syndrome 8, 616307; Short-rib thoracic dysplasia 5 with or without polydactyly, 614376; ?Spermatogenic failure 72, 619867              |
| WDR36 | 100%  | 100%  | 100% | 99.5% | Glaucoma 1, open angle, G, 609887                                                                                                                                                                                      |
| WDR73 | 100%  | 100%  | 100% | 99.2% | Galloway-Mowat syndrome 1, 251300                                                                                                                                                                                      |
| WFS1  | 91.2% | 91.2% | 100% | 99.1% | Deafness, autosomal dominant 6/14/38, 600965; ?Cataract 41, 116400; Wolfram-like syndrome, autosomal dominant, 614296; {Diabetes mellitus, noninsulin-dependent, association with}, 125853; Wolfram syndrome 1, 222300 |
| WHRN  | 100%  | 100%  | 100% | 98.5% | Deafness, autosomal recessive 31, 607084; Usher syndrome, type 2D, 611383                                                                                                                                              |
| WRN   | 100%  | 100%  | 100% | 99.8% | Werner syndrome, 277700                                                                                                                                                                                                |

|        |      |      |      |       |                                                                                                                                                  |
|--------|------|------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| YAP1   | 100% | 100% | 100% | 99.8% | Coloboma, ocular, with or without hearing impairment, cleft lip/palate, and/or impaired intellectual development, 120433                         |
| YARS1  | 100% | 100% | 100% | 99.5% | Infantile-onset multisystem neurologic, endocrine, and pancreatic disease 2, 619418;Charcot-Marie-Tooth disease, dominant intermediate C, 608323 |
| YME1L1 | 100% | 100% | 100% | 99.8% | ?Optic atrophy 11, 617302                                                                                                                        |
| YPEL2  | 100% | 100% | 100% | 99.4% |                                                                                                                                                  |
| ZEB1   | 100% | 100% | 100% | 99.4% | Corneal dystrophy, posterior polymorphous, 3, 609141;Corneal dystrophy, Fuchs endothelial, 6, 613270                                             |
| ZNF408 | 100% | 100% | 100% | 99.4% | Retinitis pigmentosa 72, 616469;?Exudative vitreoretinopathy 6, 616468                                                                           |
| ZNF423 | 100% | 100% | 100% | 99.1% | Nephronophthisis 14, 614844;Joubert syndrome 19, 614844                                                                                          |
| ZNF469 | 100% | 100% | 100% | 98.8% | Brittle cornea syndrome 1, 229200                                                                                                                |
| ZNF513 | 100% | 100% | 100% | 99.2% | ?Retinitis pigmentosa 58, 613617                                                                                                                 |
| ZNF644 | 100% | 100% | 100% | 99.9% | Myopia 21, autosomal dominant, 614167                                                                                                            |

*TWIST X2 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry.*

*TWIST X2 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry.*

*srWGS GRCh38 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.*

*srWGS GRCh38 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.*

*non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.*

*OMIM release used for OMIM disease identifiers and descriptions : March 17th, 2023.*

*This list is accurate for panel version DG 4.0.0*

*Ad 1. "No OMIM phenotype" signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors*