

# WES DILATED CARDIOMYOPATHY<sup>1</sup> DG 3.8.1

Gene	<i>Twist X2 covered &gt;10x</i>	<i>Twist X2 covered &gt;20x</i>	<i>WGS covered &gt;10x</i>	<i>WGS covered &gt;20x</i>	<i>Associated Phenotype description and OMIM disease ID</i>
ACTC1	100.0%	100.0%	100.0%	99.8%	Left ventricular noncompaction 4, 613424;Cardiomyopathy, hypertrophic, 11, 612098;Atrial septal defect 5, 612794;Cardiomyopathy, dilated, 1R, 613424
ACTN2	100.0%	100.0%	100.0%	99.4%	Myopathy, distal, 6, adult onset, 618655;Cardiomyopathy, hypertrophic, 23, with or without LVNC, 612158;Congenital myopathy 8, 618654;Cardiomyopathy, dilated, 1AA, with or without LVNC, 612158
BAG3	100.0%	100.0%	100.0%	99.4%	Cardiomyopathy, dilated, 1HH, 613881;Myopathy, myofibrillar, 6, 612954
DES	100.0%	100.0%	100.0%	99.8%	Scapuloperoneal syndrome, neurogenic, Kaeser type, 181400;Cardiomyopathy, dilated, 1I, 604765;Myopathy, myofibrillar, 1, 601419
DMD	99.5%	99.1%	98.5%	72.9%	Becker muscular dystrophy, 300376;Cardiomyopathy, dilated, 3B, 302045;Duchenne muscular dystrophy, 310200

DSP	100.0%	100.0%	100.0%	99.2%	Arrhythmogenic right ventricular dysplasia 8, 607450;Epidermolysis bullosa, lethal acantholytic, 609638;Keratosis palmoplantaris striata II, 612908;Dilated cardiomyopathy with woolly hair, keratoderma, and tooth agenesis, 615821;Cardiomyopathy, dilated, with woolly hair and keratoderma, 605676
FLNC	100.0%	100.0%	100.0%	99.9%	Cardiomyopathy, familial hypertrophic, 26, 617047;Arrhythmogenic right ventricular dysplasia, familial, 617047;Cardiomyopathy, familial restrictive 5, 617047;Myopathy, distal, 4, 614065;Myopathy, myofibrillar, 5, 609524
HCN4	100.0%	100.0%	100.0%	99.6%	Sick sinus syndrome 2, 163800;{Epilepsy, idiopathic generalized, susceptibility to, 18}, 619521;Brugada syndrome 8, 613123
JPH2	100.0%	99.9%	100.0%	99.9%	Cardiomyopathy, dilated, 2E, 619492;Cardiomyopathy, hypertrophic, 17, 613873

LMNA	100.0%	100.0%	100.0%		99.7%	Mandibuloacral dysplasia, 248370;Heart-hand syndrome, Slovenian type, 610140;Cardiomyopathy, dilated, 1A, 115200;Emery-Dreifuss muscular dystrophy 3, autosomal recessive, 616516;Restrictive dermopathy 2, 619793;Charcot-Marie-Tooth disease, type 2B1, 605588;Emery-Dreifuss muscular dystrophy 2, autosomal dominant, 181350;Hutchinson-Gilford progeria, 176670;Lipodystrophy, familial partial, type 2, 151660;Muscular dystrophy, congenital, 613205;Malouf syndrome, 212112
MYH7	100.0%	100.0%	100.0%		99.2%	Laing distal myopathy, 160500;Cardiomyopathy, hypertrophic, 1, 192600;Left ventricular noncompaction 5, 613426;Cardiomyopathy, dilated, 1S, 613426;Congenital myopathy 7B, myosin storage, autosomal recessive, 255160;Congenital myopathy 7A, myosin storage, autosomal dominant, 608358
NEXN	100.0%	100.0%	100.0%		96.7%	Cardiomyopathy, dilated, 1CC, 613122;Cardiomyopathy, hypertrophic, 20, 613876
PLN	100.0%	100.0%	100.0%		99.5%	Cardiomyopathy, dilated, 1P, 609909;Cardiomyopathy, hypertrophic, 18, 613874
RBM20	100.0%	100.0%	100.0%		99.8%	Cardiomyopathy, dilated, 1DD, 613172

SCN5A	100.0%	100.0%	100.0%	99.4%	Ventricular fibrillation, familial, 1, 603829;Heart block, progressive, type IA, 113900;Cardiomyopathy, dilated, 1E, 601154;Heart block, nonprogressive, 113900;Long QT syndrome 3, 603830;Sick sinus syndrome 1, 608567;Brugada syndrome 1, 601144;Atrial fibrillation, familial, 10, 614022;(Sudden infant death syndrome, susceptibility to}, 272120
TNNC1	100.0%	100.0%	100.0%	99.5%	Cardiomyopathy, dilated, 1Z, 611879;Cardiomyopathy, hypertrophic, 13, 613243
TNNI3	100.0%	100.0%	100.0%	99.1%	?Cardiomyopathy, dilated, 2A, 611880;Cardiomyopathy, hypertrophic, 7, 613690;Cardiomyopathy, familial restrictive, 1, 115210;Cardiomyopathy, dilated, 1FF, 613286
TNNT2	100.0%	100.0%	100.0%	99.3%	Cardiomyopathy, dilated, 1D, 601494;Cardiomyopathy, hypertrophic, 2, 115195;Cardiomyopathy, familial restrictive, 3, 612422;Left ventricular noncompaction 6, 601494
TPM1	100.0%	100.0%	100.0%	99.4%	Left ventricular noncompaction 9, 611878;Cardiomyopathy, hypertrophic, 3, 115196;Cardiomyopathy, dilated, 1Y, 611878

TTN	99.6%	99.1%	100.0%	99.3%	Muscular dystrophy, limb-girdle, autosomal recessive 10, 608807;Cardiomyopathy, familial hypertrophic, 9, 613765;Congenital myopathy 5 with cardiomyopathy, 611705;Tibial muscular dystrophy, tardive, 600334;Cardiomyopathy, dilated, 1G, 604145;Myopathy, myofibrillar, 9, with early respiratory failure, 603689
VCL	100.0%	100.0%	100.0%	99.3%	Cardiomyopathy, dilated, 1W, 611407;Cardiomyopathy, hypertrophic, 15, 613255

Gene symbols used follow HGNC guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan 43(Database issue):D1079-85.

TWIST X2 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry.

TWIST X2 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry.

srWGS GRCh38 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.

srWGS GRCh38 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.

non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : March 17th, 2023.

This list is accurate for panel version DG 3.7.0.

[EAS.GenProductCoverage.pdf.footer.ad01](#)