

# WES OROFACIAL CLEFTING DG 3.8.1

Gene	Twist X2 covered >10x	Twist X2 covered >20x	WGS covered >10x	WGS covered >20x	Associated Phenotype description and OMIM disease ID
ACTB	100.0%	100.0%	100.0%	99.9%	Baraitser-Winter syndrome 1, 243310;Becker nevus, syndromic or isolated, somatic mosaic, 604919;Thrombocytopenia 8, with dysmorphic features and developmental delay, 620475;Dystonia-deafness syndrome 1, 607371;Congenital smooth muscle hamartoma with or without hemihypertrophy, somatic mosaic, 620479
ACTG1	100.0%	100.0%	100.0%	99.8%	Deafness, autosomal dominant 20/26, 604717;Baraitser-Winter syndrome 2, 614583
ALX1	100.0%	100.0%	100.0%	99.0%	Frontonasal dysplasia 3, 613456
ALX3	100.0%	100.0%	100.0%	99.3%	Frontonasal dysplasia 1, 136760
AMER1	100.0%	100.0%	99.3%	79.1%	Osteopathia striata with cranial sclerosis, 300373
AMMECR1	100.0%	99.8%	98.5%	70.6%	Midface hypoplasia, hearing impairment, elliptocytosis, and nephrocalcinosis, 300990
AMOTL1	100.0%	100.0%	100.0%	99.6%	
ANKRD11	100.0%	100.0%	100.0%	98.8%	KBG syndrome, 148050
ARHGAP29	100.0%	100.0%	100.0%	98.7%	
ARHGAP31	100.0%	100.0%	100.0%	99.3%	Adams-Oliver syndrome 1, 100300
ASXL1	100.0%	100.0%	100.0%	99.6%	Myelodysplastic syndrome, somatic, 614286;Bohring-Opitz syndrome, 605039

B3GALT6	99.9%	98.0%	100.0%	99.8%	Ehlers-Danlos syndrome, spondylodysplastic type, 2, 615349;Spondyloepimetaphyseal dysplasia with joint laxity, type 1, with or without fractures, 271640;Al-Gazali syndrome, 609465
B3GLCT	100.0%	100.0%	100.0%	99.1%	Peters-plus syndrome, 261540
B4GALT7	100.0%	100.0%	100.0%	99.7%	Ehlers-Danlos syndrome, spondylodysplastic type, 1, 130070
B9D2	100.0%	100.0%	100.0%	99.8%	?Meckel syndrome 10, 614175;Joubert syndrome 34, 614175
BCOR	100.0%	99.8%	98.6%	77.1%	Microphthalmia, syndromic 2, 300166
BMP2	100.0%	100.0%	100.0%	99.2%	Short stature, facial dysmorphism, and skeletal anomalies with or without cardiac anomalies 1, 617877;Brachydactyly, type A2, 112600;{HFE hemochromatosis, modifier of}, 235200
BMPER	100.0%	100.0%	100.0%	99.5%	Diaphanospondylodysostosis, 608022
C2CD3	96.0%	96.0%	100.0%	99.4%	Orofaciodigital syndrome XIV, 615948
CC2D2A	98.2%	98.2%	100.0%	99.4%	COACH syndrome 2, 619111;Retinitis pigmentosa 93, 619845;Meckel syndrome 6, 612284;Joubert syndrome 9, 612285
CCDC32	100.0%	100.0%	100.0%	99.2%	Cardiofacioneurodevelopmental syndrome, 619123
CDC45	100.0%	100.0%	100.0%	99.8%	Meier-Gorlin syndrome 7, 617063

CDH1	98.7%	98.7%	100.0%	99.5%	Ovarian cancer, somatic, 167000;Blepharocheilodontic syndrome 1, 119580;Diffuse gastric and lobular breast cancer syndrome with or without cleft lip and/or palate, 137215;Endometrial carcinoma, somatic, 608089;Breast cancer, lobular, somatic, 114480;{Prostate cancer, susceptibility to}, 176807
CDKN1C	100.0%	100.0%	100.0%	99.8%	IMAGE syndrome, 614732;Beckwith-Wiedemann syndrome, 130650
CHD7	100.0%	100.0%	100.0%	99.5%	Hypogonadotropic hypogonadism 5 with or without anosmia, 612370;CHARGE syndrome, 214800
CHRNA1	100.0%	100.0%	100.0%	99.9%	Multiple pterygium syndrome, lethal type, 253290;Escobar syndrome, 265000
CHST14	100.0%	100.0%	100.0%	98.7%	Ehlers-Danlos syndrome, musculocontractural type 1, 601776
CILK1	100.0%	100.0%	100.0%	99.7%	{Epilepsy, juvenile myoclonic, susceptibility to, 10}, 617924;Endocrine-cerebroosteodysplasia, 612651
COL11A1	100.0%	100.0%	100.0%	99.2%	Fibrochondrogenesis 1, 228520;Stickler syndrome, type II, 604841;Marshall syndrome, 154780;Deafness, autosomal dominant 37, 618533;{Lumbar disc herniation, susceptibility to}, 603932

COL11A2	100.0%	100.0%	100.0%	99.4%	Deafness, autosomal dominant 13, 601868;Otospondylomegae piphyseal dysplasia, autosomal recessive, 215150;Fibrochondrogenesis 2, 614524;Deafness, autosomal recessive 53, 609706;Otospondylomegae piphyseal dysplasia, autosomal dominant, 184840
COL2A1	100.0%	100.0%	100.0%	99.5%	?Vitreoetinopathy with phalangeal epiphyseal dysplasia, 619248;Czech dysplasia, 609162;Achondrogenesis, type II or hypochondrogenesis, 200610;Spondyloperipheral dysplasia, 271700;SMED Strudwick type, 184250;?Epiphyseal dysplasia, multiple, with myopia and deafness, 132450;SED congenita, 183900;Kniest dysplasia, 156550;Stickler syndrome, type I, nonsyndromic ocular, 609508;Osteoarthritis with mild chondrodysplasia, 604864;Stickler syndrome, type I, 108300;Platyspondylic skeletal dysplasia, Torrance type, 151210;Spondyloepiphyseal dysplasia, Stanescu type, 616583;Avascular necrosis of the femoral head, 608805;Legg-Calve-Perthes disease, 150600
COL9A1	100.0%	100.0%	100.0%	99.1%	Stickler syndrome, type IV, 614134;?Epiphyseal dysplasia, multiple, 6, 614135
COLEC10	100.0%	100.0%	100.0%	98.3%	3MC syndrome 3, 248340
COLEC11	100.0%	100.0%	100.0%	100.0%	3MC syndrome 2, 265050

CPLANE1	100.0%	100.0%	100.0%	99.3%	Orofaciodigital syndrome VI, 277170;Joubert syndrome 17, 614615
CTCF	100.0%	100.0%	100.0%	99.4%	Intellectual developmental disorder, autosomal dominant 21, 615502
CTNND1	100.0%	100.0%	100.0%	99.3%	Blepharocheilodontic syndrome 2, 617681
DDX3X	99.1%	98.3%	98.9%	73.7%	Intellectual developmental disorder, X-linked syndromic, Snijders Blok type, 300958
DDX59	100.0%	100.0%	100.0%	99.0%	Orofaciodigital syndrome V, 174300
DHCR7	100.0%	100.0%	100.0%	99.9%	Smith-Lemli-Opitz syndrome, 270400
DHODH	100.0%	100.0%	100.0%	100.0%	Miller syndrome, 263750
DLL4	100.0%	100.0%	100.0%	99.6%	Adams-Oliver syndrome 6, 616589
DOCK6	100.0%	100.0%	100.0%	99.7%	Adams-Oliver syndrome 2, 614219
DVL1	100.0%	100.0%	100.0%	99.5%	Robinow syndrome, autosomal dominant 2, 616331
DVL3	100.0%	100.0%	100.0%	99.9%	Robinow syndrome, autosomal dominant 3, 616894
DYNC2H1	99.8%	99.4%	100.0%	99.1%	Short-rib thoracic dysplasia 3 with or without polydactyly, 613091
DYNC2LI1	100.0%	100.0%	100.0%	98.5%	Short-rib thoracic dysplasia 15 with polydactyly, 617088
EBP	100.0%	100.0%	99.2%	74.6%	MEND syndrome, 300960;Chondrodysplasia punctata, X-linked dominant, 302960
EDN1	100.0%	100.0%	100.0%	99.1%	Question mark ears, isolated, 612798;Auriculocondylar syndrome 3, 615706

EDNRA	100.0%	100.0%	100.0%	99.4%	{Migraine, resistance to}, 157300;Mandibulofacial dysostosis with alopecia, 616367
EFNB1	100.0%	99.9%	99.3%	79.3%	Craniofrontonasal dysplasia, 304110
EFTUD2	100.0%	100.0%	100.0%	99.6%	Mandibulofacial dysostosis, Guion-Almeida type, 610536
EIF2S3	100.0%	100.0%	98.5%	73.7%	MEHMO syndrome, 300148
EIF4A3	100.0%	100.0%	100.0%	99.6%	Robin sequence with cleft mandible and limb anomalies, 268305
EOGT	98.1%	94.0%	100.0%	99.4%	Adams-Oliver syndrome 4, 615297
EPG5	100.0%	100.0%	100.0%	99.3%	Vici syndrome, 242840
ESCO2	100.0%	100.0%	100.0%	98.7%	Juberg-Hayward syndrome, 216100;Roberts-SC phocomelia syndrome, 268300
EYA1	100.0%	100.0%	100.0%	99.6%	Branchiootic syndrome 1, 602588;Branchiootorenal syndrome 1, with or without cataracts, 113650;Anterior segment anomalies with or without cataract, 602588;?Otofaciocervical syndrome, 166780
FAM20C	100.0%	100.0%	100.0%	99.7%	Raine syndrome, 259775
FGD1	99.9%	99.5%	98.6%	75.4%	Intellectual developmental disorder, X-linked syndromic 16, 305400;Aarskog-Scott syndrome, 305400
FGF8	100.0%	100.0%	100.0%	99.7%	Hypogonadotropic hypogonadism 6 with or without anosmia, 612702

FGFR1	100.0%	100.0%	100.0%	99.8%	Pfeiffer syndrome, 101600;Hypogonadotropic hypogonadism 2 with or without anosmia, 147950;Jackson-Weiss syndrome, 123150;Hartsfield syndrome, 615465;Trigonocephaly 1, 190440;Osteoglophonic dysplasia, 166250;Encephalocraniocutaneous lipomatosis, somatic mosaic, 613001
FGFR2	100.0%	100.0%	100.0%	99.5%	Bent bone dysplasia syndrome, 614592;LADD syndrome 1, 149730;Antley-Bixler syndrome without genital anomalies or disordered steroidogenesis, 207410;Jackson-Weiss syndrome, 123150;Gastric cancer, somatic, 613659;Craniofacial-skeletal-dermatologic dysplasia, 101600;Apert syndrome, 101200;Pfeiffer syndrome, 101600;?Scaphocephaly, maxillary retrusion, and impaired intellectual development, 609579;Beare-Stevenson cutis gyrata syndrome, 123790;Crouzon syndrome, 123500;Saethre-Chotzen syndrome, 101400;Scaphocephaly and Axenfeld-Rieger anomaly, ;Craniosynostosis, nonspecific,

FLNA	100.0%	99.9%	99.7%	83.8%	Otopalatodigital syndrome, type II, 304120;Intestinal pseudoobstruction, neuronal, 300048;Cardiac valvular dysplasia, X-linked, 314400;?FG syndrome 2, 300321;Melnick-Needles syndrome, 309350;Terminal osseous dysplasia, 300244;Congenital short bowel syndrome, 300048;Otopalatodigital syndrome, type I, 311300;Heterotopia, periventricular, 1, 300049;Frontometaphyseal dysplasia 1, 305620
FLNB	100.0%	100.0%	100.0%	99.7%	Larsen syndrome, 150250;Atelosteogenesis, type I, 108720;Atelosteogenesis, type III, 108721;Spondylocarpotarsal synostosis syndrome, 272460;Boomerang dysplasia, 112310
FOXC2	100.0%	100.0%	100.0%	99.2%	Lymphedema-distichiasis syndrome, 153400;Lymphedema-distichiasis syndrome with renal disease and diabetes mellitus, 153400
FOXE1	100.0%	100.0%	100.0%	99.2%	Bamforth-Lazarus syndrome, 241850;{Thyroid cancer, nonmedullary, 4}, 616534
FRAS1	100.0%	99.9%	100.0%	99.6%	Fraser syndrome 1, 219000
FTO	94.5%	94.5%	100.0%	99.4%	Growth retardation, developmental delay, facial dysmorphism, 612938;{Obesity, susceptibility to, BMIQ14}, 612460

GDF6	100.0%	100.0%	100.0%	99.7%	Microphthalmia with coloboma 6, digenic, 613703;Microphthalmia, isolated 4, 613094;Leber congenital amaurosis 17, 615360;Multiple synostoses syndrome 4, 617898;Klippel-Feil syndrome 1, autosomal dominant, 118100
GJA1	100.0%	100.0%	100.0%	99.3%	Erythrokeratoderma variabilis et progressiva 3, 617525;Craniometaphyseal dysplasia, autosomal recessive, 218400;Oculodigital dysplasia, 164200;Palmoplantar keratoderma with congenital alopecia, 104100;Syndactyly, type III, 186100;Oculodigital dysplasia, autosomal recessive, 257850
GLI2	100.0%	100.0%	100.0%	99.9%	Culler-Jones syndrome, 615849;Holoprosencephaly 9, 610829
GLI3	100.0%	100.0%	100.0%	99.8%	Greig cephalopolysyndactyly syndrome, 175700;Polydactyly, postaxial, types A1 and B, 174200;Pallister-Hall syndrome, 146510;Polydactyly, preaxial, type IV, 174700
GNAI3	100.0%	100.0%	100.0%	99.3%	Auriculocondylar syndrome 1, 602483
GNB1	100.0%	100.0%	100.0%	99.7%	Myelodysplastic syndrome, somatic, 614286;Leukemia, acute lymphoblastic, somatic, 613065;Intellectual developmental disorder, autosomal dominant 42, 616973
GPC3	99.6%	98.9%	98.1%	72.5%	Wilms tumor, somatic, 194070;Simpson-Golabi-Behmel syndrome, type 1, 312870

GRHL3	100.0%	100.0%	100.0%	99.7%	van der Woude syndrome 2, 606713
HDAC8	97.6%	97.2%	98.7%	73.3%	Cornelia de Lange syndrome 5, 300882
HYLS1	100.0%	100.0%	100.0%	99.9%	Hydrolethalus syndrome, 236680
IFT140	100.0%	100.0%	100.0%	99.6%	Short-rib thoracic dysplasia 9 with or without polydactyly, 266920;Retinitis pigmentosa 80, 617781
IFT172	100.0%	100.0%	100.0%	99.4%	Retinitis pigmentosa 71, 616394;Bardet-Biedl syndrome 20, 619471;Short-rib thoracic dysplasia 10 with or without polydactyly, 615630
IFT57	100.0%	100.0%	100.0%	99.7%	?Orofaciodigital syndrome XVIII, 617927
IFT80	100.0%	100.0%	100.0%	99.1%	Short-rib thoracic dysplasia 2 with or without polydactyly, 611263
IMPAD1	100.0%	100.0%	100.0%	99.9%	Chondrodysplasia with joint dislocations, GPAPP type, 614078
INTU	100.0%	100.0%	100.0%	98.7%	?Orofaciodigital syndrome XVII, 617926;?Short-rib thoracic dysplasia 20 with polydactyly, 617925
IRF6	100.0%	100.0%	100.0%	99.6%	{Orofacial cleft 6}, 608864;Popliteal pterygium syndrome 1, 119500;van der Woude syndrome 1, 119300
KANSL1	100.0%	100.0%	100.0%	99.7%	Koolen-De Vries syndrome, 610443
KAT6A	100.0%	100.0%	100.0%	99.1%	Arboleda-Tham syndrome, 616268
KCNJ2	100.0%	100.0%	100.0%	99.8%	Atrial fibrillation, familial, 9, 613980;Andersen syndrome, 170390;Short QT syndrome 3, 609622
KCNK9	100.0%	100.0%	100.0%	99.3%	Birk-Barel syndrome, 612292

KDM6A	100.0%	99.9%	98.5%	73.8%	Kabuki syndrome 2, 300867
KIAA0586	95.6%	95.5%	100.0%	99.0%	Short-rib thoracic dysplasia 14 with polydactyly, 616546;Joubert syndrome 23, 616490
KIF7	100.0%	99.9%	100.0%	99.4%	Joubert syndrome 12, 200990;Acrocallosal syndrome, 200990;?Hydrolethalus syndrome 2, 614120;?Al-Gazali-Bakalinova syndrome, 607131
KIFBP	95.6%	95.6%	100.0%	99.4%	Goldberg-Shprintzen megacolon syndrome, 609460
KMT2D	100.0%	100.0%	100.0%	99.6%	Branchial arch abnormalities, choanal atresia, athelia, hearing loss, and hypothyroidism syndrome, 620186;Kabuki syndrome 1, 147920
MAP3K7	100.0%	100.0%	100.0%	99.6%	Frontometaphyseal dysplasia 2, 617137;Cardiospondylocarp ofacial syndrome, 157800
MAPRE2	100.0%	100.0%	100.0%	99.6%	Symmetric circumferential skin creases, congenital, 2, 616734
MASP1	100.0%	100.0%	100.0%	99.8%	3MC syndrome 1, 257920
MBTPS2	100.0%	100.0%	99.4%	75.3%	Keratosis follicularis spinulosa decalvans, X-linked, 308800;Osteogenesis imperfecta, type XIX, 301014;IFAP syndrome with or without BRESHECK syndrome, 308205;?Olmsted syndrome, X-linked, 300918
MED25	100.0%	100.0%	100.0%	99.7%	Basel-Vanagait-Smirin-Yosef syndrome, 616449
MEIS2	100.0%	100.0%	100.0%	99.7%	Cleft palate, cardiac defects, and impaired intellectual development, 600987

MID1	99.6%	99.1%	98.6%	76.3%	Opitz GBBB syndrome, 300000
MKS1	100.0%	100.0%	100.0%	99.8%	Bardet-Biedl syndrome 13, 615990;Meckel syndrome 1, 249000;Joubert syndrome 28, 617121
MSX1	100.0%	100.0%	100.0%	99.4%	Tooth agenesis, selective, 1, with or without orofacial cleft, 106600;Ectodermal dysplasia 3, Witkop type, 189500;Orofacial cleft 5, 608874
MYMK	100.0%	100.0%	100.0%	99.7%	Carey-Fineman-Ziter syndrome, 254940
MYMX	100.0%	100.0%	100.0%	100.0%	?Carey-Fineman-Ziter syndrome 2, 619941
NECTIN1	100.0%	100.0%	100.0%	99.8%	Cleft lip/palate-ectodermal dysplasia syndrome, 225060;Orofacial cleft 7, 225060
NEDD4L	100.0%	100.0%	99.9%	98.6%	Periventricular nodular heterotopia 7, 617201
NEK1	100.0%	100.0%	100.0%	99.1%	Short-rib thoracic dysplasia 6 with or without polydactyly, 263520;?Orofaciodigital syndrome II, 252100;{Amyotrophic lateral sclerosis, susceptibility to, 24}, 617892
NIPBL	100.0%	100.0%	100.0%	99.4%	Cornelia de Lange syndrome 1, 122470
NOTCH1	100.0%	100.0%	100.0%	99.9%	Adams-Oliver syndrome 5, 616028;Aortic valve disease 1, 109730
OFD1	100.0%	100.0%	97.9%	69.5%	Simpson-Golabi-Behmel syndrome, type 2, 300209;?Retinitis pigmentosa 23, 300424;Orofaciodigital syndrome I, 311200;Joubert syndrome 10, 300804
ORC1	100.0%	100.0%	100.0%	99.6%	Meier-Gorlin syndrome 1, 224690

PAX3	100.0%	99.8%	100.0%	99.4%	Craniofacial-deafness-hand syndrome, 122880;Waardenburg syndrome, type 3, 148820;Waardenburg syndrome, type 1, 193500;Rhabdomyosarcoma 2, alveolar, 268220
PGM1	94.0%	94.0%	100.0%	99.2%	Congenital disorder of glycosylation, type It, 614921
PHF8	100.0%	99.9%	98.6%	73.4%	Intellectual developmental disorder, X-linked syndromic, Siderius type, 300263
PHGDH	100.0%	100.0%	100.0%	99.8%	Neu-Laxova syndrome 1, 256520;Phosphoglycerate dehydrogenase deficiency, 601815
PIEZO2	100.0%	100.0%	100.0%	99.5%	Arthrogryposis, distal, type 5, 108145;Arthrogryposis, distal, with impaired proprioception and touch, 617146;Arthrogryposis, distal, type 3, 114300;?Marden-Walker syndrome, 248700
PIGN	100.0%	99.9%	100.0%	99.3%	Multiple congenital anomalies-hypotonia-seizures syndrome 1, 614080
PIGO	100.0%	100.0%	100.0%	99.9%	Hyperphosphatasia with impaired intellectual development syndrome 2, 614749
PIGV	100.0%	100.0%	100.0%	99.8%	Hyperphosphatasia with impaired intellectual development syndrome 1, 239300
PLCB4	100.0%	99.9%	100.0%	99.3%	Auriculocondylar syndrome 2B, 620458;Auriculocondylar syndrome 2A, 614669

POLR1A	100.0%	100.0%	100.0%	99.7%	Leukodystrophy, hypomyelinating, 27, 620675;Acrofacial dysostosis, Cincinnati type, 616462
POLR1C	83.3%	83.2%	100.0%	99.8%	Leukodystrophy, hypomyelinating, 11, 616494;Treacher Collins syndrome 3, 248390
POLR1D	100.0%	100.0%	100.0%	99.7%	Treacher Collins syndrome 2, 613717
POMT1	100.0%	100.0%	100.0%	99.8%	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 1, 236670;Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 1, 609308;Muscular dystrophy-dystroglycanopathy (congenital with impaired intellectual development), type B, 1, 613155
PORCN	100.0%	99.8%	99.0%	75.5%	Focal dermal hypoplasia, 305600
PQBP1	100.0%	100.0%	99.3%	73.8%	Renpenning syndrome, 309500
PROKR2	100.0%	100.0%	100.0%	99.8%	Hypogonadotropic hypogonadism 3 with or without anosmia, 244200
PRRX1	100.0%	100.0%	100.0%	99.5%	Agnathia-otocephaly complex, 202650
PTCH1	100.0%	100.0%	100.0%	99.4%	Basal cell nevus syndrome 1, 109400;Basal cell carcinoma, somatic, 605462;Holoprosencephaly 7, 610828
PTCH2	100.0%	100.0%	100.0%	99.8%	Medulloblastoma, somatic, 155255;Basal cell carcinoma, somatic, 605462
RBM10	100.0%	99.9%	98.8%	79.1%	TARP syndrome, 311900

RIPK4	100.0%	100.0%	100.0%	99.9%	CHAND syndrome, 214350;Popliteal pterygium syndrome, Bartsocas-Papas type 1, 263650
ROR2	100.0%	100.0%	100.0%	99.8%	Brachydactyly, type B1, 113000;Robinow syndrome, autosomal recessive, 268310
RPGRIP1L	100.0%	100.0%	100.0%	98.8%	Joubert syndrome 7, 611560;Meckel syndrome 5, 611561;?COACH syndrome 3, 619113
RPL11	100.0%	100.0%	100.0%	99.1%	Diamond-Blackfan anemia 7, 612562
RPL26	100.0%	100.0%	100.0%	99.5%	?Diamond-Blackfan anemia 11, 614900
RPL5	100.0%	100.0%	100.0%	99.6%	Diamond-Blackfan anemia 6, 612561
RPS19	100.0%	100.0%	100.0%	99.5%	Diamond-Blackfan anemia 1, 105650
RPS26	100.0%	98.8%	100.0%	99.0%	Diamond-Blackfan anemia 10, 613309
RPS28	100.0%	100.0%	100.0%	99.7%	Diamond Blackfan anemia 15 with mandibulofacial dysostosis, 606164
RUNX2	100.0%	100.0%	100.0%	98.8%	Metaphyseal dysplasia with maxillary hypoplasia with or without brachydactyly, 156510;Cleidocranial dysplasia, forme fruste, with brachydactyly, 119600;Cleidocranial dysplasia, forme fruste, dental anomalies only, 119600;Cleidocranial dysplasia, 119600
SALL4	100.0%	100.0%	100.0%	99.7%	?IVIC syndrome, 147750;Duane-radial ray syndrome, 607323
SATB2	100.0%	99.7%	100.0%	99.4%	Glass syndrome, 612313
SCARF2	100.0%	100.0%	100.0%	98.3%	Van den Ende-Gupta syndrome, 600920
SEC23A	100.0%	100.0%	100.0%	99.1%	Craniolenticulosutural dysplasia, 607812

SEMA3E	100.0%	100.0%	100.0%	99.7%	
SEPTIN9	100.0%	100.0%	100.0%	99.3%	Amyotrophy, hereditary neuralgic, 162100
SF3B4	100.0%	100.0%	100.0%	99.7%	Acrofacial dysostosis 1, Nager type, 154400
SHH	100.0%	100.0%	100.0%	98.7%	Microphthalmia with coloboma 5, 611638;Schizencephaly, 269160;Single median maxillary central incisor, 147250;Holoprosencephaly 3, 142945
SIX1	100.0%	100.0%	100.0%	99.0%	Deafness, autosomal dominant 23, 605192;Branchiootic syndrome 3, 608389
SIX3	100.0%	100.0%	100.0%	98.9%	Schizencephaly, 269160;Holoprosencephaly 2, 157170
SIX5	100.0%	100.0%	100.0%	98.4%	Branchiootorenal syndrome 2, 610896
SKI	100.0%	99.9%	100.0%	98.6%	Shprintzen-Goldberg syndrome, 182212
SLC10A7	100.0%	100.0%	100.0%	99.6%	Short stature, amelogenesis imperfecta, and skeletal dysplasia with scoliosis, 618363
SLC26A2	100.0%	100.0%	100.0%	99.4%	Epiphyseal dysplasia, multiple, 4, 226900;De la Chapelle dysplasia, 256050;Diastrophic dysplasia, 222600;Diastrophic dysplasia, broad bone-platyspondylic variant, 222600;Achondrogenesis Ib, 600972;Atelosteogenesis, type II, 256050
SMAD3	100.0%	100.0%	100.0%	99.1%	Loeys-Dietz syndrome 3, 613795

SMAD4	100.0%	100.0%	100.0%	99.8%	Pancreatic cancer, somatic, 260350;Myhre syndrome, 139210;Polyposis, juvenile intestinal, 174900;Juvenile polyposis/hereditary hemorrhagic telangiectasia syndrome, 175050
SMC1A	100.0%	99.8%	98.5%	73.6%	Cornelia de Lange syndrome 2, 300590;Developmental and epileptic encephalopathy 85, with or without midline brain defects, 301044
SMC3	100.0%	100.0%	100.0%	99.1%	Cornelia de Lange syndrome 3, 610759
SMCHD1	100.0%	100.0%	100.0%	99.3%	Bosma arhinia microphthalmia syndrome, 603457;Fascioscapulohumeral muscular dystrophy 2, digenic, 158901
SMS	100.0%	99.4%	98.6%	76.0%	Intellectual developmental disorder, X-linked syndromic, Snyder-Robinson type, 309583
SNRPB	100.0%	100.0%	100.0%	99.7%	Cerebrocostomandibular syndrome, 117650
SON	100.0%	100.0%	100.0%	99.7%	ZTTK syndrome, 617140
SOX9	100.0%	100.0%	100.0%	99.8%	Campomelic dysplasia with autosomal sex reversal, 114290;Acampomelic campomelic dysplasia, 114290;Campomelic dysplasia, 114290
SPECC1L	100.0%	100.0%	100.0%	99.4%	Teebi hypertelorism syndrome 1, 145420;?Facial clefting, oblique, 1, 600251
STAC3	100.0%	100.0%	100.0%	99.3%	Congenital myopathy 13, 255995
STAMBP	100.0%	100.0%	100.0%	99.4%	Microcephaly-capillary malformation syndrome, 614261

TAPT1	100.0%	100.0%	100.0%	98.9%	Osteochondrodysplasia, complex lethal, Symoens-Barnes-Gistelinc type, 616897
TBX1	97.7%	95.5%	100.0%	97.6%	Tetralogy of Fallot, 187500;DiGeorge syndrome, 188400;Conotruncal anomaly face syndrome, 217095;Velocardiofacial syndrome, 192430
TBX15	100.0%	99.4%	100.0%	99.3%	Cousin syndrome, 260660
TBX2	100.0%	99.6%	100.0%	98.7%	Vertebral anomalies and variable endocrine and T-cell dysfunction, 618223
TBX22	99.4%	98.1%	99.3%	77.8%	Cleft palate with ankyloglossia, 303400;?Abruzzo-Erickson syndrome, 302905
TBX4	100.0%	100.0%	100.0%	99.6%	Ischiocoxopodopatellar syndrome with or without pulmonary arterial hypertension, 147891;Amelia, posterior, with pelvic and pulmonary hypoplasia syndrome, 601360
TCOF1	100.0%	100.0%	100.0%	99.5%	Treacher Collins syndrome 1, 154500
TCTN3	100.0%	100.0%	100.0%	99.4%	Joubert syndrome 18, 614815;Orofaciodigital syndrome IV, 258860
TFAP2A	100.0%	100.0%	99.9%	96.2%	Branchiooculofacial syndrome, 113620
TGDS	100.0%	100.0%	100.0%	99.0%	Catel-Manzke syndrome, 616145
TGFB3	100.0%	100.0%	100.0%	99.8%	Arrhythmogenic right ventricular dysplasia 1, 107970;Loeys-Dietz syndrome 5, 615582
TGFBR1	100.0%	100.0%	100.0%	99.4%	{Multiple self-healing squamous epithelioma, susceptibility to}, 132800;Loeys-Dietz syndrome 1, 609192

TGFBR2	100.0%	100.0%	100.0%	99.1%	Loeys-Dietz syndrome 2, 610168;Colorectal cancer, hereditary nonpolyposis, type 6, 614331;Esophageal cancer, somatic, 133239
TGIF1	100.0%	100.0%	100.0%	99.3%	Holoprosencephaly 4, 142946
TMCO1	88.0%	87.7%	100.0%	98.8%	Craniofacial dysmorphism, skeletal anomalies, and impaired intellectual development 1, 213980
TMEM216	100.0%	100.0%	100.0%	99.5%	Joubert syndrome 2, 608091;Meckel syndrome 2, 603194
TP63	100.0%	99.9%	100.0%	99.7%	Premature ovarian failure 21, 620311;Ectrodactyly, ectodermal dysplasia, and cleft lip/palate syndrome 3, 604292;Hay-Wells syndrome, 106260;Split-hand/foot malformation 4, 605289;Orofacial cleft 8, 618149;Rapp-Hodgkin syndrome, 129400;ADULT syndrome, 103285;Limb-mammary syndrome, 603543
TRIM37	98.3%	98.3%	100.0%	99.4%	Mulibrey nanism, 253250
TUBB	99.6%	98.8%	100.0%	99.8%	Symmetric circumferential skin creases, congenital, 1, 156610;Cortical dysplasia, complex, with other brain malformations 6, 615771
TWIST1	100.0%	100.0%	100.0%	98.8%	Craniosynostosis 1, 123100;Robinow-Sorauf syndrome, 180750;Sweeney-Cox syndrome, 617746;Saethre-Chotzen syndrome with or without eyelid anomalies, 101400
TXNL4A	100.0%	100.0%	100.0%	99.8%	Burn-McKeown syndrome, 608572

USP9X	100.0%	99.8%	98.6%	73.7%	Intellectual developmental disorder, X-linked 99, 300919;Intellectual developmental disorder, X-linked 99, syndromic, female-restricted, 300968
WASHC5	100.0%	100.0%	100.0%	99.2%	Ritscher-Schinzel syndrome 1, 220210;Spastic paraplegia 8, autosomal dominant, 603563
WDR35	100.0%	100.0%	100.0%	99.7%	Short-rib thoracic dysplasia 7 with or without polydactyly, 614091;Cranioectodermal dysplasia 2, 613610
WNT4	100.0%	99.8%	100.0%	99.3%	?SERKAL syndrome, 611812;Mullerian aplasia and hyperandrogenism, 158330
WNT5A	100.0%	100.0%	100.0%	99.4%	Robinow syndrome, autosomal dominant 1, 180700
XYLT1	100.0%	99.8%	100.0%	98.6%	Desbuquois dysplasia 2, 615777;{Pseudoxanthoma elasticum, modifier of severity of}, 264800
ZEB2	96.8%	96.7%	100.0%	99.3%	Mowat-Wilson syndrome, 235730
ZFHX4	99.7%	98.9%	100.0%	98.5%	?Ptosis, congenital, 178300
ZIC2	100.0%	99.9%	100.0%	98.3%	Holoprosencephaly 5, 609637
ZIC3	100.0%	100.0%	98.9%	76.7%	Congenital heart defects, nonsyndromic, 1, X-linked, 306955;Heterotaxy, visceral, 1, X-linked, 306955;VACTERL association, X-linked, 314390
ZMPSTE24	100.0%	100.0%	100.0%	99.6%	Mandibuloacral dysplasia with type B lipodystrophy, 608612;Restrictive dermopathy 1, 275210

ZSWIM6	97.5%	95.9%	98.0%	93.0%	Neurodevelopmental disorder with movement abnormalities, abnormal gait, and autistic features, 617865;Acromelic frontonasal dysostosis, 603671
--------	-------	-------	-------	-------	--

*Gene symbols used follow HGCN guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan 43(Database issue):D1079-85.*

*TWIST X2 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry.*

*TWIST X2 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry.*

*srWGS GRCh38 Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.*

*srWGS GRCh38 Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.*

*non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.*

*OMIM release used for OMIM disease identifiers and descriptions : March 17th, 2023.*

*This list is accurate for panel version DG 3.7.0.*

*Ad 1. "No OMIM phenotype" signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors*