

PANEL HEREDITARY PANCREATIC CANCER (BRCA1, BRCA2, PALB2, ATM, CDKN2A, MLH1, MSH2, MSH6, PMS2, STK11) DG-4.4.0 (11 GENES)

<i>Gene</i>	<i>Twist X2 covered 10x</i>	<i>Twist X2 covered 20x</i>	<i>srWGS covered 10x</i>	<i>srWGS covered 15x</i>	<i>srWGS covered 20x</i>	<i>Associated Phenotype description and OMIM disease ID</i>
ATM	100%	100%	100%	100%	99.6%	Lymphoma, B-cell non-Hodgkin, somatic;Ataxia-telangiectasia, 208900;{Breast cancer, susceptibility to}, 114480;T-cell prolymphocytic leukemia, somatic;Lymphoma, mantle cell, somatic
BRCA1	100%	100%	100%	100%	99.7%	Fanconi anemia, complementation group S, 617883;{Breast-ovarian cancer, familial, 1}, 604370;{Pancreatic cancer, susceptibility to, 4}, 614320

BRCA2	100%	100%	100%	100%	99.8%	Fanconi anemia, complementation group D1, 605724;{Glioblastoma 3}, 613029;{Medulloblastoma}, 155255;{Prostate cancer}, 176807;{Breast-ovarian cancer, familial, 2}, 612555;{Breast cancer, male, susceptibility to}, 114480;{Pancreatic cancer 2}, 613347;Wilms tumor, 194070
CDKN2A	100%	100%	100%	99.9%	98%	{Melanoma and neural system tumor syndrome}, 155755;{Melanoma, cutaneous malignant, 2}, 155601;{Melanoma-pancreatic cancer syndrome}, 606719
EPCAM	100%	100%	100%	99.9%	99.3%	Diarrhea 5, with tufting enteropathy, congenital, 613217;Lynch syndrome 8, 613244

MLH1	100%	100%	100%	100%	99.7%	Lynch syndrome 2, 609310;Muir-Torre syndrome, 158320;Mismatch repair cancer syndrome 1, 276300
MSH2	100%	100%	100%	100%	99.4%	Lynch syndrome 1, 120435;Muir-Torre syndrome, 158320;Mismatch repair cancer syndrome 2, 619096
MSH6	100%	100%	100%	99.9%	99.4%	Lynch syndrome 5, 614350;Mismatch repair cancer syndrome 3, 619097;{Endometrial cancer, familial}, 608089
PALB2	100%	100%	100%	100%	99.6%	{Breast-ovarian cancer, familial, susceptibility to, 5}, 620442;{Pancreatic cancer, susceptibility to, 3}, 613348;Fanconi anemia, complementation group N, 610832
PMS2	94.1%	93.4%	100%	99.7%	98.4%	Lynch syndrome 4, 614337;Mismatch repair cancer syndrome 4, 619101

STK11	100%	100%	100%	100%	99.2%	Melanoma, malignant, somatic, 155600;Pancreatic cancer, somatic, 260350;Peutz-Jeghers syndrome, 175200;Testicular tumor, somatic, 273300
-------	------	------	------	------	-------	--

Gene symbols used follow HGNC guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan 43(Database issue):D1079-85.

TWIST X2 covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.

TWIST X2 covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.

srWGS covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.

srWGS covered 15x describes the percentage of a gene's coding sequence that is covered at least 15x when analyzed by WGS mapped against GRCh38.

srWGS covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.

non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : November 25th, 2024.

This list is accurate for panel version DG 4.3.0

Ad 1. Blank field signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors