

SMALL FIBRE NEUROPATHY PANEL¹ DG-4.3.0 (12 GENES)

<i>Gene</i>	<i>Twist X2 covered 10x</i>	<i>Twist X2 covered 20x</i>	<i>srWGS covered 10x</i>	<i>srWGS covered 15x</i>	<i>srWGS covered 20x</i>	<i>Associated Phenotype description and OMIM disease ID</i>
GLA	91.4%	91.4%	98.8%	88.7%	72.3%	Fabry disease, cardiac variant, 301500;Fabry disease, 301500
SCN10A	100%	100%	100%	99.9%	99.1%	Episodic pain syndrome, familial, 2, 615551
SCN11A	100%	99.9%	100%	99.8%	98.9%	Episodic pain syndrome, familial, 3, 615552;Neuropathy, hereditary sensory and autonomic, type VII, 615548
SCN1B	100%	99.4%	100%	99.6%	98%	Generalized epilepsy with febrile seizures plus, type 1, 604233;Developmental and epileptic encephalopathy 52, 617350;Cardiac conduction defect, nonspecific, 612838;Atrial fibrillation, familial, 13, 615377;Brugada syndrome 5, 612838

SCN2B	100%	100%	100%	99.9%	98.8%	Atrial fibrillation, familial, 14, 615378
SCN3A	100%	100%	100%	100%	99.5%	Epilepsy, familial focal, with variable foci 4, 617935;Developmental and epileptic encephalopathy 62, 617938
SCN3B	100%	100%	100%	99.8%	97.8%	Atrial fibrillation, familial, 16, 613120;Brugada syndrome 7, 613120
SCN4B	100%	100%	100%	99.8%	96.9%	Atrial fibrillation, familial, 17, 611819;Long QT syndrome 10, 611819
SCN7A	100%	100%	100%	100%	99.7%	
SCN8A	100%	100%	100%	99.9%	98.8%	?Myoclonus, familial, 2, 618364;Seizures, benign familial infantile, 5, 617080;Cognitive impairment with or without cerebellar ataxia, 614306;Developmental and epileptic encephalopathy 13, 614558

SCN9A	100%	100%	100%	99.8%	98.8%	Erythralgia, primary, 133020;Insensitivity to pain, congenital, 243000;Small fiber neuropathy, 133020;Paroxysmal extreme pain disorder, 167400;Neuropathy, hereditary sensory and autonomic, type IID, 243000
TTR	100%	100%	100%	100%	98.7%	Amyloidosis, hereditary systemic 1, 105210;Carpal tunnel syndrome, familial, 115430;[Dystransthyretic nemic hyperthyroxinemia], 145680

Gene symbols used follow HGCN guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan 43(Database issue):D1079-85.

TWIST X2 covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.

TWIST X2 covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.

srWGS covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.

srWGS covered 15x describes the percentage of a gene's coding sequence that is covered at least 15x when analyzed by WGS mapped against GRCh38.

srWGS covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.

non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : November 25th, 2024.

This list is accurate for panel version DG 4.2.0

Ad 1. Blank field signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors