

PANEL HEREDITARY COLORECTAL AND POLYPOSIS DG-4.4.0 (22 GENES)

<i>Gene</i>	<i>Twist X2 covered 10x</i>	<i>Twist X2 covered 20x</i>	<i>srWGS covered 10x</i>	<i>srWGS covered 15x</i>	<i>srWGS covered 20x</i>	<i>Associated Phenotype description and OMIM disease ID</i>
APC	100%	100%	100%	100%	99.8%	Colorectal cancer, somatic, 114500;Brain tumor-polyposis syndrome 2, 175100;Desmoid disease, hereditary, 135290;Adenoma, periampullary, somatic, 175100;Hepatoblastoma, somatic, 114550;Gastric cancer, somatic, 613659;Gastric adenocarcinoma and proximal polyposis of the stomach, 619182;Gardner syndrome, 175100;Adenomatous polyposis coli, 175100

AXIN2	100%	100%	100%	99.9%	99.4%	Colorectal cancer, somatic, 114500;Oligodontia-colorectal cancer syndrome, 608615
BMPR1A	100%	100%	100%	100%	99.5%	Polyposis syndrome, hereditary mixed, 2, 610069;Polyposis, juvenile intestinal, 174900
EPCAM	100%	100%	100%	99.9%	99.3%	Diarrhea 5, with tufting enteropathy, congenital, 613217;Lynch syndrome 8, 613244
MBD4	100%	100%	100%	100%	99.5%	{Uveal melanoma, susceptibility to, 1}, 606660;Tumor predisposition syndrome 2, 619975
MCM8	94.4%	94.4%	100%	100%	99.8%	?Premature ovarian failure 10, 612885
MCM9	100%	100%	100%	99.9%	99%	Ovarian dysgenesis 4, 616185
MLH1	100%	100%	100%	100%	99.7%	Lynch syndrome 2, 609310;Muir-Torre syndrome, 158320;Mismatch repair cancer syndrome 1, 276300

MLH3	100%	100%	99.9%	99.6%	99.1%	{Endometrial cancer, susceptibility to}, 608089;Colorectal cancer, somatic, 114500;Colorectal cancer, hereditary nonpolyposis, type 7, 614385
MSH2	100%	100%	100%	100%	99.4%	Lynch syndrome 1, 120435;Muir-Torre syndrome, 158320;Mismatch repair cancer syndrome 2, 619096
MSH3	100%	100%	100%	99.9%	99.3%	Familial adenomatous polyposis 4, 617100;Endometrial carcinoma, somatic, 608089
MSH6	100%	100%	100%	99.9%	99.4%	Lynch syndrome 5, 614350;Mismatch repair cancer syndrome 3, 619097;{Endometrial cancer, familial}, 608089
MUTYH	100%	100%	100%	100%	99.7%	Adenomas, multiple colorectal, 608456;Gastric cancer, somatic, 613659
NTHL1	100%	100%	100%	99.8%	99.2%	Familial adenomatous polyposis 3, 616415

PMS2	94.1%	93.4%	100%	99.7%	98.4%	Lynch syndrome 4, 614337;Mismatch repair cancer syndrome 4, 619101
POLD1	100%	100%	100%	99.9%	98.7%	Mandibular hypoplasia, deafness, progeroid features, and lipodystrophy syndrome, 615381;Immunodeficiency 120, 620836;{Colorectal cancer, susceptibility to, 10}, 612591
POLE	100%	100%	100%	99.9%	99%	{Colorectal cancer, susceptibility to, 12}, 615083;FELS syndrome, 615139;IMAGE-I syndrome, 618336
PTEN	94.5%	94.5%	100%	100%	99.1%	{Glioma susceptibility 2}, 613028;{Meningioma}, 607174;Cowden syndrome 1, 158350;Lhermitte-Duclos disease, 158350;Prostate cancer, somatic, 176807;Macrocephaly/autism syndrome, 605309

RNF43	100%	100%	100%	99.9%	98.8%	Sessile serrated polyposis cancer syndrome, 617108
RPS20	100%	100%	100%	100%	99.3%	
SMAD4	100%	100%	100%	100%	99.8%	Pancreatic cancer, somatic, 260350;Myhre syndrome, 139210;Polyposis, juvenile intestinal, 174900;Juvenile polyposis/hereditary hemorrhagic telangiectasia syndrome, 175050
STK11	100%	100%	100%	100%	99.2%	Melanoma, malignant, somatic, 155600;Pancreatic cancer, somatic, 260350;Peutz-Jeghers syndrome, 175200;Testicular tumor, somatic, 273300

Gene symbols used follow HGNC guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan 43(Database issue):D1079-85.

TWIST X2 covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.

TWIST X2 covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.

srWGS covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.

srWGS covered 15x describes the percentage of a gene's coding sequence that is covered at least 15x when analyzed by WGS mapped against GRCh38.

srWGS covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.

non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : November 25th, 2024.

This list is accurate for panel version DG 4.3.0

Ad 1. Blank field signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors